

EXPERT ADVICE AND TIPS FOR EVERY AMIGA ENTHUSIAST

WIN!
MORPH PLUS

AMIGA

SHOPPER

From the makers of **AMIGA**
FORMAT

ISSUE 23 • MARCH 1993 • £2.25
YOUR **DEFINITIVE** AMIGA GUIDE

Hard hearted

INSIDE

• SELF ASSEMBLY!

Get started in assembly language **PLUS**
complete listing and assembler on disk
Assembler: page 24

• DIY HARDWARE REPAIRS

Amiga not working? We show you how to
fix the most common faults yourself
DIY Repairs: page 56

SPECIAL DISK ISSUE

Seven utilities, an assembler and linker
package and all the source code in the mag

What! Your cover disk
has disappeared
down a black hole?
Better ask your
newsagent for
another

Fit an internal hard
drive to your A600 or
A1200 - step-by-step
instructions start on p14

AMIGA

ANSWERS

Let our experts solve your Amiga problems.
Whether your hassle is with hardware or
software, turn to page 33 for the answers

Future
PUBLISHING

Your guarantee of value



9 770961 730988

Amiga 600



- The compact Amiga
- 1MB of RAM
- Built-in TV modulator
- IDE Hard disk controller built-in
- PCMCIA Card slot
- Includes Power Mouse Mat
- Includes Apache joystick

Amiga 600	£285
Amiga 600 & 40MB HD	£455
Amiga 600 & 60MB HD	£499
Amiga 600 & 80MB HD	£549

Amiga 1200



- 32-bit computer
- 68020 microprocessor
- Optional 68881/68882 floating point unit
- 2MB RAM
- PCMCIA Card slot
- 16.8 million colour palette
- Displays up to 256,000 colours on screen
- Includes Power Mouse Mat
- Includes Apache joystick

Amiga 1200	£390
Amiga 1200 & 40MB HD	£560
Amiga 1200 & 60MB HD	£604
Amiga 1200 & 80MB HD	£654

Internal Hard Drive

40MB Internal hard disk	£199
80MB Internal hard disk	£269

Blizzard Turbo

- A500/A500+
- Expand up to 8MB (0K installed)
- Memory and 68000 CPU run at 14.28MHz
- Fast 68000 processor installed on-board
- Fully auto-configuring
- Optical 512K shadow RAM on extra memory bank for shadowing the operating system out of ROM or from disk

Blizzard Turbo	£129
Blizzard Turbo 2MB RAM	£185
B'Turbo 2MB RAM + 256K Shadow RAM	£199

Amiga 4000

- 32-bit computer
- 68040 microprocessor
- 25MHz clock speed
- 2MB 32-bit chip RAM
- Built-in 3.5" high density disk drive
- 16.8 million colour palette
- Display up to 256,000 colours on screen
- High resolution graphics
- AGA Custom chip set
- VGA or multiscan monitors
- AmigaDOS 3.0 & CrossDOS

Amiga 4000 & 120MB HD	£2329
-----------------------------	--------------

A3000

- 68030 microprocessor with coprocessor
- 2MB RAM
- Hi-Res graphics with 1MB graphic RAM
- Built in SCSI interface
- Hard disk as standard
- 'T' is Tower version

Amiga 3000 & 52MB HD	£1439
Amiga 3000 & 105MB HD	£1569
Amiga 3000T 100MB HD 5MB RAM	£2349
Amiga 3000T 200MB HD 5MB RAM	£2936

PCMCIA Memory



- Ultra slim memory cards
- 1MB & 2MB
- For A600/A1200

1MB Memory card	£POA
2MB Memory card	£POA

Amiga Accessories

A2300 Genlock	£57
A2065 Ethernet Card	£245
A2232 Serial Card	£104
A2320 Display Enhancer	£163

Commodore 1960

- Multisync monitor
- For use with Flicker Fixers
- Very high quality

Commodore Trisync monitor	£479
---------------------------------	-------------

Educational discounts available

POWER

Power Computing Ltd
Unit 8 Railton Road
Woburn Road Ind. Estate
Kempston Bedford
MK42 7PN



Tel 0234 843388 Fax 0234 840234
Technical 0234 841882

48Hr delivery £2.50 24Hr delivery £4.50
Parcel post delivery £1 (U.K mainland only)

Specifications & prices are subject to change without notice
All trademarks acknowledged, VAT included

Home Music Kit



- The complete music kit for the Amiga

Digital Studio III

- Transform your Amiga into a digital sound studio
- Create your own music
- Re-mix songs
- Piece together various songs

Real Time Sound II

- Add special effects to music
- Over 32 special effects
- Echo effect
- Can work with MIDI instruments
- Each effect can be modified
- Make your voice sound robotic
- Allow your music to sound like it's being played in a concert hall

Stereo Sound Digitiser

- Convert your desired sounds into digital signals

Other Features

- Maximum sampling rate 900 KHz
- Dynamic filtering
- Anti-aliasing filter
- Stereo gain control by software
- Microphone volume scale

Home Music Kit	£49.95
----------------------	---------------

AMIGA SHOPPER

AT A GLANCE GUIDE

To help you find what you want quickly and easily, this is a cross-referenced list of all the products and subjects covered in this month's *Amiga Shopper*. The subjects covered in *Amiga Answers* are detailed on page 33; the many PD programs covered on page 119 are listed there. The page numbers given are for the first page of the article in which the subject is mentioned.

Adventure games	74
Advertisers' index	136
AmigaDOS 2.1	7
AmigaDOS	83
AMOS	74
Animation programs	52
Answers	33
ARexx	110
Assembly language	24, 50
Business	98
C programming	114
Caligari	11
Chaos	88
Code clinic	50
Colour scanner	64
Communications	92
Competition	138
Deluxe Paint AGA	7
Desktop publishing	64
Disk pages	14
DIY hardware repairs	56
Education	52
IDE drives	14
Installing a drive	14
Julia set	88
Letters	12
Mail order	103
Mice	56
Morphing	70
Music	80
News	7
Power supplies	56
Printers	114
Product locator	132
Public domain	119
Reader ads	112
Relational database	98
Sampling	80
Screen packing	74
Startup-sequence	83
Subscriptions	122
Time codes	80
User groups	117
User-defined functions	110
Video	70

Are there any products or subjects you'd like us to take a look at? Well, just drop a line to:

Amiga Shopper,
30 Monmouth Street,
Bath BA1 2BW.

WELCOME

We're always extolling the virtues of hard drives here at *Amiga Shopper*, and with good reason too. Those of you who, like me, can remember using home computers with cassette tape-based storage will also remember the amazing difference that first disk drive made. Believe me, your first hard drive is a similar advance in productivity.

It's all very well for owners of the A500 and A2000, who can buy plenty of drives off the shelf, but finding a drive for an A600 or A1200 is a little more complicated, or has been until now. Starting on page 14 is an article that will put paid to this – it tells you *everything* you need to choose, fit and use an IDE hard drive.

The hardware theme continues with the new series on page 56, *DIY Hardware Repairs*. Let's face it, with your warranty out of date and your machine broken you could be looking at a nasty repair bill. But why pay, when the chances are it's a simple fault that you could easily fix yourself? Go on, take a look...

It's not all about hardware this month, of course. We've finally bowed to public demand and

printed an assembly language tutorial. It assumes a basic knowledge of programming, nothing more, and whisks you right along until you're opening libraries and moving sprites. Complementing it is a public domain assembler and linker on

the cover disk, along with source code for the examples, naturally. In fact, we've saved you quite a bit of typing this month, since just about every example program appearing in the magazine is also on the disk, and that's not to mention all the lovely, lovely utilities we've crammed on as well.

Enjoy the ish!

Cliff Parsham
Editor



PUBLIC DOMAIN WORLD

A FISTFUL OF FISH

There are thousands of Amiga programs which are available for little more than the price of a disk. And many more which allow you to try the software free before you buy. Each month in *Public Domain World* we examine the best of these programs and explain how to get hold of them.

We take another trawl through the latest in the *Fred Fish* collection this month, looking at, among other things, an excellent 3D graphing program. *Public Domain World* or

For a few fish more

as we call it this month, starts on page 119

AMIGA ANSWERS

8 PAGES DEVOTED EXCLUSIVELY TO ANSWERING YOUR QUESTIONS

Every month in *Amiga Answers* our panel, comprised of experts from each of the fields of Amiga computing, answers more genuine reader questions than any other Amiga magazine. And in the *Code Clinic* any errors in programs you send in will be corrected as well!

We answer questions every month on
Workbench • The CLI • Comms • Programming •
DTP • Video • Business software • And more!

THE ANSWERS START ON PAGE 33

FOR A FULL LIST OF CONTENTS, TURN THE PAGE

Your guarantee of value

This magazine comes from Future Publishing, a company founded just seven years ago, but which now sells more computer magazines than any other publisher in Britain. We offer:

Better advice. Our titles are packed with tips, suggestions and explanatory features, written by the best in the business.

Stronger reviews. We have a cast-iron policy of editorial independence, and our reviews give clear buying recommendations.

Clearer design. You need solid information, and you need it fast. So our designers highlight key elements in the articles by using charts,

diagrams, summary boxes, annotated photographs and so on.

Greater relevance. At Future, editors operate under two golden rules:
• Understand your readers' needs.
• Satisfy them.

More reader interaction. We draw strongly on readers' contributions, resulting in the liveliest letters pages and the best reader tips. Buying one of our magazines is like joining a nationwide user group.

Better value for money. More pages, better quality: magazines you can trust.

Future
PUBLISHING

The home of Britain's finest computer magazines:

Amiga Shopper • Amiga Format
• Amiga Power • Commodore Format
• PCW Plus • PC Plus

ST Format • Your Sinclair • Sega Power
Amstrad Action • PC Answers • PC Format
Total • Super Play • Mega • Gamesmaster
– and masses more coming at ya in 93 too!

AMIGA A1200 PACKAGE.....£389.00

Our A1200's are also available with fully prepared and formatted internal IDE hard disk drives. Please add the following prices for the size of the disk that you require:-

40Mb	£169.00
85Mb	£199.00
120Mb	£279.00
170Mb	£319.00
210Mb	£399.00
240Mb	£449.00
330Mb	£579.00
426Mb	£869.00
525Mb	£999.00

Please phone for prices and availability of other hardware.

FOR ENQUIRIES AND ORDER HOT LINES:-

Phone:- (0736) 331039

Fax:- (0736) 64721

FOR MAIL ORDER SERVICE:-

SOFTWARE DEMON LTD,
P.O. BOX 90, PENZANCE,
CORNWALL TR18 2SP



Please add £6.00 for postage & packing. For 24hr delivery add an extra £5.00
Please make all cheques/P.O.s payable to SOFTWARE DEMON LTD, and if applicable please include your credit card no. and expiry date.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. E&OE. ALL TRADEMARKS ACKNOWLEDGED

INSIDE THIS ISSUE

AMIGA SHOPPER

Issue 23 March 1993

Editor: Cliff Ramshaw

Art Editor: Diana Taylor

Production Editor: Dave Green

Consultant Editors: Jeff Walker,

Mark Smiddy, Ian Wrigley

Contributors: Jason Holborn, Paul

Overaa, Gary Whiteley, Dave

Winder, Ian Wrigley, Conrad

Bessant, Toby Simpson, Wilf Rees,

Jolyon Ralph

Guest Composer: Karen Carpenter

Ad Manager: Margaret Clarke

Senior Ad Sales Executive:

David Eckett

Production: Richard Gingell

Production Technicians:

Mark Gover, Heath Parsons, Simon

Windsor, Chris Stocker

Circulation Director: Sue Hartley

Promotions Manager:

Michele Harris

Publisher: Stuart Anderton

Group Publishing Director:

Greg Ingham

ABC audited circulation:

January-June 1992:

48,799 copies/month

Printed by Redwood Press

News Trade Distribution -

UK: Future Publishing 0225 442244

Worldwide: MMC Ltd 0483 211678

This magazine is copyright © 1993

Future Publishing Ltd. No part of this

magazine may be reproduced without

written permission. We welcome

contributions for publication but regret

that we cannot return any submissions.

Any correspondence will be considered

for publication unless specifically stated

otherwise.

Editorial

30 Monmouth Street, Bath BA1 2BW

Tel: 0225 442244 : Fax: 0225 446019

E-mail: amshopper@cix.compulink

Advertising

Rayner House, 23 Higher Hillgate,

Stockport SK1 3ER

Tel: 061-474 7333; Fax: 061-476 3002

Subscriptions

The Old Barn, Somerton TA11 7PY

Tel: 0458 74011

Yes, it's another chance to win a year's free subscription. All you have to do is fill in the blank in the following well-known phrase or saying: "Dispatch war-rocket _____ to bring back his body!". If you think you know the answer, or even if you're willing to make a guess, then just jot it down on a card and send it off to: 'Gordon's alive!', *Amiga Shopper*, 30, Monmouth St, Bath, BA1 2BW. First correct answer out of the bag wins 12 free issues. Oh, and last month's winner was Martin Kerr of Peterlee, Co Durham.

News

7

AmigaDOS Release 2.1 is now available to all **PLUS** news of releases dedicated to the A1200 and an exciting show

Talking Shop

12

Readers give their thoughts on the state of the Amiga art



Installing a Hard Drive

14

Complete instructions for buying, fitting and using an internal IDE hard drive in your A600 or A1200. Save yourself some money with our fully illustrated guide

THE COVER DISK

22

Get the most out of your cover disk. Our Shareware Collection Volume II is packed with utilities and all of the programs listed in this month's issue

Start in Assembly Language

24

Learn how to use the fastest, most efficient language available on the Amiga. To help you along, we've included a complete assembler development package and plenty of example source code on the cover disk

Amiga Answers

33

The expert panel swings into action once again to solve all your queries on Amiga hardware or software

Education

52

A look at a couple of golden-oldie animation programs - your guide to picking up a bargain!

DIY Hardware Repairs

56

Don't get stung with big repair bills for little faults - we show you how to fix them yourself in our brand new series

Desktop Publishing

64

Is Power's colour hand scanner the bargain it seems? Jeff Walker tells a colourful story

Video

70

An in-depth comparison of *CineMorph* and *Morph Plus* - which will give you the visual effects you need?

AMOS Action

74

How to write a game and compress a screen **PLUS** answers to all your AMOS programming problems

Music

80

There's a new sampler on the block, but can it compete?

AmigaDOS

83

AmigaDOS 3's startup-sequence is explained line by line

Chaos

88

This month we delve into the infinite depths of the Mandelbrot set's close relation - the Julia set

Communications

92

A look at four handy utilities that will prove indispensable while you're on-line

Business

98

Mark Smiddy has all the information on *Order*, a relational database from South Hams Software

ARexx

110

It's the hot new language for the Amiga, and this is your chance to learn all about it. This month: functions

Reader Ads

112

The perfect place to buy or sell Amiga kit

C Programming


114

We explain the use of pointers, one of the most powerful facilities of this powerful language

User Groups

117

Get in touch with other Amigaholics in your area



Public Domain World

119

A trawl through the sea of Fred Fish low-cost and no-cost programs yields some interesting specimens, including a three-dimensional graphing program

Product Locator

132

Your at-a-glance guide to the best in Amiga software

Win Morph Plus

138

We have four copies of ASDG's *Morph Plus* to give away, each worth £179.99. Get working at those questions!

WeServe of Hampshire Established 7 years

Amiga Workstation /Expansion System

Monitor stand with shelf for drives etc. Strong metal construction made from 14SWG steel epoxy coated. No Cables or mouse are included.

Special price £27.50

New Citizens

Swift 240

24pin Colour*

Advanced 24pin printer, (Swift 24E replacement). Phone for a data sheet
*optional colour. Price with cable & paper

240 Mono £245
240C Colour £265

Swift 200

24pin Colour*

Enhanced 24pin printer, (Swift 224 replacement.) Phone for a data sheet
*optional colour. Price with cable & paper

200 Mono £195
200C Colour £219

Citizen's Print Manager

These advanced printer drivers transform colour printout's to laser type quality

Version 1 (224 & 24E) £5
Version 2 (Swift series 2) £10

Drivers 1/2 price if bought with a printer

Printer Drivers

Canon BJ-10e/ex £5
Deskjet 500 Colour £10

Citizen 120D +

with cable & paper £109

All Citizen printers have
2 year warranty

Citizen Swift 9

with cable Mono £155
& paper Colour £179

Panasonic KXP1123

Probably the best 24pin mono printer available. With cable & paper

£169

Panasonic/Epson

KXP1170 9pin 134
KXP1124i 24pin 215
KXP2180 9pin Colour 189
KXP2123 24pin Colour... 229
Epson LX400 9pin 119
Epson LQ570 24pin 265
Prices include VAT cable & paper

Naksha Scanner

New with touch up software £109

Naksha Mouse

for Atari ST & Amiga with house & mat £21.50

Squik Mouse

for Atari ST & Amiga £13.90

Midi Interface

4 channel Midi Interface for Amiga £19
Dr T's Midi Music S/w (A500 only not Plus) £4.95

Deskjet 500

HP 300dpi Inkjet printer. Laser quality at dot matrix price. 3 year warranty. With cable & paper £325

Deskjet Colour

300dpi colour inkjet printer. Colour laser quality at 1/10 of the cost. 3 year warranty. With cable & paper £419

New HP Deskjet 550C

300dpi colour inkjet printer. Colour laser quality, with colour and black cartridges resident. 3 year warranty. With cable & paper £529

Printer Packs

All printers are supplied with a printer pack consisting of printer paper and a connection cable.

Free of charge

A stand is £5.00 extra (with a printer)

Printer Dust Covers

most types in stock from £4.70

Canon BJ-10ex

360dpi Inkjet printer with cable & paper £199

Star SJ-48

360dpi Inkjet printer with cable & paper £199

Star LC100

9pin colour with cable & paper

New £159

Star

LC20 Mono 9pin 119
LC200 Colour 9pin 175
LC2420 Mono 24pin 185
LC24100 Mono 24pin 175
LC24200 Colour 24pin .. 249
Prices include VAT cable & paper

Kickstart Upgrades

Commodore 2.04 full upgrade 79.00
Kickstart ROM only v2.04 41.50
Kickstart ROM only v1.3 29.00
Phoenix rom sharer 24.95
Keyb'd operated rom sharer .. 24.95
VXL30 25MHz Accelerator ..239.00
Fatter Angus custom chip 37.50

True Mouse

for Atari ST & Amiga £15.90

Happy Mouse

for Atari ST & Amiga £14.90

New Prices

GVP Series 2

for A500 Hard Disks

40Mb Hard Disk £319
80Mb Hard Disk £369
120Mb Hard Disk £419
80Mb A530 Combo £649
120Mb A530 Combo £749

for A1500

40Mb Hard Disk £299
80Mb Hard Disk £329
120Mb Hard Disk £399
Controller (no disk) £134

GVP ram £29 per 1Mb

Ram Upgrades

A500 1MrAm + clock £24.90
A500 1MrAm no clock £19.90
A500 + 1MrAm + clock £39.90
A600 1MrAm + clock £49.90

Citizen ProCM

14" Super High res. Multisync Colour monitor, dot pitch 0.26mm, suitable for A3000 or A4000 with cable £349

Philips CM8833 MK2

Rebadged as AKF17

14" Stereo Colour Monitor. Dot pitch 0.42mm. Medium Res. £165 without cable £169 with cable

Commodore 1084SD

14" Stereo Colour Monitor. Dot pitch 0.42mm. Medium Res. £179 with cable £175 without cable
Price valid for current stock only

Philips CM8833 MK2

UK. 240V £219 with cable
+ game £215 without cable
If game not required reduce above prices by £5.00
Price valid for current stock only

Accessories

3M Joystick/Mouse lead 3.75
A500 Printer cable 7.95
Modulator/Disk Extension 10.95
23way Plug or socket 2.95
A500 Dust Cover 4.70
Mouse Mat (thick soft type) .. 4.95
Mouse House 2.95
1M internal 3.5" drive 49.00
A500 replacement PSU 39.00
A590 replacement PSU 49.00
Rocgen Plus - Genlock + .. 129.00
Disc Wallet for 32 disks 7.95

Phone for our 70 page catalogue. All prices include 17.5% VAT
EDUCATIONAL AND GOVERNMENT ORDERS WELCOME
All products have a 30 day money back & 12 month warranty.
Prices are subject to variation without prior notification.
Please phone for express clearance of cheques.
Established 7 years. 3 minutes from M27 Junction 11.
Free parking. Open 9 to 5.30 Monday to Friday & 9 to 5 Saturday
Postage 94p or £3.53 Securicor £6.46 (£5.50 + VAT)

WeServe



Larger items delivered by Securicor



Floppy Drives

Cumana CAX354

£49.90 1M external While stocks last

Commodore

A1011 1M external £48 While stocks last

Roctec/Zappo

New All Amigas A500-A1200 1M external drive £49.90

Amiga A1200

5x faster. Workbench v3. 2M ram. Custom graphics - 256K colours from 16.7 million. £359

Amiga A4000

25MHz 6MrAm £2099 Wb 3 120Mb Hd

Amiga A600

Standard A600 single floppy £265 with game £259 without software

Amiga 600SD

(D.Paint III, Grand Prix, Putty, Pushover)

Wild Weird & Wicked £299

Amiga 600HD

(Trivial Pursuit, Epic, Rome, Pushover)

Epic Pack £375

SONY

DISKETTES

SONY branded (lifetime warranty)

(100% certified error free)

10x 3.5" DS/DD 135tpi 7.50
50x 3.5" DS/DD 135tpi 32.30
100x3.5" DS/DD 135tpi 59.93
250x3.5" DS/DD 135tpi 141.00
1kx 3.5" DS/DD 135tpi 540.50

DISKETTES

SONY / DYLAN bulk (lifetime warranty)

(100% certified error free)

10x 3.5" DS/DD 135tpi 5.95
50x 3.5" DS/DD 135tpi 21.86
100x3.5" DS/DD 135tpi 39.60
250x3.5" DS/DD 135tpi 94.88
1kx 3.5" DS/DD 135tpi 379.53
40 x 3.5" Disk box with lock..... 5.49
100 x 3.5" Disk box with lock.... 7.50
Carriage on 50+ disks £3.53

9000
Tech. Support 647400

MAR 93

0705 647000 New Telephone Number 0705 647000

FUTURETECH CONSUMER ELECTRONICS – REPORTS GREATLY EXAGGERATED...

Contrary to a story in the January edition of *Amiga Format* magazine, it appears that Futuretech Consumer Electronics of Newport Pagnell has not gone into liquidation and is trading as normal.

NEW STRUCTURED DRAWING PACKAGE

Soft-Logik has released *Art Expression*, a structured drawing package that looks likely to be in direct competition with Gold Disk's *Pro Draw*.

Art Expression enables the illustrator to produce resolution-independent images with the aid of a host of tools and pre-defined basic shapes. It can also be used to create typographical effects, such as mapping text to curves. File formats which can be read by *Art Expression* include those of *Professional Draw*, *Aegis Draw*, *ProVector* and *Adobe Illustrator*. Illustrations can be saved out as Encapsulated PostScript or IFF DR2D files.

Also included with the package is *BME 1.1*, a bitmap editor, and *Trace*, a program which will convert standard Amiga bitmaps to structured drawings that can be read by *Art Expression*.

The product is distributed in the UK for £144.99 by Micro-PACE ☎ 0753 551 888. Soft-Logik is on ☎ 0101 800 829 8608.

CORRECTION

Last month we inadvertently printed the wrong telephone number for Think Limited. The correct number is ☎ 021 384 4168.

New software arrives to take full advantage of the AGA chip set A1200 Programs begin to roll

Programs are now beginning to appear that are written specifically with the A1200 and A4000 in mind.

By the time you read this Electronic Arts will have released the latest version of its acclaimed paint program, modified to take advantage of the extra colours available to A1200 and A4000 owners.

Called *Deluxe Paint IV AGA*, the package enables users to create pictures in both 256-colour mode and


also in HAM-8 mode, which offers up to 262,000 colours.

The package sells for £99.99, although upgrades for owners of earlier versions are available. An upgrade from version IV will cost £20, along with the return of the original purchase disk to Electronic Arts as proof of purchase. Version III or II owners can upgrade by sending £65 or £75 respectively along with the front covers from their manuals.

Electronic Arts can be contacted on ☎ 0753 549 442.

Also taking advantage of the new Amigas' graphics modes is Gold Disk's *PageSetter*. Now in its third version, the entry-level desktop publishing package comes complete with a word processor and a paint package capable of handling up to 256 colours. *PageSetter* costs £49 and is distributed by Silica Systems ☎ 081 309 1111.

AmigaDOS upgrades available



The advantages of the latest release of AmigaDOS are now available to all with Commodore's Enhancer packs

Users wishing to take advantage of the extra features of AmigaDOS Release 2.1 can now do so.

Commodore has made two versions of the upgrade available to general users. One (serial number AS216) comes with the software on disk and relevant documentation, for which users will need the 2.0 Kickstart

ROM (as supplied in the A500 Plus and the A600), while the other also includes the new ROM. The latter's serial number is AS215.

The upgrade kit contains the Amiga Hard Drive User's Guide and Install Disk, so it will be of particular interest to A600 owners who wish to fit an IDE hard disk (see page 14 for further details). Also included are guides to ARExx, AmigaDOS and Workbench 2.1. The software comes on five disks: Workbench, Extras, Fonts, Install Disk and Locale. This last item is the software that gives Release 2.1 its multi-lingual capabilities.

Other advantages conferred by Release 2.1 include direct support for the PostScript printer language and the ability to directly read disks formatted on the IBM PC. In fact, Release 2.1 is very similar to the operating system supplied with the A1200 and A4000.

The Commodore Release 2.1 Enhancer without ROM costs £55; it costs £89 with ROM. It is available from all major Amiga dealers.

NEW LASER PRINTERS FROM STAR

Star Micronics has announced the availability of three new laser printers.

Each is capable of printing up to five pages per minute, at a resolution of 600 by 300 dots per inch. The ink cartridges are capable of printing up to 8000 pages. Control is simplified by the inclusion of a two-line, 32-column LCD screen and two non-volatile user-definable setup memories. Each printer has both serial and parallel ports; by using menu selection to switch between the two, it's possible to share the printer between two machines.

The entry level printer, the LS-5,

costs £938.83. Based on the same processor as the Amiga, the 68000, it comes with 0.5Mb of memory, expandable to 4.5Mb. 14 resident bit-mapped fonts are supplied with the printer, but if that's not enough for your needs, you'll be pleased to hear that Star and HP font cartridges can also be added.

The Hewlett Packard Series III compatible LS-5 EX is the mid-range machine. For the price of £1173.83, the printer is supplied with 1Mb of memory as standard, which is expandable to 7Mb. Like the LS-5, the LS-5 EX is supplied with 14 resident bit-mapped fonts, but it also

has eight scalable Agfa Intellifonts. Star and HP font cartridges can be added, and the printer can be upgraded for PostScript compatibility.

Finally, the LS-5 TT comes in at a price of £1467.58. PostScript compatibility is supplied as standard, as is 2Mb of memory which is expandable up to 8Mb. In the fonts department it has 14 bit-mapped ones, eight scalable Agfa fonts and



Three new laser printers from Star should appeal to the burgeoning Amiga desktop publishing market

35 PostScript fonts. A slot is provided for the addition of an HP or Star font cartridge.

Star Micronics ☎ 0494 471111.

LOW COST COLOUR PRINTING

Seikosha has launched what it claims to be the cheapest 24-pin colour printer around.

The SL-95 breaks the recommended retail price point of £250, coming in at £249. It comes with Epson LQ860 and LQ850 emulation modes, and can print at up to 64 characters per second in letter quality mode or 240 cps in draft. Nine fonts are supplied as standard.

The SL-95's 12-month warranty may optionally be converted to an on-site maintenance warranty at the additional cost of £10. For more



Seikosha's latest offering is designed to give other 24-pin colour printers some stiff competition

information, you can contact Seikosha ☎ 0753 685873.

Books for Beginners

Bruce Smith Books has launched the first in a new series of books aimed firmly at beginners.

The *Insider Guide* Series kicks off with *Insider Guide A600*, a 256-page book that explains the basics of the A600 and A600HD, including Workbench, Utilities, Preferences and AmigaDOS.

One of the book's key features is a set of graphical step-by-step instructions dedicated to each important action that the beginner is likely to want to carry out.

The *Insider Guide A600* costs £14.95 from Bruce Smith Books ☎ 0923 894355.

GET COOKING WITH AREXX

PremierVision this month publishes a book aimed at AREXX enthusiasts.

The book, called *The AREXX Cookbook*, uses a tutorial approach along with plenty of useful example programs to bring the Amiga beginner up to proficiency in AREXX.

The book itself costs £24. It can also be bought with one or two companion disks. The first contains the programs from the book itself, while the second is full of utilities to be used in conjunction with AREXX, as well as various commercial programs such as *Directory Opus*, *TurboText* and *Art Department Professional*. The book with Companion Disk 1 costs £29.95; with both disks it costs £35.95.

PremierVision ☎ 071 274 4407.

More speed from IVS

The latest in the line-up of Amiga accelerators comes from Interactive Video Systems. Called the Vector, it is a 68030-based card that fits either the A1500 or A2000.

Vector is available with either a standard 68030 processor or the cheaper 68EC030 which lacks a memory management unit. Both the processor and the 68882 maths co-processor are socketed and may be upgraded in the future. The processor may be clocked at either 25, 33 or 40MHz, depending on the version of the board chosen.

Up to 32Mb of memory may be added on board using industry standard 1Mx8 or 4Mx8 SIMM modules. Up to 8Mb of this may be used by the Amiga's 68000 standard processor when in 'fall-back' mode (that is, when the accelerator is not in use).

Vector also comes with a high-speed SCSI controller and a SCSI pass-through connector for the addition of more than one SCSI device. The port may also be used to join Amigas together into a network, enabling them to share SCSI peripherals and data. As with the board's memory, the SCSI controller is available to the Amiga when in 68000 fall-back mode.

Further features of the board include a Commodore 2630 expansion bus for the addition of further memory, and the ability to re-map the Kickstart ROM into 32-bit RAM, thus speeding up operating system calls.

Prices for the IVS Vector start at £599.95. It is distributed in the UK by Micro-PACE, who can be reached on ☎ 0753 551 888.

INK REFILLS AVAILABLE

Care Electronics has announced the availability of ink refill kits for Hewlett Packard Deskjet and Canon Bubblejet cartridges. The cartridges are available in two sizes: the Care 3 Pack for £14.95, and the Care 6 Pack for £24.95. The Care 3 Pack is available in a wide variety of colours, while the Care 6 Pack is only available in black. Care Electronics are on ☎ 0923 894064.

The Spitfire exposed



Nearly 50 years on and the Spitfire still looks good. Now you can find out all about it on your Amiga thanks to Greendell Technologies

Three disk-based books have been released by Greendell Technologies.

Written using Gold Disk's *Hyperbook* program, the books are described by Greendell as 'interactive information applications'. They deal in detail with specific subjects and are expected to appeal to dedicated enthusiasts. As an added bonus, the

pictures within the books may be used separately as clip-art.

The three hyperbooks currently available are *Spitfire!*, *Messerschmitt Bf109* and (somewhat incongruously) *Your First Pony*. For more information write to: Greendell Technologies, 25 Woodleaves, Hollywood, Birmingham B47 5BW.

SCALABLE FONTS FOR DTP AND VIDEO

Agfa has released two font packs for the dedicated desktop publisher and videographer. Both packs contain scalable outline fonts which use Agfa's Intellifont technology, as supplied with Workbench 2 and above.

The *Amiga Start Pack II* is aimed at DTP and word processor users. At a price of £52.88, the pack contains 12 fonts, including CG Times and CG Triumvirate, as well as Park Lane, Brush, Futura and Shannon Extrabold.

The *Video Unlimited* pack costs £76.38 and contains 25 fonts as used in the advertising and broadcasting industries.

Agfa says the packs are part of its policy to make its entire library of Intellifont typefaces available for the Amiga. The company can be contacted on ☎ 081 560 2131.

GET ON COURSE FOR AMIGA TUITION


Those of you wishing to extend your working knowledge of the Amiga may be interested in a number of seminars and courses being organised by PremierVision.

The seminars, which are likely to cost £49.95 per person and will each run for half a day, are intended to demonstrate the Amiga's wide-ranging abilities. Seminars are already scheduled to deal with the following topics: Introduction To The Amiga; *Deluxe Paint* MasterClass; Interactive Multimedia Design and Mastering Presentation.

The courses each run for two days. They will be held in Central London for a price of £295 per person, which includes refreshments and lunch. Designed to give practical tuition to a small number of participants, the first two courses will concern the use of *Deluxe Paint* and interactive multimedia design.

Further information can be obtained from PremierVision ☎ 071 274 4407.

The best a word processor can be...



If you want to take a closer look at the new Wordworth call 0395 270273,
or write to Digita, FREEPOST, Exmouth EX8 2YZ ENGLAND




"The ultimate in word processing power"



Voted Best Word Processor
"Inspirational, that's the word"



Voted Best Word Processor
"A good length clear of the field"




Best printer support



Best silky-smooth printing



Best Compugraphic fonts



Best research and testing



Best interface design



Best technical support

Wordworth, simply the best.



Digita International Limited Black Horse House Exmouth EX8 1JL England Telephone 0395 270273 Facsimile 0395 268893

- A member of the Digita group -
Digita, the Digita logo, and Wordworth are registered trademarks of Digita Holdings Ltd. Scalable type outlines are licensed from Agfa Division of Miles Inc. Agfa is a registered trademark of Agfa-Gevaert, AG. IntelliFont is a registered trademark of Miles Inc. Digita Holdings Ltd acknowledges that all registered and other trademarks used in the text of this advert are the properties of their respective companies. Whilst every care has been taken to ensure that the information provided in this advert is accurate, Digita Holdings Ltd cannot be held liable for any errors or omissions that may have occurred. Sold subject to standard conditions of sale, E and OE.

SILICA'S NEW YEAR SALE

Silica Systems has announced a number of price cuts on the products it distributes and sells.


The company has knocked £100 off Commodore's A570 CD-ROM drive for the A500 and A500 Plus. The drive now sells for £249, and is supplied with a free copy of the game *Sim City CD*.

The company is also selling the old *Cartoon Classics* packs, containing an A500 Plus, *Deluxe Paint III* and a number of games, for

the reduced price of £249 – an attractive purchase, perhaps, for those on a tight budget wanting to get into Amiga computing.

Silica has also announced a price reduction on GVP's 8-bit sound sampler, called *DSS*. The package, as well as the sampling hardware, is supplied with two programs: a sample editor and a sequencer or 'tracker'. *DSS* now costs £39.95.

Silica ☎ 081 309 1111.



The A570 CD-ROM drive is now available at a sensible price, courtesy of Silica Systems

SOURCE FOR HARD DRIVES

New Horizons Computers is another company now offering IDE hard drives for A600s and A1200s.

The drives come pre-formatted with two partitions, one to hold the operating system and the other, larger one, to be used as workspace. Drives for the A600 come with Workbench 2, whereas drives for the A1200 have Workbench 3 installed. Four mounting screws and an appropriate cable are supplied with each drive. Fitting instructions are provided, or you could use this month's feature on page 14.

Typical prices for the drives are £180 for 40Mb and £250 for 80Mb. New Horizons Computers are on ☎ 0989 750260.

Show Business



Yep, it's springtime – and, what's more, it's showtime! Our sister mag *Amiga Format* is set to put on the sort of hugely exciting show that you've come to expect

It's going to happen in May, and it's going to be devoted entirely to the Amiga. Future Publishing's decision to host another major Amiga show comes after the massively successful *Amiga Format World Of Commodore Show* in 1991 and, though we say it ourselves, the hugely enjoyable *Amiga Shopper Show* of last year.

This one is going to be attended by everyone who's anyone in the Amiga world – all the big names in hardware and software will be there. And not a few surprises are planned in the way of special events, which our friends on *Amiga Format* tell us will be like nothing you've ever seen at a computer show before.

You can rest assured that the *Amiga Shopper* crew will be present, ready to offer advice and tips, so do come along if you'd like to meet us in person! And, seeing as it's *Amiga Format* behind the whole thing, no doubt there'll also be a few of those game thingies for those of you looking for relaxation.

We'll have more details for you next month.

HOOKED ON MIDI CLASSICS

Words & Music has released four new disks of MIDI sequencer data to add to its classical music range.

The sequences can be used immediately with the Roland Sound Canvas modules, the Yamaha TG100 and the Korg O3R/W. They may easily be modified for use with other types of sequencers.

Volume 4 contains music by Mozart, Purcell, Tchaikovsky and Mendelssohn. Volume 5 has ditties from Satie, Debussy, Vivaldi, Handel, Beethoven and Schumann. Volume 6 contains music by Mozart, Bach and Chopin (*Hurrah! – Ed.*). The fourth new release is devoted to Bach's *Well-Tempered Clavier*.

The disks are £10.95 each from Words & Music ☎ 091 5294788.

EDUCATION FOR SCIENTISTS

LCL is to launch a new software-based system for students studying the compulsory Integrated Science course.

Aimed at older primary-school children and GCSE students, as well as those adults wishing to improve their understanding, *Micro Science* consists of 24 individual programs, a book and a manual.

It closely follows the guidelines of the National Curriculum, dealing with aspects of physics, chemistry, biology and the environment. The course includes suggestions for practical experiments, and a graphical adventure game is included to help liven things up. Graphics are also used extensively to aid in the teaching of biology, such as an



LCL's *Micro Science* aims to present science with a smile

animated simulation of a person eating and digesting food.

Micro Science costs £24 from LCL ☎ 0491 579345.

WARRANTED BEHAVIOUR

Brother is offering the opportunity to extend on-site warranties.

Brother equipment ordinarily comes with a 12-month warranty. This can now be extended for a further one or two years. The price for this depends on the value of the equipment: a year's extension for a dot matrix costs £45, while £130 is the price you'll have to pay if you own a HL-10DV laser printer.

Brother ☎ 061 330 6531.

DIARY DATES

March 6-7: Computer Shopping Spectacular.
Telford Exhibition Centre, Telford, Nelon
Exhibitions ☎ 0474 536535.

February 19-21: 7th International Computer Show.
Wembley Exhibition Centre, London.
Westminster Exhibitions ☎ 081 549 3444.

April 23-25: 4th MIDI and Electronic Music Show.
Wembley Exhibition Centre, London.
Westminster Exhibitions ☎ 081 549 3444.

A GUIDE TO AREXX

Yet another guide to using ARexx makes an appearance on the Amiga book scene this month.

Mastering Amiga – ARexx is published by Bruce Smith Books. It contains 336 pages dealing with such topics as how to install ARexx, its main features as a language, how to use it to control applications and details of ARexx's built-in functions and support libraries. A disk is also included, which contains programs from the book.

Mastering Amiga – ARexx costs £21.95 from Bruce Smith Books, who can be reached on ☎ 0923 894355.

In those rare moments of quiet solitude and contemplation, it's nice to be able to look to a higher authority when seeking wisdom. This month, your reflective and studious correspondent was privileged to review *The Context Bible Concordance*, a thoughtful and serious product for the Amiga, from Neuralink (USA).

The folks at Neuralink are committed to serious Bible students as well as the ordinary Amiga user. For the past two years they have provided the Bible in *Thinker* hypertext format.

Their latest aid to Bible study is *The Context Bible Concordance*, which provides fast word- and phrase-searching for finding the verses you need to enhance your study and writing.

The Context Bible Concordance contains the entire text of the New International Version of the Bible, and can output to a printer or file in four reference formats, with or without text and/or translator's notes. And it's fast: a search showing all of the 237 verses in the Bible which contain both Jesus and Christ takes less than one second on an unaccelerated Amiga.

SPIRITUAL GUIDANCE

Using *The Context Bible Concordance* is easy, for either Bible study or sermon notes. Teachers or ministers will find it helpful for lesson preparation, printing handouts for students, class or

Checking the prices I discovered that the *New International Version Context Bible Hypertext* with *Thinker* and *Concordance* is \$150. The *New International* or *King James Version Context Bible* with *Hypertext* and *Thinker* is \$100. The *New International Version Hypertext* by itself is \$50, while you can get just the *New International Version Concordance* for \$50.

If you still can't make your mind up about which one you need, then write to Neuralink and ask for the free demo disk. It includes a demo

version of *Thinker*, the entire book of Ephesians, the help file, and the *Hyperbook* tutorial for the *Concordance*. I'd send along a few International Reply Coupons to help with the return mail, not because

they are required (they aren't) but just to be nice. Tell 'em that the Amiga Cowboy suggested it.

You can contact: Jack Seay, Neuralink, PO Box 16311, Lubbock, TX 79490 USA ☎ 0101 806 793 0423 or 0101 800 657 8822. Or for Australia or New Zealand pricing, contact Mark Sims, 2 Pygmalion Place, Hamilton, New Zealand.

24 BITS ARE BEST

Onward down the trail... Nothin' excites an old cowboy like Amiga graphics, and the pictures coming off my monitor screen nowadays are even better than before - thanks to a new program.



A Bible Concordance and a 3D modelling program are two hot new products from the US. Bob Liddil renders unto the Amiga...

Caligari24 will run on all Amiga models with a minimum of 2Mb of RAM, although 3Mb or more is recommended. A hard disk isn't strictly necessary (unless you want to do photorealistic rendering), but you'd have to be loco to try using *Caligari24* without one. An accelerator for 32-bit and floating point operations is strongly recommended as well, permitting *Caligari24* to operate at substantially higher speeds.

Caligari24 outputs up to 736 by 482 resolution in NTSC video or 736 by 575 for PAL, with up to 32 bits per pixel. It reads and writes *Videoscape* and *Lightwave 3D* object formats. Additionally, it reads *Sculpt 3D*, *Imagine* and *Autocad DXF 3D* object formats. *Rendition*, *IFF* and *DCTV* images can be used for texture mapping. Several other programs such as *Pixel 3D*, *Broadcast Fonts* and *AdPro* also support the *Caligari* format. The package includes a comprehensive manual and a tutorial on video tape.

Almost all registered *Caligari* users should be eligible to upgrade to *Caligari24*. The total cost of upgrading, which includes shipping and handling, is a very reasonable \$109.00 for US users and \$129 for international users.

By the way, Octree Software is also distributing *DynaCADD*, a leading CAD/CAM package, to its *Caligari* users. The costs are \$509 for US orders and \$529 for international orders. Maybe I could design a reasonable starship with *DynaCADD*, or perhaps an improved navigation system for the QEII to keep her off Cape Cod Rocks?

For more information, you should contact: Octree Software, 1955

"Caligari's direct manipulation actually mirrors the everyday world"

Landings Drive, Mountain View, CA 94043 USA ☎ 0101 415 390 9600, or 0101 415 390 9755.

Now it's time for your Amiga Cowboy to meander off into the sunset, blithely pulling cactus spikes out of my posterior parts. (The cord to my Amiga pulled me off my horse. I was trying to rope cattle and edit my startup-sequence at the same time!) But I would like, before I go, to put out a request for mail. What would you all like to know about Amiga in the USA? Would you like a discussion of Amiga bulletin board services, for example? Help me out with this, couldja? Meanwhile, until next time, it's whoopie-tie-yi-yea and so long, partners! **AS**



This could be your chance to introduce your Amiga to the Good Book, with *The Context Bible Concordance* from Neuralink (USA)

home use. As might be expected from someone presenting a Holy Work, *The Context Bible* comes with a two-year money-back guarantee.

Also included is an interesting and thought-provoking book, *God's Work in God's Way* by William S Dillon. This volume is certainly a welcome bonus to an already well-endowed package.

Octree Software has introduced the latest version of *Caligari*, titled *Caligari24*. Unlike older programs, *Caligari*'s direct manipulation actually mirrors the everyday world. Objects can be moved, rotated and scaled by simply pointing the mouse, so there's no menus to access ("Hooray!" shouts the Cowboy). And everything happens in real time.

Talking Shop

Welcome to the Amiga world's liveliest letters pages! – the place where you get the chance to speak your mind. So join your host, the Editor, Cliff Ramshaw, for some more no-holds-barred bantering. And remember, all you have to do to be included is send your missive to: 'Talking Shop', Amiga Shopper, 30 Monmouth St, Bath, Avon BA1 2BW. So get to it!

THAT NEW AMIGA

I noticed in the January issue that one of the retailers had a 1400 Amiga computer in their price list. The 1200 and 1500 were also listed so it seems unlikely that it was a mistake involving these two Amigas. If this new machine does exist I wonder if you have any official specs; on the other hand if it is a mistake you'd better inform the advertiser in question.

I have also noticed that some of the response to the new 1200 has been a little negative. I admittedly was unsure about the 1200; after all, where was the improved sound, HD drive and '030 chip? But, as Commodore mentioned, it is not possible to have these features on a machine priced at £400. People have also criticised the exclusion of a SCSI but the wide majority of people only use this interface for a hard drive. Though SCSI drives are faster you can pick up a 120Mb IDE hard drive for £260. This has to be considered as a big benefit and, to be honest, how many people really have tape streamers that they use with their Amiga?

Commodore has just released a machine that delivers better graphics than either a PC or a Falcon, with performance similar to that of a 386SX. It's not a perfect machine but I am sure if Commodore had intended it to have a £500 to £600 price tag they would have included the above features (all of which I believe

Commodore will offer in the form of expansion cards or in the mythical 1500/2000 replacement).

Shoa Ming Fung
Tottenham, London

I imagine the A1400 was a misprint for the A4000. Commodore has issued no details of a new Amiga, but we strongly believe that a cut-down version of the A4000, with a less powerful processor, will soon be appearing. As for your remarks on the A1200, I agree – I think it's a wonderful machine.

STRENGTH IN NUMBERS

I run a small PD library which was originally put together after some friends and I felt 'ripped off' by some of the larger PD libraries in this country. By 'ripped off' I mean that between twelve of us we have: received virus-infected disks, programs without docs, disks that were only 15% full, shareware disks with the authors' details erased, had cheques cashed with no goods sent and been charged exorbitant prices. Rather than just sit back and slowly steam about this, I decided to put together the kind of library that I personally would use.

We are now compiling what we hope will be a comprehensive listing of any and all user groups, together with any other interested commercial listings. The final compilation will be in a database format and released as PD under the title AUGIR, the Amiga User

Group International Register. We are particularly looking for groups outside Europe.

Entry for all user groups will be totally free. For commercial listings, however, there will be a one-off payment of £5.00.

The information we require is:

- A contact name and address for each group.
- Level of acceptance: learners welcome, elite only, or whatever.
- Bulletin board information: baud rate, fees, times...
- Number of members.
- Particular interests: demo coding, swappers, DTP, and so on.

We regret that at this time individual users cannot be entered in the compilation.

Any group who wishes to be registered should contact the following address: AUGIR, Computer & Design Services, Dept PD, 24 Blackmoor Croft, Tile Cross, Birmingham B33 0PE, England.

Bob Powell
Birmingham

Well, Amiga users of the world, this is your chance to unite.

MOTOROLA'S NEW GENERATION

In the accelerator article in the December issue, Toby Simpson speculated about future members of the 68000 family and concluded that the next member (68050 or 68060) would be the last one. Allow me to set the record straight.

- 68050 – This is actually a special version produced for (I believe) Ford. It is a 68040 running at 50 MHz and will probably not be released to the public.
- 68060 – Development is under way and first samples should appear early 1994. This will most likely continue the theme of 'better, stronger, faster'.
- 68070 – Philips pinched this name years ago! MP and XP are the code names for the next two 68000 series devices Motorola has promised, although it is not giving any clues as to what these will be (68080 and 68090?) or what form they will take.

There are two more points in your January edition which I wish to discuss.

Firstly, in your reply to AS Cuddwell, you said that it would be possible to unplug the A1200's 68020 and plug in an '030 or '040. How do you unplug a surface-mounted chip and plug in another chip (possibly with a different pin-out)?

Secondly, the cover disk contained some useful utilities, but if I may quote Ian Wrigley on page 158 (regarding a disk he reviewed which contained *ReOrg*, as also

supplied on your disk): "I think that any utilities disk which includes a defragmenter should also be forced to contain a backup program too." Need I say more on this one?!

Keith Noble
(via e-mail)

Thanks for the info on Motorola's plans, Keith.

As regards replacing the A1200's processor, it is actually done by plugging a processor board into the trapdoor slot. And as to your point about the hard disk backup program... er, it's on this month's disk!

And by the way, anyone else who ends their letter with words to the effect of "I bet you do not print this letter" will guarantee just that.

DISK DISCUSSION

Sometime ago I advertised a Workbench replacement disk to readers; the response was pretty high. "So what?" you say. Well as a competitor of yours sells one at £4.50 (most programs are still shareware), why don't you construct an *Amiga Shopper* Workbench as a cover disk? It would need the following things:

- Easy-to-use directory utility
- Icon manipulator
- Cruncher
- Easy-to-use editor
- Disk optimiser
- Disk repair

Benefits of this are that beginners would improve and more experienced users would find it a useful tool. Add 'how to' tutorials to this and you have a winner.

Speaking from experience, no-one complained about my compilation. What about it Cliff?

James Abram
Wolverhampton

Not a bad idea at all, James – I'll give it some serious thought. If, in the meantime, anybody out there has any other ideas for the contents of the cover disk, please don't hesitate to drop me a line.

DECISIONS ON DRIVES

In February's issue you stated that there would be an in-depth article in next month's issue about how to choose, fit and use an internal hard-drive for the A600 and A1200. Are you really forgetting the A500 already? Several suppliers sell internal hard drives for the A500. So why not include the A500 in your article? There are many more A500s than A600s and A1200s.

Douglas V Griffiths
Saxliby

The reason we chose to concentrate on the A600 and A1200, Douglas, is that owners of these machines

currently have no other option but to fit internal drives. If they want a hard drive they have to go through the process described on page 14, whereas A500 owners have the far easier method available of fitting a drive to the expansion port. Fear not, we haven't forgotten the A500, and an article on internal drives may well be coming up in the future.

NOT A HAPPY CHAPPY

I am afraid to say that I am not impressed. I sent you Issue one of my disk magazine *Dual Impact* about 11 months ago, and it took about five issues to get reviewed. When it was reviewed I was extremely pleased because, without your review, I would only have got a total of one sale.

As soon as you had reviewed the first issue, I set to work on a second and sent it to you about five months ago now. I was expecting it to be reviewed pretty soon, and when I saw in Issue 20 that you were planning to do a disk magazine round up in Issue 21, I expected that it would be reviewed then. Unfortunately *Dual Impact* Issue two was not included. I wouldn't mind the amount of time it takes to get PD reviewed in

your magazine but, when I look at the issue with the review of my disk magazine (which by that time was five months old), there are reviews of public domain software that isn't even a month old. These programs all seem to be supplied by the big PD libraries, and frankly this just isn't fair.

People like me rely on your magazine to get a review, and thus some publicity. If you think about it your magazine is like a newsagent to me: if there weren't any newsagents your magazine wouldn't sell nearly as well as it does.

The disk magazine section only comes up every now and again. I think it should be just as regular as your utilities section, or your demos section. Please make it a more regular section, as it will help me and many others who take a lot of time to write disk magazines.

I also don't regard your PD section to be anywhere near big enough, totalling about four pages each issue. I am sure you get plenty of programs to review each month, probably enough to fill about ten pages - so do it!

Chris Aubrey
Sheffield

Sorry you're not happy Chris; let's try and answer your points. Firstly, there is no preference given to larger PD libraries - the contents of the section are determined by Ian, who bases his decisions on those programs that most interest him.

It's a shame that *Dual Impact* had to wait so long to be reviewed, but this happens with many products, not just PD - there just isn't the space to review absolutely everything as soon as it comes out; we have to decide what will be of the most interest to our readers. And I think your argument about us being the equivalent of a newsagent to you a little contrived: after all, newsagents make a profit from selling copies of *Amiga Shopper*.

Sadly *Dual Impact* did not make it into the round-up in Issue 21, but I'm sure there were several other disk magazines that also weren't included for reasons of space.

The idea of expanding the PD section is of course attractive, but I would have to carefully consider the

MODE/Execute		** DUAL IMPACT - ISSUE ONE **	
** MAIN MENU **		** MAIN MENU **	
** REGULARS **		** PLEASE WRITE TO US AT: **	
Editorial		** 16 SANCTUARY FIELDS, **	
Full Review Of The A500 Plus		** NORTH ANSTON, **	
Reviews		** SHEFFIELD, **	
Letters (PLEASE SEND US SOMETHING)		** S31 7DD, **	
Competition			
Welcome Message (READ ME!!!!)		** SPECIAL OFFERS **	
Jokes			
Contacts Wanted		Workbench 2 Replacement	
Message To A500 Plus Owners		Classic Utils By Ian F. Nelson	
Workbench And Shell Tutorials		DON'T CLICK ME !!!!!	
Contents		DON'T CLICK ME EITHER !!!!!	
PD Library List		** CLICK ME FOR PROGRAM MENU **	

Here's a gratuitous plug for Chris Aubrey's *Dual Impact* disk magazine, just to show its exclusion was nothing personal

value of PD to the readership, as compared to the value of something else that would have to be dropped to yield the space. I'll bear your comments in mind.

PULLING THE CLAWS OF THE FALCON

I read with interest Mr Thomson's letter in the February issue of *Amiga Shopper*. Although, as you said, he did make some valid points, I felt that he came down rather hard on the A1200 (the machine I am currently writing this letter on).

From his comments I would say that Mr Thomson was getting his information from a certain ST magazine. I, too, read the article in this magazine; they made some interesting 'omissions'!

Firstly, although the Falcon does have a more powerful CPU, what Mr Thomson forgot to mention was what has always been the Amiga's real strength, the custom chips. The AGA chip set is effectively 64-bit and has a blitter, graphics co-processor and excellent sprite hardware. The Falcon's answer to this is its own blitter, and that's it. No sprites (a fact that Atari fans like to keep hidden!) and

no graphics co-processor. Is Mr Thomson trying to say this incredible power will not make any difference?

He should really come and see how I can drag around a backdrop-laden screen several times the physical size of my TV using Workbench 3 - smooth does not begin to describe it!

Secondly, an awful lot of people seem to be making a tremendous fuss over the high-density floppy drive on the Falcon. Although this is a very nice floppy drive, it is the only floppy drive we will see fitted to the Falcon. Another little-known fact about this 'wonder' machine is that you can't fit any more floppies to it. I will be able to fit another three to my machine when third-party developers get going.

Thirdly, what is this business about the Amiga not being able to manipulate its enhanced graphic modes as well as the Falcon? This, too, is straight from the ill-informed pages of a certain ST magazine. What then is AGA for, just displaying nice HAM-8 pictures? Atari are seemingly very proud of the fact that the Falcon possesses true 16-bit colour (not using methods such as HAM) but it follows that true 16-bit colour requires 16 bit planes. HAM-8, on the other hand, as its name suggests, uses only 8-bit planes to deliver 256,000 colours.

Now, if the Falcon, using a 32-bit blitter, has to shift twice as much information as an Amiga using a 64-bit blitter, which machine is going to come out on top? It beats me how the Atari fanatics came up with that one. If it is because animations are done using differences between each frame, then yes, this shifts the balance slightly in the Falcon's favour as the differences are likely to be greater using HAM, but twice the information is still twice as much.

The next part of Mr Thomson's interesting letter I'd like to address is the "100 developers beavering away with ... er... developments". Exactly. Who are these developers? What are they developing? The ST magazine printed this propaganda, with no details, to increase confidence in a machine seriously behind its launch-date. The Amiga scene is buzzing. I can already buy 2 and 4Mb PCMCIA cards, CD drives and an FPU for my machine.

Finally, quite apart from the fact that the Falcon ships with only 1Mb, it has no concept of Chip and Fast RAM. This, as you rightly pointed out, will cripple the machine's CPU and blitter as each tries to access the memory.

Ian Miguel
Lockerbie

'I CAN LARF ABOUT IT NOW'

Have you learned a valuable lesson from the trials and tortures of experience, or overcome some mind-boggling problem through incredible ingenuity or even sheer luck? Then let us know and win yourself a fiver into the bargain. Just send your post-embarrassed tomes to 'I can larf about it now', *Amiga Shopper*, 30 Monmouth St, Bath BA1 2BW.

Here's possibly the first recorded successful use of *Disk Doctor*:

READY TO OPERATE?

I know I am supposed to make backup copies of important disks but I did not on one particular occasion - and it happened to be the disk that contained all my word processor files since April 1992.

After purchasing and playing Team 17's *Assassin*, I saved the high score table on the above-mentioned disk. Everything was OK until I came to load in some files I had been working on in *Protext*, when, horror of horrors, the Amiga did not recognise the disk and apparently all my files had gone.

After giving it a bit of thought I decided to put the disk through *Disk Doctor* and, hey presto, all my files were replaced and *Protext* was able to load every single one! Most people think *Disk Doctor* is a bit severe for the purpose it was designed for, but it certainly saved my sanity. Needless to say I have a backup of this disk now.

Martin Kaminski
Horsham, West Sussex

This is positively the last letter I'll print about the Falcon, unless someone has something new and incredibly constructive to say.

There is still the problem of misinformation regarding the Falcon. When we originally compared its specs with those of the A1200, we were going on information that couldn't be confirmed because no-one at the time had seen a Falcon (hence the mistakes that crept in and which some of you have written to correct).

Similarly, no doubt, the writers of the ST magazine you refer to don't really understand the Amiga's strengths.

WORTH A TRY

Re: your letter in the Feb issue - I am not J Doig, P McKeown or H Owens, but I enclose my address and I would like some money.

C Shea
Swansea

No... next? **AS**

So, you want to save yourself some money and install your own hard drive? Well, before you start, it's important that you know at least a little about hard drives in general. That should extend as far as knowing what one is, what it would do for you, and why you would want one. If you are not really sure about any of these, then this upgrade is not for you. But, if you do know

expensive damage to your precious Amiga – and that is the very last thing we want!

Installing a drive yourself is cheaper than getting someone else to do it, but is still going to set you back a fair sum. For a 20Mb drive you're talking about a total cost of about £80 or less, depending on the price and availability of drives. You're also looking at a great deal of time. It's not simply a matter of buying a

looking at the 40Mb or 60Mb devices if you can afford it, as 20Mb fills up very quickly indeed.

should know what this is for. One specific piece of advice I'd offer is: don't drink too much coffee before starting. Your hands will shake!

Now we've established what you'll need, let's discuss the operation in a bit more detail. Your A600 computer comes complete with a hard drive interface for IDE-type hard drives. It contains enough space for one 2.5-inch IDE drive to be mounted internally, which can be powered from your A600 without the need for any external cabling, or additional power supplies.

There are a few different drive types around, and it's important that you don't get them confused.

Currently, the most common types are known as 'IDE' and 'SCSI'. SCSI is a faster and more advanced hard drive system. It's more expensive than IDE, and is commonly found in higher end machines such as the A2000 and A3000.

IDE, on the other hand, is less advanced. As a result of this, it is cheaper. Because of this, Commodore could afford to put an

OUT ON YOUR OWN

Adding a hard drive to your Amiga is reasonably straightforward, but because it involves taking your computer apart, it is not recommended for the faint-hearted. Following this guide will invalidate your warranty, and you could potentially cause expensive damage to your computer.

If you are not sure about what you are doing, then by all means get the job done by someone who is, preferably a respectable dealer. *Amiga Shopper* can accept no responsibility for any damage or loss of data occurring as a result of information in this article.

about hard drives, are handy with a screwdriver and have a great deal of patience, then there is no earthly reason why you shouldn't install one yourself into your A600 or A1200.

This article describes in detail how to install a hard drive into your A600 computer. There is also a section which specifically applies to the A1200, and shows how to perform the same operation on this slightly different machine. In addition to general knowledge about hard drives, you'll need to be familiar with the operation of your Amiga, which includes being able to operate the Shell, and Workbench applications. Last but not least, you must also be prepared to follow the instructions carefully. Read every section before trying to carry any of them out. If you get something wrong, you can cause

drive and plugging it in – for evidence of this, just flick through the following five pages to see how long this article is! Depending on what bits you need, the whole process could take you a week or more. Let's go over exactly what you need to install a drive in an A600:

● **One A600, without a hard drive.** That's the easy bit.

● **One 2.5-inch IDE hard drive of suitable size.** These drives are commonly found in portable computers, such as the notebook IBM-PC compatibles. Consequently, they are widely available, and are good value for money. They come in a variety of sizes ranging from 20Mb to around 160Mb. I recommend

● **Kickstart 37.300 or higher.** This is extremely important, as it dictates whether or not you can simply plug in a drive into your machine and go. To find out, boot your A600 off the workbench disk, and select 'About...' from the Workbench menu. If it reads "Kickstart version 37.299", then you will need to replace your Kickstart ROM in order to use a hard drive. If it shows "version 37.300", or higher, you will not need to obtain a new Kickstart.

● **Hard disk installation software.** In particular, you will need a program called *HDTToolBox* which will enable you to format and partition your drive for use. At the very least, you absolutely must get *HDTToolBox* in order to use your hard drive once you have installed it.

● **Two small screwdrivers** – a flat bladed and a cross-head one.

SPOT THE DIFFERENCE

A1200 owners! Please make sure that you read the section on the A1200 at the end of this article before you rush off to try following the installation guide that appears over the next few pages.

The installation procedure differs slightly for A1200 owners, while some drives are known to be incompatible with this newer machine.

● **An IDE cable to connect the drive to your A600's motherboard.** Consult the list on the facing page for suppliers of these.

● **A great deal of TLC ('Tender Loving Care') and patience.** You

IDE interface in every A600 computer. For some reason they also put IDE into the A4000, but who are we to argue with their choices? IDE is not compatible with SCSI and vice versa. You cannot connect a SCSI drive to an IDE interface, and you

JARGON BUSTING • JARGON BUSTING • JARGON BUSTING • JARGON BUSTING • JARGON

HDTToolBox – A special program on the Amiga which enables you to install and partition a hard disk. It's also quite handy for verifying the contents of your hard disk, and enables you to bypass any errors that might appear. You can literally map out the faulty parts of the hard disk and the Amiga will ignore them.

IDE – Integrated Drive Electronics. A type of hard disk. The A600, A1200 and A4000 computers come with IDE hard disk interfaces built in. These drives are most commonly found on IBM PCs and compatibles.

Motherboard – The main PCB ('Printed Circuit Board' – see next entry) inside your computer.

PCB – Printed Circuit Board. The board with all the components mounted on it inside your computer.

PCMCIA – This is the slot on the left-hand side of your Amiga 1200 or 600 which accepts industry-standard cards. More of these are becoming available, and they are a convenient way of expanding your RAM. As they become more popular, prices will drop. They are used a lot in the portable PC market as a smaller floppy-type storage device, the difference being that they have no moving parts, are more reliable and require less power to operate them.

Partitioning – Making a large hard

disk pretend to be several smaller ones.

ROM – Read Only Memory. This is memory that is permanent. You cannot write to it, and it retains its contents if you switch your computer off. The ROM inside the Amiga contains the Kickstart which makes your computer work. This is different from RAM, Random Access Memory, which you can read and write to, and loses its contents on a reset or loss of power.

SCSI – Small Computer Systems Interface. Compared to IDE, this is a faster and more advanced type of hard disk. It is more commonly found in higher end machines, such as the A2000

and A3000. Don't ask why they didn't put SCSI in the A4000, as I have no answer for that!

TLC – 'Tender Loving Care'. This is where you make an extra special effort to take extreme caution with something. It's where you think twice before plugging something in and make sure it's the right way round, it's where you check everything at least three times, and it's the most easy way of guaranteeing that the job you're doing will actually be a success. In the long run, TLC ensures a job is completed sooner than hurrying, as when you hurry, you make mistakes, and they take time to fix. Honest. I've blown up an A3000 by ignoring my own advice!

cannot connect an IDE drive to a SCSI interface. I cannot stress this enough. Many of you will have SCSI drives for A500 computers, and are maybe thinking that you can add these to your A600. Quite simply, you can't – until someone builds a SCSI interface for the A600.

how many floppy disks' worth of information you want to put on your hard disk. Multiply this total by 2. That is the size, in Megabytes, you will require. Clearly this is a very rough way of doing it, but it will give you sensible answers in most cases. The most common sizes of 2.5-inch

WHAT WILL WORK ON MY MACHINE AND HOW MUCH WILL IT COST?

Approximate prices of suitable IDE drives for your A600 are listed below. Four sizes are included in the list, 20, 40, 60 and 80Mb and prices are for the 2.5-inch versions. No other sizes will fit inside the A600. For each of the four categories, up to two known working drives are listed.

Size:	Approx Cost:	Suitable brands:
20Mb	£120	Conner CP2024
40Mb	£180	Seagate ST9051A, Seagate ST9022A
60Mb	£200	WDA8260, Seagate ST9077A
80Mb	£250	Seagate ST9096A

Having said that IDE is slower, it is important to put this comment in some sort of perspective. By 'slower', I do not mean that the drive crawls along at, say, the same pace as a floppy disk. In fact, IDE requires more of your computer's time to process the data. Consequently, when you are using the multi-tasking abilities of your Amiga computer to its fullest and trying to access your IDE hard drive, it is likely that you may notice some reduction in speed. The 2.5-inch IDE drives themselves are the height of modern technology, and are certainly nice and quick.

Another point worth considering is that once you have a hard drive installed, you will have slightly less memory available – this may affect some programs that you use. This is discussed in greater detail later on, where some suggested expansion devices are also listed.

NO TURNING BACK

Think very carefully before embarking on this job. If you can afford it, or don't want to risk the damage, get a dealer to upgrade your A600 for you. Also, Commodore is likely to bring out its own hard drive kit for the A600 at some time in the near future, and you may prefer to wait for that if you are not in any particular hurry. But then again, you could end up waiting forever!

When you have decided that you want to do it yourself, there are several more things you should think about – apart, of course, from resolving to follow each instruction to the letter. First, you should consider the size of drive you will require. If you just want it to do a little word processing, and that's all, then 20Mb will almost certainly be enough. A nice simple formula to work out how much hard disk space you will probably need is this. Count

GETTING THE EASY BITS

The 'easy bits' are the drive, the cable, the screwdrivers and (hopefully) the patience and the TLC. Consult the list of suppliers just to the left, and buy yourself a 2.5-inch IDE drive and suitable cable. If there's any doubt as to which cable to order, order an "IDE cable suitable for connecting a hard drive to the Amiga A600, internally." Also, get yourself a couple of screwdrivers, your A600 and you're almost ready.

AND THE NOT-SO-EASY BITS

As with just about everything in life, there is a catch. In this case there are two catches, and both fall under

- **2.04 Hard Disk Install Disk**, containing the *HDToolBox* application.

Your local dealer may be able to help you on both counts. Once you have obtained these bits and pieces, you are all ready to get installing. If you do need to put in a new Kickstart ROM, this is explained in Step 2.

READY FOR ACTION

I honestly can't say this enough, so this should be the

Plug in and go

Thanks to IDE technology, it's surprisingly easy to add a hard drive to an A600 or A1200. Toby Simpson takes you step-by-step through the whole procedure

the category of Commodore. If you've discovered that you have an incompatible Kickstart version (37.299), then you will need a suitable Kickstart ROM. Either way, you will need Commodore's *HDToolBox* to be able to use your A600 hard drive. Both these items can be bought from Commodore's spares department. You'll need:

- **Kickstart 37.300 ROM chip** for the A600.

fourth or fifth time you have read something like it in this article. It may sound patronising, but – be careful! Your cheap hard disk upgrade can turn into an expensive nightmare if you hurry. But that's enough of the preaching – on with the practical. What you'll find over the next four pages is a six-step guide with diagrams, explaining the complete task ahead. Get yourself a well-lit surface, get all your bits together and away we go!

SUPPLIERS • SUPPLIERS • SUPPLIERS • SUPPLIERS • SUPPLIERS

There are a number of suppliers of Amiga-compatible IDE drives and cables. Here's a good selection to get you started:

Brian Fowler Computing
3 Hedgerow Close
Credition
Devon EX17 1DB
☎ 0363 775400

Evesham Micros
Unit 9
St Richards Road

Evesham
Worcs WR11 6XJ
☎ 0386 765354

New Horizon Computers
High Hope
Lea
Ross-on-Wye
Herefordshire HR9 7LN
☎ 0989 750260

Software Demon
PO Box 90
Penzance

Cornwall TR18 2SP
☎ 0736 331039

Watford Electronics
Jessa House
250 High Street
Watford WD1 2AN
☎ 0923 237774

For general information, and other hard drive-related products:
Commodore Business Machines
(UK) ☎ 0628 770088

STEP 1 OPENING THE MACHINE



Picture A: The A600 positioned face-down on your working surface. To get it apart, first undo the four screws along the bottom and right-hand edges

Unplug everything. Then turn your A600 upside down, and undo the fixing screws shown in Picture A. Don't get carried away unscrewing things – you only need to unscrew these four. At the risk of patronising you a little more, don't lose the screws! (Of course, you wouldn't do that – would you?) Once you have removed the screws, you have the fun (and slightly scary) bit to look forward to.

Turn the machine back up the right way – don't worry, it won't fall apart. Then turn it the right way

around so that the keyboard is facing you. Six clips are holding the case on: four along the back where the connectors are; one on the right between the 3.5-inch disk drive and the '2.GAME' joystick port; and one on the left at the far end of the PCMCIA slot. They are indicated in Picture B.

PRIZE PERFORMANCE

Your small flat-ended screwdriver should do the trick with these clips, or if all else fails, use a sharp knife. Start with the clip next to the disk



Picture B: Now turn the A600 the right way up again. Next, you need to separate the six clips which are still holding the case together

drive and work around the back. It's handy to have a friend around to stop them all from clipping back. Gently prise each clip apart, all the while exerting a little pressure to pull the two halves of the A600 apart at the keyboard front end.


Be extra careful here, as by the time you've done a few clips, the case will literally fall apart – unless you're holding onto it, you can damage the keyboard connector. Lift the top of the case up about an inch and put it down two inches to the left. Your A600 should now look like

Picture E on the following page.

INTERNAL AFFAIRS

You should be able to see a bit of the drive, and more importantly, the keyboard power connector at the bottom right. Disconnect this, remembering that the black wire was at the right-hand disk drive side. You may need to slide a screwdriver underneath it in order to get it free. Now tip the keyboard half way over so that it is upside down. Your A600 should now look pretty much like the one in Picture C.

STEP 2 LOCATING THE DRIVE POSITION



Picture C: The insides of the A600 revealed. The drive cradle (arrowed in this picture) is where the new IDE mechanism will go. If you have an old version of the Kickstart ROM, you'll need to install a new one of these as well

Now you've removed the casing, you should familiarise yourself with where everything is, especially noting the drive cradle, as shown in the photo. It's quite fun to have a good look around anyway. Note also the large 40-pin chip at the bottom left of the PCB. This is your Kickstart ROM. If you have had to buy a new one, this is where it goes. If you have not, skip the rest of this section and proceed directly to Step 3.

First, you have to remove your old Kickstart ROM. This is in a socket, so it is a reasonably straightforward procedure. Place a flat-ended screwdriver under the left-hand side and rock it lightly left and right to prise up one end of the chip slightly. Then repeat this on the other side. After a couple of goes, you should be able to grip the ROM,

with one finger at each end, and lift it out. Put this somewhere safe as an emergency back-up – in case you damage your new ROM by accident.

KIND BUT FIRM

Now, ensuring that the ROM is the right way up (with the little notch pointing towards the PCMCIA slot on your A600), line up the pins with the holes, and carefully exert pressure evenly over the surface until it pops into the socket. Now press it down firmly and check around the sides that each pin has gone in correctly. If one hasn't, remove it and start again. You may need to bend the particular pin inwards slightly. Remember that chips can be damaged by static electricity, so always handle them with care, and avoid touching the pins if you can.

New Horizon Computers

The Hard Drive Specialists

A600 & A1200 Hard Drives

The ESSENTIAL add on for all
SERIOUS Amiga users.

Upgrade your A600 or A1200 with a brand new internal IDE Hard Drive. All our Special Installation Kits come complete with fully formatted IDE Hard Drive, cable, mounting kit and fitting instructions.

All New Horizon Hard Drives are sourced from Brand Name suppliers and have been fully tested for 100% compatibility with the Amiga A600 and A1200.

UNBEATABLE PRICES

★ 20 MEG	£120.00
★ 40 MEG	£180.00
★ 60 MEG	£200.00
★ 80 MEG	£250.00
★ 120 MEG	£330.00

A600's & A1200's & PCMCIA CARDS

NOW IN STOCK

PHONE FOR LATEST PRICES

SPECIAL OFFER

For A600 & A1200 Owners

New Horizon will collect your machine, fit the drive of your choice and return your machine by overnight carrier to any mainland UK address for a fully inclusive price of only £38.50. Offer lasts till Feb 20th 1993 only. Phone our Sales Hotline for further details.

A600HD Owners - Upgrade to a bigger drive. Phone for more details.

Hard Drives fitted by us are delivered formatted and partitioned.

Installing a Hard Drive will invalidate your Commodore Warranty so all Computers fitted with a New Horizon Drive are covered by our own Full 12 Month RTB Warranty from date of purchase.

HOW TO ORDER

1. By Phone



FREE next working day delivery on all items shown and for Credit Card orders placed before 3pm (UK Mainland only). Saturday delivery add £10.00.

2. By Post



Send a cheque or bankers draft made payable to "New Horizon Computers" and post with your order to :

New Horizon Computers,
Mail Order Dept
High Hope, Lea,
Ross on Wye,
Herefordshire HR9 7LN.

Remember, when you buy
from New Horizon
Computers you receive :

- ★ Fully Inclusive Prices
- ★ No Hidden Extra's
- ★ Free Next Day Delivery
- ★ Full Technical Support
- ★ Full After Sales Service




CREDIT CARDS
WELCOME



New Horizon Computers, High Hope, Lea,
Ross on Wye, Herefordshire, HR9 7LN
Tel : 0989 750260 Fax : 0989 750337

SALES HOTLINE 0989 750260 TECHNICAL HELP 0989 750337

STEP 3 POSITIONING THE DRIVE



Picture D: Remove the cradle from the computer (it should come away quite easily), then screw the drive to it. Then you need to link up the connecting cable. Make sure this is firmly attached, as well as the right way round!

Now screw the drive to the cradle. You should remove the cradle from the machine in order to do this – it is not screwed down and will come out easily if you pull it. Attach the cable to the drive first, and then to the PCB. The cable can only be attached in one way – if you try any other way, it won't fit when you attempt to re-seat the cradle. You should find the cable has a mark down one side of it. This is the 'Pin 0 indicator'. On most cables, it's a coloured strip of red or black. Locate this, and ensure that it points to the Kickstart ROM. This will help you to get it the right way around.

Once you've done that, make a careful comparison between what your A600 looks like now and Picture D. They should look the same.

Double check everything, but especially make sure that:

1. The cable is firmly attached to each end of the drive.
2. Both the cradle and the drive are the right way around.
3. If you've had to install a new Kickstart ROM, check it's the right way around, and that all the pins are in the socket.
4. Now check it again, and compare it against Picture D.
5. If you have not checked it thoroughly enough, I'll probably find you back here again in about five minutes' time!

STEP 4 CONNECTING EVERYTHING UP



Picture E: Carefully fitting the A600 back together again

Place the drive cradle back in its original position over the PCB, this time with the IDE drive firmly attached to it. Take care not to knock or drop the drive mechanism while you are doing this.

With the cradle back in place, it's now time for you to put your A600 back together. Gently position the keyboard on top of the lower casing so that it looks like Picture E. Make sure that you also reconnect the keyboard power connector with the black wire at the right-hand side.

BACK TOGETHER AGAIN

Now put the two parts of the case back together, and snap the clips at the rear, left and right back in place.

Be careful not to trap the keyboard cable outside the box by accident – it's quite easy to do! If the case doesn't fit back together easily, then don't force it – check to make sure that you haven't got anything trapped somewhere inside. When the casing has clipped back into place, turn your A600 upside down again, and put the four screws back in. It's just like doing Step 1 again, only this time in reverse.

Having totally re-assembled your A600, turn it the right way up again, and reconnect the mouse, video, and power connectors. If you have any other peripherals, don't plug them in just yet. You are now all ready to switch on.

STEP 5 SWITCHING ON AGAIN

Take a deep breath – the moment of truth is at hand. First switch on your monitor or TV, and then your computer. If everything has gone according to plan, it should go through the usual reset cycle, and prompt you to insert a Workbench disk as normal. You should notice, however, the noise of the drive accelerating, and a faint noise

coming from the A600, sounding rather like a small fan. This is the sound of your brand-new hard drive, and hopefully something you'll become quite accustomed to in the near future.

If you cannot hear this, or your machine is not working, don't panic. Switch everything off, and go back to the start, making sure that you check

and double-check everything. If your keyboard isn't working (check by pressing the **[Caps lock]** button) then you did not connect the keyboard properly, as in Step 4.

THE LIGHTS ARE ON, BUT NO-ONE'S HOME


Your hard disk light (underneath the floppy one) should also have lit up at

some point during the reset procedure. This was your A600 first of all checking the drive and secondly trying to boot from it. It won't have been able to do this, however, as the drive has probably been sold to you blank. Just like an unformatted floppy disk, the computer can't use the hard drive until you have prepared it.


STEP 6 SETTING UP, PARTITIONING AND INSTALLING YOUR HARD DISK



HDToolBox will be indispensable for setting up your hard disk – unless of course the drive was already formatted and partitioned when you bought it



Partitioning your hard disks has all kinds of advantages. It gives you safer and more convenient data storage, especially on large-capacity drives



When you've copied the contents of your system disks to your hard drive, you'll be able to boot straight into Workbench without all the usual hanging around

Boot your computer from your Workbench disk. Once you've arrived at the Workbench prompt, you will need to run **HDToolBox**. Insert the disk with it on in df0:, and run the program. This should look like the picture above. Don't be alarmed by the fact that **HDToolBox** proudly states that you have just installed a SCSI drive into your machine – it's not being entirely truthful. This is a trick by Commodore so that software works properly. The SCSI device software inside your A600 is capable of talking to IDE drives. Click on 'Change Drive Type'. Now, ensuring that 'SCSI' is selected at the top, click on 'Define New Drive Type'. Now click on 'Read Configuration From Drive'. If all is well, the drive light should flicker, and information about the drive is sent to **HDToolBox**. Now that **HDToolBox** knows about your new drive, you are able to partition it.

PART AND PARCEL

It's a good idea at this stage to sit down with a pen and paper, and think about this over a coffee (let's face it – if you've got this far, you deserve a cup!). Partitioning is where you get your large hard drive to pretend to be lots of little ones. There are a number of advantages to this: speed is one, and security is

another. If, for example, you accidentally reset while the hard drive is working, then you should only damage data in one partition. Most people have at least two partitions, one holding the Workbench software, and another for all their programs and data. If you have a large drive (more than 20Mb), I would recommend at least three. Use one for the Workbench software of more than 2Mb, and put your Extras, Workbench and other files in there. If you intend to install Workbench 2.1, or 3.0 at a later date, make sure this partition is at least 6Mb in size. Then you could have one called 'Data' for your data files, and one called 'Programs' for all of your applications software. This is just one suggestion – it's worth devoting some thought to this, as it's a real pain to have to re-partition at a later date.

It's not the purpose of this article to be an entire instruction manual for **HDToolBox**, as that should have come with the program. But just to give you a quick outline: having set up your drive as indicated above, go to the 'Partition Drive' part of the program. See the centre picture above for an example of this. Make the first partition Bootable. This is vital. If you forget to do it, then you can't boot from your new hard disk. Name the partitions

sensibly. Gone are the days where we called hard disks DH0: and DH1:. We can be more imaginative, and call them names that mean something, like 'Programs:' and 'Work:'. Once this is done, select 'Save Changes to Drive' from **HDToolBox**'s main menu. The program will ask you to confirm, and the partitioning information is then written to the hard disk. Now, click on 'Exit'. If **HDToolBox** does not reset your A600 for you, do it yourself, and then boot from your Workbench disk again.

This time, you should see some additional icons on your Workbench screen, one for each partition. These are not formatted yet, and probably appear as 'BAD'. Select your first partition, and format it as you would a floppy drive, making sure that you format it as 'fast file system'. This will take some time. Once this is done, repeat it for every one of your partitions.

ALL SYSTEMS GO

You are now ready to install your System software. Without Commodore's official Install disk, this is a bit laborious, but it is still a straightforward affair that requires a little knowledge of the Shell.

Get all your disks together. By this I mean your Workbench disk, Extras and other disks that came with your A600 (except games of course!). Open up a shell, and type:

```
copy df0:#? wb2: all clone
```

Replace wb2: with the name of your system partition. Now press [Return], and all the contents of df0: (your Workbench disk) will now be copied to the hard disk. This should look rather like the right-hand picture

above. When this has finished, remove your Workbench disk, wait a few seconds and then reset your machine – this time, without a disk in the drive.

If you've done everything correctly, your hard disk light should flicker rapidly, and soon you should be looking at the Workbench screen.

If you've got this far, pat yourself on the back: you're very clever! Now, you have to repeat the procedure with all of your other system software disks in order to copy your tools and other items across onto the hard disk. This won't take too long. Now you're in a position to start installing all your own personal software. I strongly recommend that you keep your own programs out of the Workbench partition, and in your own section where they belong. This makes upgrades to new operating systems that little bit easier in the future. With Workbench 2.1 just around the corner, and Workbench 3 upgrades also likely soon, it's worth keeping this in mind.

EVERYTHING'S JUST FINE

All being well, you now have yourself an A600 or A1200 with a hard disk and everything is working as it should. If you have problems, then it's best to consult your local dealer – although you may have to pay if you have caused any damage to the computer. We can't enter into detailed correspondence with individuals about the procedure, as it would take too much time. But, if you're in a real fix, then write to the *Amiga Shopper Answers* panel, and we'll try and sort out the problem right here in the pages of the magazine, where everyone can benefit from it.

GETTING THE RIGHT SOFTWARE TOOLS

Those of you wondering how you can get hold of Commodore's hard disk installation software will be pleased to learn that the company has released version 2.1 of the operating system as an upgrade.

Without the ROM (not needed if you have Kickstart 37.3 or higher), it costs £55 and contains Commodore's **HDToolbox** and **Install** software.

Omega Projects (europe) Ltd.

OMEGA HOUSE, 83 RAILWAY ROAD, LEIGH, LANCs WN7 4AD
HARDWARE SALES 0942 682203/4 • SOFTWARE SALES 0942 682205 • QUERIES AND FAX 0942 682206

OMEGA PROJECTS SOUND ENHANCER PLUS

The original sound enhancer now comes with bass enhancement making it even better value for money.

£39.95

Omega Projects KickSwitch ROM Switcher

Easy installation, keyboard controlled, audible switch over, fully automatic.

£24.95Bare
£44.95inc. v1.3 ROM
£49.95inc. v2 x ROM

Amiga 600 & 600HD

This machine is the ideal solution for those of you on the move, due to its size and internal modulator. Comes complete with 1 Meg of RAM, mouse, power supply and hard drive interface. 1 year on site maintenance FREE!

A600£299.95
A600HDisk, 20Meg Drive
.....£449.95

Amiga 1200

32-bit power and 24-bit graphics. Available with or without a hard drive.

from£399.95

A600/1200 Upgrade Drives

These 2.5" drives will fit neatly inside your Amiga 600 or 1200.

20 Meg£139.95 Fitted free
60 Meg£229.95 for callers!
80 Meg£299.95

ICD Novia Drives

These fully internal hard drives do NOT require the removal of DFO.

60 Meg£339.95
80 Meg£389.95
120 Meg£479.95

GVP Series II Hard Drives

Size	A500(+)	A1500
52 Meg	£359.95	£259.95
105 Meg	£479.95	£399.95
120 Meg	£499.95	£429.95
170 Meg	N/A	£599.95
240 Meg	£799.95	£699.95

GVP Combo Cards (A1500/2000)

25MHz/030 & 1 Meg£569.95
40MHz/030 & 4 Meg£899.95
50MHz/030 & 4 Meg£1449.95

GVP A530 Turbo

Complete with 40MHz 68030 and 1 Meg of 32-bit RAM.

52 Meg drive£699.95
120 Meg drive£799.95
240 Meg drive£1039.95

Bare SCSI and IDE Drives

Quantum52 Meg£199.95
Quantum105 Meg£329.95
Quantum170 Meg£449.95
Quantum210 Meg£639.95
Fujitsu44 Meg£179.95
SCSI Case.....inc. PSU£109.95

SCSI Tape Streamers

Internal£449.95
External£549.95
The ultimate backup device!

Syquest Removable Hard Drives

44 Meg inc. cartridge£399.95
88 Meg inc. cartridge£499.95

CUMANA COM201 HARD DISK INTERFACE

Fits into the trapdoor of your A500 and gives you a 512K RAM expansion and enables you to connect an ST-506 hard drive to your machine.

SPECIAL OFFER £39.95

AmiBack V2.0

The ULTIMATE hard disk backup system. Backs up to 4 floppy drives or to tape streamer without the need for additional software. Has a built-in scheduler, selective backup or disk image. Guaranteed to be the fastest and most reliable!

Amiga DOS 2.0 compatible

£39.95

SupraRAM 500RX

External memory expansion for A500(+)

1 Meg£119.95
2 Meg£149.95
4 Meg£199.95
8 Meg£349.95

200 Watt Power Supplies

Complete with A500 power cable. Can power hard drive as well with optional cable. Ready to plug and go! Fan cooled!

£79.95

Opal Vision

Amazing 24 Bit Graphics card for the A1500/2000. Now in stock!

£699.95

Vortex Golden Gate 386 Bridgeboard

Turn your Amiga 1500 into a 25MHz 386SX PC!

£459.95

MBX 1200

Add a maths co-processor to the trapdoor of your A1200 and make it up to ten times faster than a standard A500. Also has the capability to add up to 8Meg of 32-bit RAM. Available as either 14MHz 68881 or 25MHz 68882.

14MHz 68881£169.95
14MHz 68881 & 1 Meg£249.95
14MHz 68881 & 4 Meg£349.95
14MHz 68881 & 8 Meg£449.95
25MHz 68882£219.95
25MHz 68882 & 1 Meg£299.95
25MHz 68882 & 4 Meg£399.95
25MHz 68882 & 8 Meg£499.95

All cheques, postal orders etc, should be made payable to:

Omega Projects Ltd

We also take Access, Visa, Mastercard, Eurocard and Switch

All prices include VAT @ 17.5%

CSA ACCELERATORS

NEW CSA DERRINGER

This is the latest accelerator from the States and offers a quality board at an affordable price. It comprises a 25MHz 68030, and gives you the ability to add a maths co-processor up to a speed of 50MHz, as well as up to 16Meg of 32-bit RAM.

With 1 Meg£299.95

2 Meg£349.95

4 Meg£449.95

8 Meg£549.95

16 Meg£799.95

Co-processors from£149.95

CSA Mega-Midget Racer

This is CSA's long established 68030 accelerator. It has proven time and time again to be the best. It offers 25, 33 or 38MHz clock speeds, a socket for a maths co-processor up to 50MHz. It has a 68000 socket on board for complete fallback compatibility. Add up to 8 Meg of 32-bit RAM and 512K S-RAM, Shadow the operating system into memory for even more power than an A3000 and excellent overall performance!

25MHz EC68030£349.95

33MHz EC68030£449.95

25MHz MC68030£449.95

33MHz MC68030£549.95

25MHz EC & 68882£499.95

Special Offer£349.95

33MHz EC & 68882£599.95

Static RAM (512K)£99.95

2 Meg 32 bit RAM£219.95

4 Meg 32 bit RAM£399.95

8 Meg 32 bit RAM£599.95

25/25 & S RAM & 2 Meg£718.95

33/33 & S RAM & 2 Meg£879.95

CSA 40/4 Magnum

The CSA 40/4 Magnum is the best 68040 accelerator available for the A1500/2000. 28 or 33MHz available. High speed serial and parallel ports. 4 Meg of 32-bit RAM as standard expandable up to 65 Meg of RAM in total. High speed SCSI 1 and 2 on board. Faster than an A4000!

from £1699.95

You Get What You Pay For!

As the ONLY official U.K. distributors for CSA, we can offer you a 50% buy back policy, therefore if you decide to upgrade you won't be stuck with a thing!

Open Monday to Saturday
9.00am - 5.30pm
Why not call us now!

STEP 7

A LITTLE ADVICE ON YOUR A600HD

Most of this is fairly obvious, but I'll go through it briefly nevertheless. I hate to say it, but most of you will eventually be victims of a hard disk error, either caused by a software crash, or by you resetting your machine at the wrong time. There are two types of hard disk user: 'User A' backs up all their data, and so an error like this is just a minor inconvenience. But 'User B' is very upset and swears a lot because he or she has no backups. There is a moral to this story – back up your data or you will be sorry! It's a good idea to buy a proper hard disk backup program, such as *AmiBack 2.0* or *QuarterBack 5.0*. Both of these programs are excellent and very reliable. They don't cost too

much, around £30-40. Either will give you a suitable helping of peace of mind, safe in the knowledge that your data is backed up securely. Or, of course, you could use *Kwikbackup* – on this month's cover disk!

It's good backup procedure to have two backups, to keep them in separate places, and to alternate between the two. This way, if something goes wrong while you are backing up, then you aren't left with no reserve copies whatsoever.

Also, you should try and keep your hard disk organised, neat and tidy. Finding something you want in a drawer full of floppy disks is bad enough – it's even worse on a nearly-full 120Mb hard disk when you don't know where to start.

HDToolBox has a verify data on drive option. This checks every single block on your hard disk for errors and reports them if it finds any. It's a good idea to do this once in a while – every month or so should be more than enough. If you take care of it, your hard disk will certainly out-last your A600.

Hard disks are delicate, and don't respond well to knocks and bashes. Although you're not probably in the habit of throwing your computer at walls, bear this in mind.


One final thing: with your hard drive installed, you will find that suddenly you have less memory available from the Workbench than before. This is because your new hard disk takes up a certain amount

of memory in order to work. So, if you have an unexpanded A600, you might find yourself running very short indeed. Fortunately, you can use the 'early boot' menu (obtained by holding both mouse buttons down when you reset) to disable your hard disk if you want to use floppy software that needs more memory.

I recommend that if you only have 1Mb, you should install a little more. Commodore's A601 costs very little and fits in the trapdoor slot underneath your A600 to give you an extra 512K. PCMCIA cards can give you up to 4Mb of additional memory. Several third-party manufacturers sell A600 memory expansions, which are often very cheap (often less than £40, or as low as £25 for 512K).

STEP 8

DOING IT TO THE A1200




Picture F: You have to undo slightly more screws in order to get an A1200 apart, but other than that, the machines are surprisingly similar in design

So! You have an A1200. You are a lucky person. Unfortunately, you also have Workbench 3 on floppy disks, which is a slow experience to say the least. Adding a hard drive to your A1200 makes an incredible difference. The good news about adding a hard drive to the A1200 is that you don't have to worry about Kickstart versions, as A600 owners do, since the A1200 comes complete with a ROM which can work with hard drives straight away. You still need to get hold of *HDToolBox*, however, in order to format your drive. Commodore recommends that you use the special Workbench 3 version of *HDToolBox* on your A1200, as supplied with the A4000

computer. Having said this, in our tests the A600 version worked just fine. If you're worried about this, contact Commodore direct and ask about getting hold of the Workbench 3 hard disk installation disk.

The instructions for installing a drive in the A1200 are much the same as those for the A600. The two photographs above will help you to identify the differences between the A600 and A1200. Photo F shows the various screws you will have to undo on your A1200 to take it apart, and Picture G shows where the hard drive is mounted.

For some reason the A1200 is slightly more fussy about drives than the A600, and also requires a little



Picture G: It's very straightforward to identify the hard drive cradle inside the A1200 – it's one of the few internal components you can get at easily

handiwork inside *HDToolBox*. You will need to set the 'MaxTransfer' rate to, at most, '0x20000' with most drives. Some drives are known not to work properly. You should steer clear of the following, as they have been tested and have shown some unreliability problems on the A1200 (though they work fine on the A600). If you're still not sure, buy a drive from an Amiga dealer, such as one that advertises in *Amiga Shopper*. They will be able to recommend drives that are known to work.

30Mb Conner CP2034
40Mb Quantum GO! Drive 4080
60Mb Conner CP2064
80Mb Conner CP2084

For those who are particularly interested, the reason for these problems is that the Amiga is more powerful than the PC. There – you knew that already! More specifically, the Amiga uses advanced features of IDE drives that PCs don't, and this reveals bugs and errors inside the hard drives themselves.

Once you have installed a hard disk inside your A1200, you will have to install your software in much the same way as the A600, only there are more disks this time. What you really need is the Workbench 3 Hard Disk Install disk, although this isn't available separately. Pestor your dealer, or Commodore, (or both) to get hold of this disk. **AS**

GETTING AT THE PROGRAMS

This disk is not autobooting. What this means is that you must load up **Workbench** first and open a **Shell** before you can make any use of its contents. The reason for this is that it saves space, and therefore allows us to pack more information onto the disk.

If you're running on a system without a hard drive or a second floppy, then you'd be advised to copy a few things into your RAM: drive before continuing. Doing so will ensure you have to swap disks as seldom as possible. Type the following at the Shell prompt (with your Workbench disk still in df0):

```
copy c:copy ram:
copy c:dir ram:
```

Now, whether or not you have a second drive, insert the cover disk and type:

```
copy AS_Shareware_VolIII: _J
c:/lha ram:
```

Many of the programs on the cover disk are archived. Archiving is a method of grouping several related files together into one large file. It also compresses these files so that they take up less space. The disadvantage of this method is that you need to use a de-archiving program on the files of interest before you can use them.

The archiver supplied in the **c** directory of the cover disk is **LhA**, a very powerful one. Full documentation for its use can be found in the **LhA** archive, held within the disk's **utilities** directory.

Before you unarchive anything, you have to decide where you are going to put it. If you have plenty of memory to spare, then there's no problem: simply unarchive everything to the RAM disk. If you have a hard disk then again you'll find life easier – you can unarchive everything to this. If neither of the above apply, you'll have to format another floppy disk ready to receive the programs. Bear in mind that you won't be able to fit all of the programs onto one floppy, so you will have to have several standing by.

Once you have found an archive of interest, then the procedure for getting at the programs it holds is simple. The command **lha** is used, followed by a switch which is a shorthand way of telling it that you want it to de-compress information. After this comes the name and

location of the archive you want, followed by the place where the archiver is to put the de-compressed files. Supposing that you wanted to take a look at the **Virus Checker** program, then the line to type into the Shell would be as follows:

```
lha x as_shareware _J
voliii:utilities/ _J
vc620.lha MyDisk:
```

The **vc620.lha** should be replaced by the name of the archive you are interested in. All of the archives have **'.lha'** at the end of their name. Other programs are ready to use as is. The final part of the command, **MyDisk:**, is the location that you want the un-compressed files to end up in. In this case it is the name of a floppy disk that you have already formatted. The name can be anything you like, but it's best to avoid including spaces.

If you were de-archiving to your RAM disk then you would replace the name of the disk with the word **ram:**. Similarly hard disk users should replace it with the name of a partition, such as **dh0:**.

Once you've performed this process, you'll find (using the **dir** command) that just about every archive contains, aside from the utility program itself, a documentation file, usually called **readme** or with a filename ending in **.doc**. This can be read with a text editor or text display program. With the above example, assuming you had de-archived onto a disk called **MyDisk:**, you would be able to read the program's documentation by typing the following:

```
more MyDisk:virus _J
checker.doc
```

Instead of the **more** command you may prefer to use **ed** or the name of your favourite editor. Either way, you'll find that you'll have to do some disk swapping so that AmigaDOS can find the text program in question. It's a good idea to read these documentation files: that way you can be sure of getting the most out of the programs on the disk.

As far as the rest of the programs on the disk go, you'll find that they are ready to use immediately. Alternatively, for convenience you may wish to copy them to another work disk using the AmigaDOS **copy** command.

Welcome to **Volume Two** of our Amiga shareware collection. Not only does this one contain some amazing shareware and public domain utilities, including a valuable hard disk back-up program, but also a complete assembler package and listings from just about every programming column in the magazine. For instructions on how to retrieve the programs from their special archived format, please read the panel to the left. Now for a run-down on those superb utilities:

ALERT

All Workbenches
Full size: 9,840

Alert is a handy tool for programmers. It converts Guru numbers (long and difficult-to-understand error codes given by the system when a program has crashed) into meaningful messages which should help you track down any errors in your program.

The program is run from the Shell or CLI. If it's in your current directory or your **c** directory, then you can use it by typing:

```
alert XXXXXXXX
```

where **'XXXXXXXX'** represents the Guru number in hexadecimal, just as it is displayed in the flashing message (note that the section of interest is the part of the message to the left of the full stop).

CYCLE TO MENU 1.10

Archive name: ctm110.lha
Workbench 2 and above
Archived size: 6,047
Full size: 10,865

Cycle To Menu is a commodity program which will create pop-up menus that use the standard gadtools cycle gadgets, making menu

STOP!

Before going any further you should make a copy of your disk. All further work should then be done with this copy. Then, if the disk somehow gets damaged, you can refer back to your original.

To make a copy, first move the write-protect tab on your cover disk (the small black square on the top right of the disk) so that the hole it

selections even easier than they already are.

To use the program, simply drag its icon (once it has been unarchived, of course) into the **WBStartup** drawer.

KWIKBACKUP

Archive name: kwikbackup.lha
All Workbenches
Archived size: 22,528
Full size: 61,437

Kwikbackup is a very handy program that those of you following the hard disk installation article on page 14, or indeed any of you with hard disks, would be well advised to use.

It enables you to make a complete backup of all the information on your hard disk onto a group of floppies. Once you've grown used to a hard disk, you soon come to think of it as being immortal. This impression continues until the day it crashes, at which time you realise you have lost a great deal of valuable data – as well as programs which you have no copies of.

Regular backing up of a hard drive is essential to guard against this eventuality. Hard disks don't fail

DISK CONTENTS

The **Amiga Shopper Shareware Collection Volume Two** holds a number of useful utilities which are detailed in the main text.

Their names are:

- alert
- ctm110.lha
- kwikbackup.lha
- lha138.lha
- rqtls21.lha
- snoopdos17.lha
- vc620.lha

These can all be found in the **utilities** directory of the disk.

We've also included a complete assembly language development package, along with a couple of example programs to get you started.

It is stored in a directory called **assembler** and details of how to use it can be found on page 24.

The rest of the disk is taken up with source code from within the magazine. These program files are as follows:

● **Chaos** – in the directory called **chaos** are two programs, one called **chaos.ambas** and one called **chaos.ascii**. Both are the Julia set generator listed on page 88. The first can be loaded directly into Amiga BASIC, the second will be of use after small modifications with other versions of BASIC.

● **AMOS** – in the directory of the same name is a program called

covers is revealed. This means that nothing can be written to the disk, and nothing can be deleted from it.

Next, open a Shell or CLI window from your Workbench disk. Now type the following:

diskcopy from df0: to df0:

You may modify this line if you have more than one floppy drive. You will be asked to insert the 'source' disk – this is the cover disk. After you do so, the Amiga will read some of the information from it. Then you'll be asked to insert the

destination disk. This is the disk that is to become your copy. Insert a spare disk and wait for the Amiga to write to it. You'll soon be asked to replace the 'source' disk. The process of swapping disks will repeat a few times before the entire disk has been copied. Once it has, make sure you put your original away somewhere safe.

If you find that your cover disk is corrupt, please return it, with an SAE, to Discopy Labs, Unit 2+3, Amiga, Technology Centre, Drayton Fields, Drayton NN11 9R1.

disk or modem much easier. Brief instructions for using Lha can be found in the 'Getting at the programs' panel; full instructions are contained within its own archive.

REQTOOLS 2.1

Archive name: rqtls21.lha
Workbench 1.3 and above
Archived size: 308,437
Full size: 698,365


ReqTools simplifies the building of standard requesters during the writing of applications programs, and as such means that the programmer can spend more time on the essentials of his or her

All Workbenches


Archived size: 37,565
Full size: 95,360

SnoopDOS will give information on any AmigaDOS function calls made by currently running applications programs. It's handy for sussing out why programs won't work properly. Often they are looking for other files or programs that they can't find. SnoopDOS will tell you what they're looking for.


It will tell you about AmigaDOS function calls, as well as calls to libraries, devices and even searches for fonts.



Avoid those hard disk failure blues with *Kwikbackup*. It's easy to use, and it could be a life-saver



Shown is just one of the requesters – the palette requester – that *ReqTools* supplies



Virus Checker – a small, inoffensive program to guard against small, offensive ones

The Amiga Shopper Shareware Collection Volume Two



scrpac.amos. This is the screen packing program, listed on page 77 of the AMOS column.

● **AmigaDOS** – in this directory you will find an archive (see 'Getting at the programs' for details) containing some of the best AmigaDOS scripts from Mark Smiddy's *Cracking The Shell* series: **error** (see page 86), **error.s** (source code for **error**), **fail** (see page 86), **fail.s** (source code for **fail**), **gensum.rexx**, **hexcon.rexx**, **hexify**, **lstoo**, **lstoo.s**, **compress**, **uncompress** (see page 90 of Issues 19 and 20 for details of these programs), **warn** (see page 86), and **warn.s** (source code for **warn**).

● **CProggg** – the three example programs used in the C Programming column starting on page 114. They are called **program1.c**, **program2.c** and **program3.c**.

very often, but they certainly *do* fail. Using *Kwikbackup* will take some of the pain out of the laborious process of making backups.

LHA 1.38

Archive name: lha138.lha
All Workbenches
Archived size: 102,399
Full size: 240,262

This is the latest version of Stefan Boberg's immensely versatile archiving program. We've included an unarchived version of the program itself on the disk's **c** directory so that you can get at all the other programs, but this archive contains the complete thing.

An archiver is used to collect together lots of related files into one single file, which is then compressed to save space. It makes the process of transferring information via floppy

Read on to find out exactly how to get at all those wonderful programs packed onto this month's disk

program rather than worrying too much about the user interface.

The utility can be used with a variety of programming languages and compilers. It provides a multitude of requester types.

Also, by following the instructions contained in the **RTpatch** directory, any user can install the *RTpatch* program. This means that any programs they run use the more attractive requesters of *ReqTools* rather than the standard ones.

SNOOPDOS 1.7

Archive name: snoopdos17.lha

VIRUS CHECKER 6.20

Archive name: vc620.lha
All Workbenches
Archived size: 49,443
Full size: 102,726

The latest version of one of the most powerful anti-virus programs.

If you have Workbench 2 or higher, then drag the *Virus Checker* icon into your **WBStartup** drawer. Otherwise copy it to your **c** directory and add the following line to your startup-sequence:

c:Virus_Checker AS



USING YOUR ASSEMBLER SYSTEM

On the cover disk you'll find all the files necessary to get started with assembler. They're located in the 'assembler' directory. These, along with the program 'ed' supplied with your Amiga, are all you need for a development system.

You may want to copy them all on to a special floppy disk designated as your assembler work disk, but you can in fact copy


This month I've got the chance to answer in detail many of the questions we get about coding in assembly language on the 68000 (or '68K', as we like to call it for short). But first, let's get one thing straight – there is no way in the world that I can provide anything like the full details of the 68000 chip and the Amiga's operating system. To do so would take every page in every issue for the next twelve months. Compromises have therefore had to be made on some topics, although this tutorial should nevertheless provide enough basic explanations to get you started. Perhaps best of all is the fact that since you'll find all the example code, plus Charlie Gibb's *A68K* assembler and the Software Distillery's *Blink* linker on disk, everyone will have everything they need to assemble and run the examples for themselves!

I suppose the first stop in this whirlwind tour should be to explain what an 'assembly language' actually is, so here goes: computers like the Amiga are built around an integrated circuit known as a microprocessor chip. These devices have their own 'instruction set' – a collection of logic and arithmetic instructions, which cause the chip to perform various tasks. At the end of the day it is sets of these instructions, stored in memory, which constitute the 'programs' executed by the computer system.

NUMBERS TO NAMES

The language that the microprocessor understands is based on binary numbers. Given suitable hardware (a processor chip, some memory, some input/output facilities, and all the associated electronic support), one way of programming such a system would be to enter suitable binary numbers directly into system memory and then get the microprocessor to execute the instructions. This 'machine code' programming approach was used to create and run programs in the early days of computing. However, it was a far from ideal way of programming

Assemb



because the numbers representing particular processor instructions didn't have any obvious connection with the instruction being performed.

The solution was to give the instructions meaningful names (well, as meaningful as possible) – names like ADD, MOVE, SUB and so on. Since these instruction names helped programmers to remember the purpose of the underlying processor instructions, they were called mnemonics. The next step was to automate the process of converting mnemonics back to the numbers which represented the actual processor instructions. Translation programs effectively

"learning an assembly language is not in itself a difficult task"

'assembled' the runnable program from the mnemonic instructions, so they were called 'assemblers'. And that is how assembly language programming was born!

Over the years microprocessors and development software have become more sophisticated, but these assembly languages (each microprocessor has its own) are always close to the actual machine and its underlying hardware. It is for this reason that you may hear them referred to as 'low-level' languages. Since the Amiga uses the Motorola 68000 chip, it's 68000 assembly language you'll need to learn in order to program the Amiga at the microprocessor level.

Now, learning an assembly language is not in itself a difficult

everything you need to your RAM disk for speedy operation.

To do this, first boot up with Workbench and open a Shell. Then type the following:

```
copy c:copy ram:
copy c:dir ram:
copy c:ed ram:
copy c:cd ram: (this last line won't be
required for Workbench versions 2 and above)
```

Now insert your cover disk and type:

```
copy as_shareware_vol11: J
assembler/a68k ram:
copy as_shareware_vol11: J
assembler/blink ram:
```

You'll also have to copy across the example files you wish to assemble. See page 31 for instructions on how to use them.



ly time

In conjunction with this month's cover disk, Paul Overaa presents an introduction to programming the Amiga in 68000 assembly language. It's faster than BASIC, but nastier than C, and you'll soon be speaking it like a native!

task. But, unfortunately, microprocessors do not work in isolation. On the Amiga the 68000 processor chip is just a small part of a complex system which involves specialist hardware and a very sophisticated covering shell of operating system software too. If you are intent on programming the Amiga using 68000 assembly language then some knowledge of this operating system is needed right from the start. This produces an immediate stumbling block because books which just deal with programming the 68000 do it in an operating-system-independent way, making it difficult for the would-be 68000 Amiga programmer to relate what they are learning about to the Amiga environment. In many ways, newcomers to assembly language (no matter how enthusiastic they might be) have been left high and dry in this area – the purpose of this tutorial is to try and put some of these omissions right.

MAKING A START

All that is needed to start assembler programming on the Amiga is a simple conceptual model of the processor and its facilities. Understanding about how the hardware works (for instance, how

the processor physically communicates with memory and the outside world) is almost irrelevant. So, first of all, let's build up a picture of the 68000 chip...

All microprocessors have a number of registers – places where they can store data. The 68000's internal registers are split into two basic groups, address registers and data registers. Each group's registers are numbered from 0 to 7. Data registers are therefore labelled as d0, d1, d2... d7 (or D1, D2... and so on), while the address registers are labelled as a0 (or A0) up to a7.

Address register a7 has a special purpose, in that it serves as the microprocessor's stack register. This means that it is set up to point to an area of memory that is used to store information on a last-in-first-out basis. There are in fact two different 68000 stack pointers – this stems from the fact that the processor can operate in two modes: 'user mode' and 'supervisor mode'. Since it is convenient for each mode to have its own stack, the 68000 has been designed so that register a7 (which can also be referred to by the mnemonic 'sp') behaves like two separate registers, storing both a user mode stack pointer and a supervisor mode stack pointer.

Each 68000 register can hold a 4-byte (32-bit) number. Among its other facilities, the processor is able to move these numbers between its internal registers, or between a register and a memory location (and vice versa). The 68000 can also move 'external' data held in memory from one location to another.

TABLE OF CONTENTS

One of the most distinctive features of the 68000 is the flexibility of its registers. Although they can hold 32-bit (or 'long word') values, the processor can use the address registers to work with 16-bit values ('words') for many operations, while the data registers can in fact work with either 32-bit, 16-bit or 8-bit values. Similarly, there are few restrictions on what you can, or cannot, use the contents of these registers for. If, say, you wish to copy the contents of a data register into an address register, the 68000 will let you do it.

Having said that, it is usually better to use address registers for storing and working with memory addresses and data registers for data-orientated operations, simply because each of the groups are better suited to their design-chosen purposes. When working with instructions that may involve byte, word or long word values it is often necessary for the assembly language programmer to identify the size that should be assigned to a given value (the 68000 mnemonic conventions work by placing '.b', '.w' or '.l' after the particular instructions).

Because of its internal architecture, the 68000 does have a

limitation on the address values that it uses when accessing word or long word addresses – the address must be 'word aligned' (or, in other words, it must be an even number). Assemblers take care of much of the word-alignment problems automatically, which means that if, for example, you set aside space for a long word variable, the assembler will usually ensure that it gets allocated an even address.

The 68000 also contains a 32-bit program counter which is a register used by the microprocessor to determine the address of the next instruction to be executed. Under normal conditions the program counter is automatically incremented as instructions are read and acted upon, and so instructions contained in memory are executed in sequence, one after another. However, an important part of microprocessor

programming revolves around a number of instructions which can alter the contents of the program counter and this has far reaching implications.

By changing the program counter

address it is possible to cause the microprocessor to get its next instruction from anywhere in memory (as opposed to just getting the next instruction in memory). The result is that the execution of the program can 'jump' from one part of the program to another. The fact that these jumps can be made conditional on the state of various processor flags means that the processor can make 'intelligent' flow control decisions based on the data with which it is working. A program might, for instance, compare two numbers and, on the basis of the result, execute (or not execute) a particular set of instructions.

Another important 68000 register is the 'status' register. This is divided into two 8-bit registers,

"execution... can jump from one part of the program to another"

known as the system byte and the user byte. The system byte is only accessible in supervisor mode and contains a number of system related 'bitfields' (such as interrupt masks) which we will not be concerned with here. The user byte, on the other hand, is vitally important because it contains the flag bits whose values are set and cleared according to the results of particular instructions.

Five flags are available, providing single bit true-or-false detection of the processor conditions known as carry (C), overflow (V), zero (Z), negative (N), and extend (X). The carry bit holds the carry result from the most significant bit produced by bit-shifting or arithmetic operations, although like many processors the 68000

these source and destination addresses to be specified.

With the 68000 there are eleven basic addressing schemes and for the sake of completeness here are their names: inherent, register, immediate, absolute, address register indirect, address register indirect with displacement, address

register indirect with postincrement, address register indirect with predecrement, address register indirect with index and displacement, program counter relative with displacement, and program counter

relative with index and displacement.

Inherent addressing means that the instruction itself implies the location of the operand. Register addressing implies that the operand resides in one of the 68000's internal registers. Absolute addressing means that the address

registers. For example:

```
move.b d1, d2
```

transfers the lower 8 bits of data from register d1 to register d2. This is an example of register addressing.

On the other hand:

```
move.l #0, d2
```

places a zero value in register d2. The hash # sign indicates an operand source addressing mode known as 'immediate' addressing – in terms of the final 68000 instruction this means that the operand (in this case a 32-bit zero value) is stored immediately after the 'move.l' instruction code.

Data can also be moved to memory locations. To move the full 32-bit contents of register d0 to a memory location which has been given the symbolic name '_DOSBase', you would use:

```
move.l d0, _DOSBase
```

Faster move instructions – 'moveq' ('move quick') – are allowed for certain types of data, and a number of specialist instructions are also available. The 'lea' instruction, for instance, can be used to load an address register with a particular operand address. For instance:

```
lea dos_name,a1
```

might be used to load the start address of a string. The string would have been defined using a 'dc.b' (define constant bytes) assembler directive – like this:

```
dos_name dc.b 'dos.library',0
```

The string 'dos.library', plus a terminal null (0) character, would have been placed

into part of the program space, and the 'lea' instruction would load the start address (the address of the first byte) of that string into register a1.

Yet another specialised instruction, 'movem', enables the contents of multiple registers to be moved to (or from) memory with a single instruction.

● Arithmetic and logic instructions

The 68000 supports a standard set of logic and arithmetic operations which allows it to perform addition, subtraction, multiplication and addition. As well as this, it also supports all of the common logic operations (AND, OR, XOR and so

on). As an example, the instruction:

```
add.l d0, d1
```

adds the full (32-bit) contents of data register d0 to the contents of register d1.

● Flow control facilities

Without flow control instructions, a processor would only be able to execute program instructions sequentially. The ability to select and execute different parts of a program under different conditions is obviously important, so the 68000, like all other processors, provides a variety of flow control mechanisms.

The 68000 provides both conditional and unconditional branch/jump type instructions for transferring control from one part of a program to another. One such instruction is called 'beq' (Branch on Equal to zero) and this is a flow control branch which is only taken if the 68000's zero flag is set. To use this instruction to conditionally branch to a symbolic address called EXIT, one would write:

```
beq EXIT
```

Unconditional branch/jump instructions are also available, as are subroutine-based branch and jump instructions. These automatically store a 'return' address on the stack mentioned earlier. After a subroutine call has been executed this return address is used to transfer control back to the main part of the program.

● Other instructions

Instructions are provided which allow the 68000 to test, set, and clear individual bits and to rotate and shift operands. There are powerful address calculation instructions,

automated loop instructions, and even instructions which allow data areas to be allocated within stack space as subroutine calls are made. A variety of instructions are also available for comparing

particular operand values (these set the appropriate status register flags).

PUTTING IT TOGETHER

Assemblers can do far more than translate machine code instructions. A whole range of assembler directives (or 'pseudo-ops') can be used to define symbols, designate areas of memory for data storage, place fixed values in memory and so on. Directives also exist for more mundane operations such as

"The user byte... is vitally important because it contains the flag bits"

LISTING 1 • LISTING 1

Listing 1: A typical piece of 68000 code has four main fields.

```
OPEN_DOS: lea      dos_name,a1      place library name in a1
          move.l   #0,d0            any version will do
          CALLSYS  OpenLibrary,_SysBase macro (see later)
          move.l   d0,_DOSBase      store returned value
          beq      EXIT             quit if call failed
```

inverts the carry bit after subtraction. The zero flag is set high (that is, set to 1) when an operation produces a zero result – if, for example, the result of subtracting one number from another produced a zero, then the 68000's zero flag would be set to 1. The negative bit (sometimes called the sign bit) always takes the value of the most significant bit of the result. And finally, the 68000's overflow and extend flags are used primarily for arithmetic applications.

Now, for the 68000 processor to do anything useful it needs to collect data from somewhere, manipulate it, and make the results available to the outside world. From the processor's viewpoint, this 'outside world' includes the RAM and ROM memory chips which form part of the computer system. Most processor instructions work on a piece of data (called the 'operand'), so obviously this data not only has to be stored somewhere but the processor also needs to know where it is stored and how to access it. Many instructions will use some real or implied source address, do something, and then transfer the result to its destination address. It is a set of inbuilt 'addressing modes' which enable

of the operand is located just after the instruction in memory, whereas immediate addressing implies that the operand itself is located just after the instruction in memory.

Indirect addressing is a very powerful concept – on the 68000 a variant called register indirect addressing is used. In short, something called an 'address register' is used to specify the address of the operand. In addition to these straightforward addressing modes, it is possible to specify displacements and to auto-increment or auto-decrement an address by 1, 2, or 4 bytes.

INSTRUCTION CLASSES

The 68000 instruction set is large and almost all sensible addressing modes can be used with any instruction. Again there's no way we can talk about, or even just list, each instruction – so here is a very brief outline of the type of things the 68000 can do:

● Data movement

The 68000 has a large number of instructions for the transfer of data to and from memory and/or the 68000 microprocessor's internal

Buying an *AMIGA* was your first great decision.

Now go even further: these Amiga peripherals and hardware products will maximise

the versatility, speed and storage capabilities that your Amiga promises.

from
vortex


from

INTERACTIVE VIDEO SYSTEMS

from
 **MicroBotics, Inc.**

PC EMULATORS

Emulate an IBM compatible in your Amiga 2000/3000/4000 with the vortex Golden Gate.



- Built-in IDE interface
- Optional floppy drive controller
- 386 expandable to 8MB RAM
- 486 expandable to 16MB RAM
- Use Windows 3 on your Amiga!

Golden Gate 386sx £399.95

Golden Gate 486slc £699.95

MONITOR SWITCH BOX



This monitor switch box for the vortex Golden Gate automatically identifies when PC or Amiga graphics should be displayed.
Monitor Master £99.95

ACCELERATOR

Speed, control and expansion in one 25MHz accelerator card -- the Vector for the Amiga 2000.

VECTOR



- Socketted 68EC030
- Includes high speed SCSI interface
- Expandable to 32MB RAM
- 8MB RAM and hard drive can be used under 68000 mode

Vector 2000

25MHz Accelerator £599.95

HARD DRIVE CONTROLLERS

Here are two fast and cost-effective controllers for your Amiga.

TRUMPCARD 500 AT



- IDE interface
 - Expandable to 8MB RAM
 - For Amiga 500/500+
- Trumpcard AT £149.95**

GrandSlam! 2000


- For Amiga 2000
- High-speed SCSI interface
- Includes extra parallel port
- Expandable to 8MB RAM

GrandSlam! 2000 £179.95



A1200 EXPANSION

Ray trace, morph, calculate, animate -- fast -- with the MBX 1200 Maths co-processor and 32bit RAM expansion for the Amiga 1200.



- Socketted 68881 or 68882
 - Expandable to 8MB of 32bit RAM
- MBX1200 starting from £145.95**

ACCELERATOR

Here is a two-part accelerator solution for any Amiga 500/2000. Begin with the VXL*30...

- Socketted 68EC030
- 68882 socket on board


...add the VXL*32 -- a 32bit 2MB RAM expansion that connects to the VXL*30.

VXL*30

£275.95

VXL*32

£199.95



Ready to make your next great decision?

Contact your local dealer or ring Micro-PACE on (0753) 551 888 for the dealer nearest you.

Micro-PACE UK, Ltd.

D I S T R I B U T O R S


Unit 10, Perth Trading Estate, Perth Avenue, Slough, Berkshire UK
SL1 4XX Reg. No. FC16591. All prices are RRP and include VAT.
All Amiga 2000 products are A1500 compatible. M9301

COMMODORE 1084S STEREO MONITOR

Including FREE Lead
ONLY £199.00

PHILIPS 8833 MK II STEREO MONITOR

Including FREE Lead
ONLY £229.00



COMPUTERS - PERIPHERALS - ACCESSORIES

Open Monday to
Saturday 9am - 6pm
Callers and Mail
Order Welcome
Easy Parking

THE AMAZING
AMIGA 1200
Only £369.00

KCS POWERBOARD PC EMULATOR FOR AMIGA A500

ONLY £159.00

GOLDSTAR MULTIMODE HIRES MONITOR WILL ACCEPT AMIGA AND VGA INPUTS £249.00

HARD DRIVES

GVP SERIES II
1500/2000
80Mb Quantum
Space for 8Mb RAM
£319.00

GVP SERIES II
1500/2000
120Mb Maxtor
Space for 8Mb RAM
£379.00

GVP SERIES II
1500/2000
120Mb Quantum
Space for 8Mb RAM
£405.00

GVP SERIES II
A500
80Mb Quantum
Space for 8Mb RAM
£369.00

GVP SERIES II
A500
120Mb Maxtor
Space for 8Mb RAM
£405.00

GVP SERIES II
A500
120Mb Quantum
Space for 8Mb RAM
£425.00

AMIGA A600 FUN PACK

Amiga A600, Mouse, Modulator, Manuals, Workbench, Joystick, Disk Box, 10 Disks, Dust Cover, Dpaint 3, 1Mb RAM, PLUS 11 GAMES, Honda RVF, Datastorm, Grand Monster Slam, Dungeon Quest, Powerplay, E-Motion, Kid Gloves, Soccer, Shuffle Puck Cafe, Tower of Babel, Kick Off 2

ONLY £329.00 inc VAT

SOFTWARE

FINAL COPY 2	£64.99	AMOS PROFESSIONAL	£45.00
AMOS + EXTRAS	£32.00	QUARTERBACK V5	£39.00
BROADCAST TITLER II	£139.00	PRO-WRITE V3.2	£69.00
HOT LINKS	£68.00	IMAGEMASTER	£119.00
KIND WORDS V3	£39.00	PHOTON PAINT 2	£25.00
LATTICE C V6	£199.00	FINAL COPY 1	£39.00
PAGESETTER V3	£52.00	DESIGN WORKS	£59.00
PAGESTREAM V2.2	£125.00	DOS 2 DOS	£28.00
PAGESTREAM FONTS	£49.00	Q/BACK TOOLS	£42.00
X CAD 3000	£239.00	WORDWORTH 2	£72.00
CROSS DOS V5	£39.00	SUPERJAM	£69.00
SCENERY ANIMATOR	£53.00	REAL 3D BEGINNERS	£99.00
ADORAGE Effects generator			£68.00
PEN PAL Excellent easy to use word processor			£53.00
IMAGEMASTER 24 Bit Image Processing, includes effects			£119.00
ART DEPARTMENT PROFESSIONAL			£119.00
DIRECTORY OPUS			£29.95
DIGI-VIEW MEDIA STATION			£39.00
BARS + PIPES PROFESSIONAL			£179.00
MORPH PLUS			£149.00
MIRACLE Piano tutor (Hardware/Software)			£245.00
IBM EMULATOR Emulates a PC on the Amiga			£39.00
VISIONARY Adventure creation language			£53.00
MINI OFFICE Integrated package			£39.00
REAL 3D TURBO/PROFESSIONAL			£199.00
PROFESSIONAL PAGE V2.1 with tutorial video			£115.00
PROFESSIONAL PAGE V3.0 New Version			£129.00

AMIGA A1500

The A1500 inc. Philips or CBM 1084s or 5 monitor, Twin drives, Dpaint 3, The Works Platinum, Home Accounts, 3 Games + Joystick

ONLY £739.00

AMIGA A500 part exchange available - please phone

ACCELERATORS

Microbotics Accelerator VXL-30, 25MHz	£222.00
Microbotics Accelerator VXL-30, 40MHz	£351.00
Speed Merchant Doubles Amiga Speed	£129.00
GVP 68030 25MHZ WITH 1 Mb RAM	£545.00
GVP 68030 40MHZ WITH 4 Mb RAM	£779.00
GVP 68030 50MHZ WITH 4 Mb RAM	£1090.00

HOW TO ORDER:
Either call our number
below with your credit
card details, or send
cheque/PO or credit
card details to our
address. Cheques made
payable to

THE 16 BIT CENTRE

Prices subject to change without
notification.

All prices include VAT and Courier Service

16 BIT CENTRE

Units 15-17,

Lancashire Fittings Science Village

Claro Road, Harrogate HG1 4AF

Tel (0423) 531822/526322

HARDWARE

COMMODORE 386 Bridgeboard For 1500/2000	£399.00
ROM V2.04 AND ECS DENISE	each £28.00
A570 CD ROM for A500	£289.00
MBX 4Mb 32 bit ram with 88881 co-pro for A1200	£299.00
PCMCIA Card 2Mb for A600 or A1200 (16 bit)	£129.00
PCMCIA Card 4Mb for A600 or A1200 (16 bit)	£189.00
GVP PC EMULATOR (for GVP A500 hard drives) 16Mhz	£195.00
A530 40 Mhz Accelerator with 120 Mb hard drive with 1 Mb ram	£749.00
DCTV 24 Bit Graphics Board	£399.00
GOLDEN GATE 386/25 Bridgeboard for 1500/2000/3000	£425.00
TV TUNER for Philips and Commodore monitors	£69.00

PRINTERS

STAR LC24/100 Mono...24 pin inc free lead	£195.00
STAR LC100 9 pin colour inc. free lead	£175.00
STAR LC20 9 pin mono inc. free lead	£132.00
CITIZEN PROJECT Inkjet mono printer inc. free lead	£359.00
HP DESKJET 550 COLOUR inkjet inc free lead	£569.00
CITIZEN SWIFT 9 COLOUR 9 pin colour printer inc free lead	£175.00
CANON BJ10 EX bubble jet printer inc free lead	£219.00
STARJET SJ48 bubble jet printer inc free lead	£225.00
HP DESKJET 500 inkjet inc free lead	£349.00
HP DESKJET 500 COLOUR inkjet inc free lead	£479.00
CITIZEN 200 COLOUR 24 pin printer inc free lead	£239.00
CITIZEN 240E COLOUR 24 pin printer inc. free lead	£275.00

MEMORY

SUPRA RX500 8Mb RAM BOARD FOR A500/500+	
With 1Mb	£92.00
With 4Mb	£185.00
With 2Mb	£117.00
With 8Mb	£285.00
A500 512K With Clock	£29.00
A500+ 1Mb	£32.00
A600 1Mb	£47.00
ROM 1.3/2.0 Sharer With Switch (Rom 1.3 £22.00)	£12.00
ROM 1.3/V 2.0 Sharer by Keyboard reset (Rom 1.3 £22.00)	£22.00

MODEMS & FAX

Supra 14400 Fax Modem v32 bis inc. comms software	£315.00
Tornado 9600 Fax/Modem (Throughput 38000)	£399.00
Supra 9600 v32 Fax/Modem inc. comms software	£239.00
Supra 2400 Plus Fax/Modem	£149.00
Supra FAX MODEM SOFTWARE	£29.00
Supra 2400 Plus Internal Modem for A1500/B2000	£99.00
Tornado 14400 Fax Modem (Speeds up to 57000)	£499.00

**EXTENDED WARRANTY
AND MAINTENANCE
CONTRACTS AVAILABLE
ON ALL ITEMS. PLEASE
CALL FOR FURTHER
DETAILS.**

VISA

Access

controlling the listing and error reporting facilities of the assembler. The conventions used vary from assembler to assembler but are always well documented.

The 'EQU' – Equate – directive is a particularly important one. It enables the programmer to define a label with a specific numerical value. For instance:

```
LF EQU 10
```

After the above definition the programmer can use 'LF' (for 'line feed'), instead of the less intuitive real value, 10.

There are also a range of important storage allocation directives. It is usually possible to specify bytes, words or long word allocations by

appending '.b', '.w', or '.l' to a directive. A 'ds' ('define storage') directive will, when written as 'ds.l', allocate space for a number of four-byte (long word) values. So, to reserve four bytes of uninitialised space for a variable called _DOSBase, we could use:

```
_DOSBase ds.l 1
```

Directives will also be available for placing constant values in memory. An example of this is the creation of the 'dos.library' string mentioned earlier.

THAT'S JUST TYPICAL

An assembly language program consists, in the main, of statements which can contain up to four fields: a label, a mnemonic code, operands/addresses, and, last but not least, comments.

Labels are used to identify particular places in the program – in other words, they provide symbolic names which make the program more readable. The mnemonic codes and the operand/address fields are the parts of the instructions we've talked about, and the comments are used to provide in-line program documentation. An example appears in Listing 1, which can be found in the box on the preceding page.

Most of the instructions in this example fragment have already been explained. The first statement, for instance, loads register a1 with the start address of the DOS library name (this name has been stored as part of the program's static data).

The next instruction places a zero in register d0. Now, you may be asking: why is this done? It's an Amiga system convention – we are using an Exec system call called

OpenLibrary and this function (documented in books like the Amiga RKM manuals) requires the start of the library name (the address of its first byte) to be in register a1, and the version number to be in register d0. A zero value indicates that we are happy to use any version of this particular library.

The third line, CALLSYS OpenLibrary, is not a 68000 instruction – it is an assembler pseudo-instruction which identifies a group of real instructions known as a 'macro'. In this example, the real

instructions would be defined elsewhere and the assembler just inserts them automatically.

The OpenLibrary system call, like a great many Amiga system calls, may not succeed. So, when the program

runs two possibilities present themselves:

1. The OpenLibrary call succeeds – in which case register d0 will contain a valid 'base address' for the library (this return value again stems from documented system conventions).

2. The OpenLibrary call fails – here system conventions dictate that on return from such a call, d0 will contain a zero 'failure indicator'.

The program must take account of these eventualities and this is what the example fragment does. The code stores, using a 'move.l' instruction, the contents of d0 in a memory location which has been given the symbolic name _DOSBase. As the data is moved, the zero flag is modified to reflect the value of the data item. A 'beq' (Branch on Equal to zero) instruction is then used to decide whether or not the library was successfully opened. The result of all this branch-based jiggy-pokery is that whether the EXIT branch is taken or not depends on whether the library call was successful at the time the program runs. With the later, runnable examples in this tutorial, I'll be using this same type of scheme to ensure that a library is only closed if it was successfully opened in the first place.

CREATING AN ASSEMBLY LANGUAGE PROGRAM

The first step in writing an assembly language program is to use an editor program to prepare a source code file. This file will simply be an ASCII text file which contains the program instructions that you've written. You will of course be able to list and print the contents of such a file, just as

you would a letter or any other piece of stored text. Most commercial assemblers come with their own editor programs, but if you prefer it is also possible to use an alternative editor or word processor program.

The only proviso with the latter option is that it must be possible to prevent the word processor from inserting additional control characters into the text. This is because these characters would as likely as not cause the assembler program to come to a grinding halt

in other object code modules (such as the start-up code used to allow programs to run from the WorkBench). A third stage, known as 'linking', attempts to fill in the gaps created by these unresolved references. The Amiga linker, *Blink*, is able to combine the various items to produce a runnable program file.

Libraries on the Amiga cause a few headaches for the beginner, primarily because the term is used in

LISTING 2 • LISTING 2

WRITEDOS MACRO

movem.l	d1-d3, -(sp)	preserve registers d1-d3
move.l	\2,d1	DOS output file handle
move.l	#\1,d2	start of message
move.l	#\1_SIZEOF,d3	size of message
CALLSYS	Write,_DOSBase	DOS call to write message
movem.l	(sp)+,d1-d3	restore registers d1-d3
ENDM		

LISTING 3 • LISTING 3

The WRITEDOS macro is expanded like this:

movem.l	d1-d3, -(sp)	preserve registers d1-d3
move.l	_stdout,d1	DOS output file handle
move.l	#message,d2	start of message
move.l	#message_SIZEOF,d3	size of message
CALLSYS	Write,_DOSBase	DOS call to write message
movem.l	(sp)+,d1-d3	restore registers d1-d3

as it unsuccessfully tries to interpret them. *ED* and *MEMACS* are two text editors which have been provided as part of the Amiga system software for some time, so all Amiga users should have access to at least these text editors.

Once a source file is available the next step is to get the assembler program to convert it to the appropriate 68000 instructions. We will be using the *A68K* assembler to create a standardised intermediate form known as an object code file. This is not a runnable program – although the object file will include the translated 68000 instruction-related

material, the code itself will unfortunately not be in the right format to be loaded by AmigaDOS.

In fact most programs at this stage still contain references to unresolved (unknown) items, such as library routines, or variables that have been specified as being present

a number of different ways. The Amiga's run-time libraries are collections of shared routines that, by virtue of the Amiga's operating system, can be made available to all programs which need them during the times that they are actually running. They are accessed by placing the base address of the library in register a6 and then performing an indirect subroutine call using a displacement value called

the Library Vector Offset (or 'LVO').

The libraries I am talking about in the context of the linker discussion are rather different. Linker libraries are sets of pre-written system or utility routines which will be tagged on to the

code you write during the linking stage. If you use a linker library function within your program then the linker will automatically find and include the right piece of code in the finished program, providing you correctly specify the name of the library which holds the routine.

"Libraries on the Amiga cause a few headaches for the beginner..."

On occasion things may not go well – you may find that as the assembler attempts to translate your source file it reports any number of errors. Whatever the cause (syntax errors, illegal instructions, or whatever), these faults will have to be corrected. This may mean that, in the early days, you'll pass through the edit/assemble cycle quite a few times before you succeed in creating a program that assembles successfully. Even once you're past

have to incorporate some equivalent macro definitions in our own 'include' files. Similarly, we'll have to avoid any dependence on the use of the 'amiga.lib' library because, again for copyright reasons, we are not able to supply the library on disk.

In addition to this there are of course a few self-written macros that can be used to make the example code easier to understand. The bottom line is that before getting to some real examples we need to take a more detailed look into the world of 68000 macro programming.

LISTING 4 • LISTING 4

Listing 4: The CALLSYS macro is itself expanded to give the following.

```

movem.l    d1-d3, -(sp)      preserve registers d1-d3
move.l     _stdout, d1       DOS output file handle
move.l     #message, d2      start of message
move.l     #message_SIZEOF, d3 size of message
LINKLIB    _LVOWrite, _DOSBase DOS call to write message
movem.l    (sp)+, d1-d3      restore registers d1-d3

```

that stage of the proceedings, you may then find that the linker reports additional errors (mis-spelling library routine names or not specifying the correct location of library files are commonly-seen linker errors). These errors must also be found and eliminated before a runnable version of the program can be created.

TRY IT FOR YOURSELF

The best way to get to grips with all this mumbo-jumbo is to set up your

"type in, assemble, link and run some examples that have visible output"

disk containing *A68K* and *Blink*, then type in, assemble, link, and run some examples that have visible output. The *A68K* and *Blink* usage options themselves are well explained in the associated document files (these are also on the disk) but, for the purposes of my examples, only simple command lines are going to be used.

There is, however, a small problem – we need some example code that is conventional as far as Amiga 68000 programming style is concerned, but which is not dependent on having access to the Amiga include files (which, for copyright reasons, we can't supply). These files provide a lot of 68000 macro support, so to ensure that our code keeps its 'Amiga flavour' we'll

MACRO MAGIC


Motorola-style macro definitions start with a label followed by the 'MACRO' keyword and end with the 'ENDM' keyword (the lower case 'macro' and 'endm' are also accepted). The basic macro format therefore looks something like this:

```

my_macro_name MACRO
...
<main body of macro code>
...
ENDM

```

Macro parameters are specified using the backslash ('\') character followed by an any alphanumeric



Programs which use standard I/O facilities can help you avoid the initial complexities of Amiga features such as Intuition

character. As an example, the following macro code:

```

LINKLIB MACRO
move.l     a6, -(sp)
move.l     \2, a6
jsr        \1(a6)

```

```

move.l     (sp)+, a6
ENDM

```

would, if used in conjunction with the following line of a program:

```

LINKLIB _LVODisplayBeep, _IntuitionBase

```

generate this sequence of instructions:

```

move.l     a6, -(sp)
move.l     _IntuitionBase, a6
jsr        _LVODisplayBeep(a6)
move.l     (sp)+, a6

```

There is incidentally a reserved assembler symbol, NARG, which takes as its value the count of the number of parameters passed. When used in conjunction with the assembler directives IFGT (if greater than) and FAIL it becomes possible to add parameter count error-checking to a macro. For instance, the above example could alternatively be written as:

```

LINKLIB MACRO
IFGT NARG-2
    FAIL ;too many _
arguments
ENDM
move.l     a6, -(sp)
move.l     \2, a6
jsr        \1(a6)
move.l     (sp)+, a6
ENDM

```

This particular macro is actually already present in the system's 'exec/libraries.i' include file and is used to generate library access code. LINKLIB is the officially-offered macro, but many programmers, for reasons of improved readability, prefer to extend this so that the _LVO prefix is added automatically. We can write a macro to do this job very easily:

```

CALLSYS MACRO
LINKLIB _LVO\1, \2
ENDM

```

If you include this macro in your code, you'll then be able to create the appropriate library opening code using this simplified scheme:

```
CALLSYS OpenLibrary, SysBase
```

So, macros resemble subroutines in the sense that they provide a shorthand reference to a frequently-used set of instructions. However, it should be obvious from the above discussion that macros

are not subroutines themselves. The difference between them is as follows. The code for a subroutine will occur only once within a program, and program execution branches to the subroutine. On the other hand, each time a macro is used the assembler will insert a copy of the appropriate instructions (with any parameter-specified alterations).

OUTPUTTING TEXT

Writing text messages back to the CLI/Shell is obviously a useful thing for a program to be able to do and luckily it's not too difficult either. First, you need to identify the standard output handle (a value used to represent the CLI/Shell output

stream). There is a DOS function called 'Output()' that can retrieve this data for us – once the handle is available, another general DOS function, called 'Write()', can be used to send data to the specified stream.

The full specification for Write() looks like this:

Function Name: Write()

Description: Writes data to a file

Call Format: length_written = Write(file, buffer_p, data_length)

Registers: D0, D1, D2, D3

Arguments:
file file handle
buffer_p pointer to buffer holding the data
data_length length of the data

Return Value: length_written, the number of bytes actually written

Notes: A length_written value of -1 will indicate an error.

You'll see from the above description of Write() that the function needs to know how much data is being written. This means that to use Write() to send text messages to the CLI/Shell window you'll need to know how long each text string is. Static program text is usually set up using define byte ('dc.b') assembler directives along the lines of the following:

```
message dc.b 'Amiga Shopper _
rules OK!'
```

One way to work out the number of characters is to actually count them – in the above example this is easy enough to do. With larger pieces of text this approach can

becomes tedious and error-prone – there is in fact a far better way of doing the job. You just place an additional label at the end of the text, and then use the EQUate directive to set it to a value based on the current assembler location counter value minus the start of the original string, like this:

```
message      dc.b 'Amiga _
Shopper rules OK!'
message_SIZEOF EQU *-message
```

The result is that the assembler automatically sets the second label to the size of the preceding string. I adopt a convention whereby the sizes of all message strings are represented with a label formed by taking the original string label and adding _SIZEOF to it. Why? Well, it is then possible to create a macro that, given the string label, can form the size label automatically. Since Write() uses registers d1-d3 it is useful to preserve those registers on the stack before loading them with the data needed by the DOS call. The macro shown in Listing 2 does this, sets up d1-d3 as indicated earlier (note how my _SIZEOF convention is used to put a string size in d0), makes the DOS call, and then finally re-instates the contents of registers d1-d3.

With this macro available the assembler programmer can create the necessary code by writing a statement like this:

```
WRITEDOS <text_label>, _
<dos_handle>
```

In the above text message example the line needed is:

```
WRITEDOS _
message, _stdout
```

which gets expanded to the code shown in Listing 3.

Obviously the CALLSYS macro gets expanded in a similar fashion with CALLSYS itself causing the _LVO prefix to be added to the 'Write' label, and generating a further reference to the system LINKLIB macro, as shown in Listing 4. LINKLIB is also expanded so the final code produced by the assembler looks like that shown in Listing 5.

The advantages of this macro-orientated approach are quite clear – three generally-useful macros have allowed us to create all of the above code by simply writing:

```
WRITEDOS message, _stdout
```

Already the macros are doing a good job of hiding the somewhat


'messy' details of the function calls. In effect they are allowing us to write 68000 assembler code at a much higher level than would otherwise have been possible.

THE REALLY GOOD NEWS

Because the Charlie Gibbs A68K assembler is a macro assembler, we are able to use all manner of system-defined and user-defined macro goodies in our Amiga programs. In fact, if I take the macro definitions

sitting in the RAM disk waiting for you to run it!

The Amiga's library arrangements are quite complex, but once you have learnt how to make one library function call, you have essentially learnt how to make any library function call. The scenario is always the same: load up the appropriate registers with the data required by the function, make the function call using the indirect scheme that we've already discussed, and then collect



As the example on the cover disk shows, hardware sprites are also quite easy to use from assembly language – when you know how!

discussed so far and place them in a header file (which I've called 'test1.i'), along with some LVO values needed for the Exec and DOS function calls, then I can create a header file that can be used to devastating effect. I've done this for the first example program and coupled the header to a short piece of code which puts all of the ideas I've been talking about together. The following example opens the DOS

library, sets up _stdout, and then prints a message on the screen. It needs no other include files except 'test1.i' (which I've included on the disk along with the program itself), needs no linking with 'amiga.lib',

and it doesn't even need to have the standard startup code tagged on by the linker, providing you are going to run it from the CLI/Shell window.

This means that if you load the program test1.s, the file test1.i, A68K and Blink into your RAM disk, and make ram: the current directory (using the command 'cd ram:'), then this example can be assembled and linked using these two commands:

```
a68k test1.s -otest1.o
```

followed by:

```
blink test1.o to test1
```

The result? The assembled, runnable program ('test1') will be

and/or test the results that are returned. The key of course is to have proper documentation for the libraries and their functions – books such as the Addison Wesley *Includes and Autodocs* ROM Kernel Manual are invaluable in this respect.

Many of the library functions involve the use of large numbers of inter-related system structures which are defined in the Amiga include files. For this, and a number of other reasons (such as the need to get involved with IDCMP message handling), it is virtually impossible to provide a proper Intuition-based example that can be assembled as easily as our first one. Even opening

scenario is understood.

The format of the program 'test2.s' is similar to the previous example, but this time the graphics library is opened as well. Once this has been done, a graphics library call is made to 'GetSprite()'. This function requires the address of the SimpleSprite structure defined in my header file in register a0, while the -1 in register d0 signifies that I want the next available sprite. Either a sprite number will be returned in d0 or, in case of error, a value of -1. Providing a sprite is obtained, I then install the sprite data using a call to 'ChangeSprite()'.

The 'MoveSprite()' function is then used as part of two loops to move the sprite across the screen and back. You'll notice that the DOS 'Delay()' function is used to slow things down. Before closing the libraries and quitting, register d0 is re-loaded with the sprite number and a call made to the graphics library 'FreeSprite()' routine. This just lets the system know that we've finished using it (it can then, if required, re-allocate it).

You will find the source and include file for this example (plus the runnable version) on the disk. As before, it can be assembled and linked using just two commands:

```
a68k test2.s -otest2.o
```

```
blink test2.o to test2
```

Well, that's about it for now. 68000 assembler on the Amiga does take a while to get into, but take it from me – everyone who perseveres gets there in the end. Hopefully tutorials like this help to make some of the initial problems a little easier

LISTING 5 • LISTING 5

Listing 5: The final code produced by the macro assembler.

movem.l	d1-d3, -(sp)	preserve registers d1-d3
move.l	_stdout, d1	DOS output file handle
move.l	#message, d2	start of message
move.l	#message_SIZEOF, d3	size of message
move.l	a6, -(sp)	preserve contents of a6
move.l	_DOSBase, a6	base address of library
jsr	_LVOwrite(a6)	indirect subroutine call
move.l	(sp)+, a6	restore a6
movem.l	(sp)+, d1-d3	restore registers d1-d3

custom screens and windows requires that you either re-create or use the Amiga header files. The second piece of example code is therefore relatively unambitious, but it does use the DOS and graphics libraries. Also, it should at least show how easy it is to use various functions once the general library-use

to get to grips with. Incidentally, as far as the examples go I have (as far as possible) stuck to using instructions similar to the types discussed earlier. However, you should be aware that there are more elegant ways of handling things like loops and so forth – but we'll save those for another time! **AS**

AMERICA'S LARGEST SUPPLIER OF AMIGA CUSTOM CHIPS + UPGRADES

• MICROCARD 601 FAST RAM PCMCIA MEMORY CARD •

Microcard 601 by Microworks Ltd. offers up to 4 additional megabytes of FAST RAM via the A600/A1200 PCMCIA slot. This credit card sized memory module auto-configures at boot time, leaving most of the internal chip RAM free for image processing. No hardware or software configurations are needed and recognition is automatic.

Microcard 601 is available as PCMCIA memory modules in 2 and 4 megs at the lowest price available anywhere.

2 megabyte upgrade PCMCIA card£105.00
4 megabyte upgrade PCMCIA card£145.00

• ADVANCED AMIGA ANALYSER •

by Wilcom Australia Ltd.

A complete diagnostic hardware and software analyser for all Amigas. Gives display status of all data transmission/signals, the ability to test the integrity of any disk drive, checks all ports, buffer chips, alignment and joystick/mouse. Reads diagnostic status of any read/write errors from track 0 to track 79. Software automatically tells what errors are found and the chips responsible. 85% to 90% of the problems presented to service centers are found with this analyser. It will save you lots of money on repairs. No repair shop can afford to be without one. Don't be fooled by its low cost. Simply plug the cables into any Amiga port. This is a sophisticated diagnostic unit used by Amiga repair centers worldwide£52.50

• SWITCH ITT - 1.3/2.0 ROM SELECTOR •

TOP SELLING electronic ROM selector by Global Upgrades, Inc. allows for compatibility of ALL your software. Automatically switch between 1.3 or 2.0 ROM from your keyboard. Built-in speaker. Does not overlap the 68000 chip. No soldering. Lowest priced keyboard switch available. Instructions included£19.00

• Buy the Switch Itt with the 1.3 ROM upgrade @ £33.00

• Buy the Switch Itt with the 2.05 ROM upgrade @ £39.00

• The Ultimate Deal: Buy the Switch Itt with the 1.3 and 2.05 @ £55.75

• 2.05 ROM CHIP •

NEW, latest revision for high density drives, PCMCIA slot, etc. Just released£26.50

• AMIGA TROUBLESHOOTER •

Released Jan. 1993, a unique troubleshooting guide for the Amiga 500/2000 with a cure rate of over 95 percent. This diagnostic tool will truly save you lots of money and down time by showing you which plug-in chips to change. It's quick and easy to use£10.50

• AMIGA CHIPS •

1.3 Kickstart ROM£16.50 6570-036 keyboard control chip£6.55
8520 CIA (2MHz)£6.55 8373 Super Denise£19.75

DEALERS - SEND YOUR LETTERHEAD FOR SPECIAL PRICING

THE GRAPEVINE GROUP INC.

3 Chestnut Street, Suffern, New York 10901 U.S.A.

International Fax: 0101-914-357-6243

Customer Order Line: 0101-914-357-2424

Telephone Hours: 1pm to 11pm Mon-Fri, British time

Prices subject to change. **International Orders:** If your order is over £40 send or fax front of credit card. Shipping & Handling £9.00




INCREDIBLE NEW RELEASE

FOUR GREAT GAMES

and all this Maths revision...

Times Tables
Addition
Subtraction
Multiplication
Division
Fractions
Decimals
Using calculators
Shape & Space
Money problems
Measurements
Number patterns



SUPER FREE GIFT
only for Kosmos mail order customers
**CASIO SOLAR
CALCULATOR**

AMIGA MATHS ADVENTURE

For ages 6 - 14

Price £25.99 inc. VAT



Now available from your dealer or direct from Kosmos.

Write or telephone for our new FREE 16-page colour brochure of Educational and Leisure software (Please state computer type)

Kosmos Software Ltd, FREEPOST (no stamp needed)

DUNSTABLE, Beds. LU5 6BR

Telephone 0525 873942 or 875406



AUTHORISED DEALER FOR * AMIGA * STAR *

AMIGA (UK MODELS ONLY)

Amiga 1200 with new AA chip set & 68020 CPU£369.00
Amiga 1500 PLUS with Kickstart 2/MB 2 & S/WARE£489.00
Amiga 600 Lemmings Pack + DPaint III£269.00
Amiga 600 Wild, Weird & Wicked Pack£319.00
CDTV Dynamic Total Vision£379.00
CDTV Multimedia Pack + Free Software Pack£489.00
GVP 8Mb RAM Board for A2000 Pop 2/4/6/8Mb£139/195/251/307
A600/1200 Smartcard FASTRAM 2/4Mb£129/199
A1200 RAM + CPU 4/8Mb£295/415

PRINTERS

Star LC-20£129.00
Star LC-100 ColourAll printers£169.00
Star LC-200 ColourInclude a£195.00
Star LC24-20parallel cable£199.00
Star LC24-100£189.00
Star LC24-200£219.00
Star LC24-200 Colour£269.00
Star StarJet SJ-48 Bubble JetNear Laser Quality!£219.00
Hewlett Packard Deskjet 550C Colour Ink Jet (NEW)£586.33

MONITORS

Philips 8833-II + Game + Home Maint.All Monitors£229.00
Commodore 10845Include£189.00
Commodore 1960 Tri-Sync Hi ResAmiga Leads£435.00

DISK DRIVES

Zappo External 3.5"p&p £2£49.95
A500 or A2000 Internal 3.5" Drivesp&p £2£59.95
GVP A500/2000 Hard Disk DrivesPHONE

MISCELLANEOUS

ROM Sharer - MOUSE CONTROLLEDfree p&p£19.99
Commodore A2320 Display Enhancerp&p £2£219.00
KCS PC Board for A500/A500Pp&p £2£179/179.00
KCS PC Board for A600p&p £2£199.00
Vidi Amiga 12 Frame Grabberp&p £2£95.00

CHIPS

Kickstart V2.04 ROM for A500/2000free p&p£25.00
Kickstart V1.3 ROM for A500/2000free p&p£27.00
Super Denise 8373 (For New Graphics Modes)free p&p£35.00
1Mb Fat Agnus 8372free p&p£37.00
CIA Chip 8520free p&p£12.00
1Mbyte SIMMsfree p&p£35.00
1Mbyte 1Mbit x 1 or 256Kbit x 4DIPsfree p&p£35.00

ALL PRICES INCLUDE 17.5% VAT. CARRIAGE £7
Prices subject to change without notice. E. & O. E.

Amiga 600 Pack 1

Wild, Weird & Wicked pack £329
Push Over + Grand Prix + Putty + DPaint III
Space Ace + Kickoff 2 + Pipemania + Populous
Carry Case + T-Shirt
Mouse + TV Lead + Workbench + Manuals

Amiga 600 Pack 2

Wild, Weird & Wicked pack £339
Push Over + Grand Prix + Putty + DPaint III
Zool + Striker + Pinball Dreams
Transwrite Word Processor with Spell Checker
Mouse + TV Lead + Workbench + Manuals

Amiga 600 Pack 3

Epic Pack with 20Mb Hard Drive £469
Epic + Rome + Myth + Trivial Pursuits
Amiga Text + DPaint III
Space Ace + Kickoff 2 + Pipemania + Populous
Carry Case + T-Shirt
Mouse + TV Lead + Workbench + Manuals

Amiga 600 Pack 4

Epic Pack with 20Mb Hard Drive £479
Epic + Rome + Myth + Trivial Pursuits
Amiga Text + DPaint III
Zool + Striker + Pinball Dreams
Transwrite Word Processor with Spell Checker
Mouse + TV Lead + Workbench + Manuals

(All A600 prices include Home Maintenance)

Delta Pi Software Ltd

8 Ruswarp Lane, WHITBY, N. Yorks YO21 1ND
TEL/FAX: 0947 600065 (9am - 7pm)




CONTENTS

AT-A-GLANCE

68000.....	37
68010.....	47
A570.....	46
A4000.....	37
Accelerator.....	47
AmigaDOS.....	40, 46
Apple Mac.....	40
Assembler.....	37, 41
C.....	37
C++.....	37
CDs.....	46
Chip RAM.....	35, 40, 41, 46
Compiler.....	37
Compugraphic fonts.....	35
Deluxe Paint.....	37, 47
Disk Doctor.....	37
Diskfont.library.....	35
Fat Agnus.....	40, 41, 46
Fountain.....	35
FPU.....	37
HAM.....	37, 41
Hard disk.....	35, 46
High score table.....	47
Icon.....	47
IDE drives.....	35
IFF.....	40
Kickstart.....	46
List.....	46
MIDI.....	41, 46
Monitors.....	37, 46
PageSetter.....	46
PC emulator.....	41
PCMCIA.....	46
Pest.....	40
RAD.....	40, 46
RAM.....	35, 40
Real 3D.....	37
ROM.....	41
ROM Kernel Manuals.....	41
Scanners.....	40
SCSI.....	37, 46
Star printer.....	41
Startup-sequencer.....	35
Tools.....	47
Video Pilot.....	41
Vista Pro.....	37
Yamaha synth.....	46

OUR EXPERTS TACKLE YOUR REAL-LIFE PROBLEMS

AMIGA ANSWERS



You thought no one could hear you scream
but we can and we're here to help

THIS TIME IT'S WAR

SO WHAT DO ALL THOSE ICONS MEAN?




Beginners:
this icon
will appear
next to any
questions which are
'basic' in content.



General:
this icon is
used for any
general Amiga-related
queries.



Caution:
be sure
that you
fully
understand the answer
before trying it out.



Danger:
the answer
to this
question
could well invalidate
your warranty – or you!



Hardware:
this icon is
used to
denote
questions relating to
general hardware.



**Buying
advice:** we
use this
icon if the
question asks us for
buying advice.



Printers:
this icon
denotes a
query
about printers, printer
drivers and so on.



Technical:
any
queries
about
programming will have
this icon next to them.



Video: this
icon
relates to
any query
about using your Amiga
with video hardware.



Music: this
icon is for
questions
about
MIDI, sampling,
synthesizers and so on.



Programs:
any
program-
specific
queries have this icon
next to them.



Comms: if
your
question
relates to
comms, this is the icon
that we'll use.

NO PROBLEM!

Welcome again folks to *Amiga Answers*, the section of the magazine where we endeavour to straighten out your hassles with that wonderful but occasionally stubborn machine, the Amiga. Every month we devote more space and apply more resources than any other Amiga magazine to solving your problems. We receive something like 100 queries a week, so the service is obviously appreciated.

It's my job to co-ordinate the whole thing: sorting through the questions and sending them off to the relevant chappies for the kind of in-depth answers you've come to expect; and compiling them into the lovingly crafted pages which you see before you.

I call on a variety of expertise to make sure you get the answers you need, which is why *Amiga Answers* is so successful. There's Mark Smiddy, industry guru, AmigaDOS-tamer and business applications wizard; Jeff Walker,

probably the most knowledgeable Amiga desktop publisher there is; and Jason Holborn, long-time *AMOS* explorer and PD sampler, as well as good all-rounder (or should that be all round good guy?); and Toby Simpson, lead programmer for Millennium and accelerator expert.

If it's a question about video, I'll pass it on to Gary Whiteley, our professional videographer for whom the word 'genlock' means 'mixing Amiga graphics with video for magical results' and for whom the word 'snipwirral' means nothing.

Programming queries are dealt with by Paul Overaa, who's not afraid to code in any language, and who doubles as a MIDI maestro to solve your sequencing slip-ups.


Our hardware guru is Jolyon Ralph. This man knows just about everything about disks, both hard and floppy, and what he doesn't know about memory he's probably forgotten. Communication breakdowns are fixed-up by Dave Winder, while

general Amiga queries are dealt with by the indefatigable Wilf Rees – all in all, a formidable team. Let's face it, if we can't answer your question, it's probably one of the Mysteries of the Universe.

Advice on printing scans, installing Workbench's *Fountain* program and using a recoverable RAM drive with a Fatter Agnus are just some of the delights awaiting you in these pages. And don't forget the *Code Clinic*, in which Toby Simpson exterminates your coding bugs.

Keep sending us those problems – the solutions are just around the corner.

Cheers,



PINCHING AN INCH



After buying an Amiga 600 3 months ago I am now looking for an upgrade hard drive. After opening the case of my Amiga to fit a ROM-switcher, I saw that I could easily fit a 3.5-inch hard drive instead of the more expensive 2.5-inch type inside my machine.

a) Could I use the Quantum IMP52AT with my Amiga? If it is incompatible could you recommend some alternative drives?

b) Would the power supply be a problem? I have one extra drive and I'm thinking of getting a RAM expansion (1Mb).

c) I understand that the hard drive would have to be set up before it could be used. Where can I get some installation software? And how would I set it up?

d) I know hard drives are fast, but I'd want it to boot very fast, in about five seconds. I want it to load like Workbench, but after looking at the startup-sequence (about two pages of it), I was left wondering whether it is all necessary? Couldn't I shorten it to just the most important things?

R Longworth
Poulton-le-Fylde
Lancs

Commodore only recommend 2.5-inch hard drives for good reasons. Firstly, only 2.5-inch hard drives can be mounted properly in the Amiga 600, and secondly 2.5-inch hard drives use far less power than their 3.5-inch counterparts. 3.5-inch hard

drives need both 5V and 12V power lines, whereas the 2.5-inch drives only require 5V.

Thirdly, 2.5-inch and 3.5-inch drives have different connectors. 2.5-inch drives have a 44-way high-density connector, and 3.5-inch drives have a 40-way data connector and a separate 4-way power connector. Although it could be possible to wire up most lines directly, the absence of a 12V line on the Amiga 600 IDE connector will cause major problems.

If you are going to get an internal hard disk then an extra 1Mb of RAM is essential. Adding the hard drive takes away 200K of Chip RAM which will prevent many 1Mb programs from running.

The software you require to set up your hard drive is *HDTToolBox*. This is not sold separately, but if you have a friend with an A600HD, or an Amiga 500 with an A590 hard disk, they may be able to lend you their Hard Disk install disk for a few hours to do the job. Failing that, you could order your hard disk from a company which is able to format and prepare the drive for you before installing. On the general subject of finding and installing IDE hard disks, you're in luck, because this month's cover feature is on this very topic – turn to page 14 to find out more!

With the original 1.3 Workbench, many people changed the startup for their systems, editing the **s:startup-sequence** to add or remove commands. Under 2.04 and above, the **s:startup-sequence** should never be changed. Every line is in there for

a reason and removing one line could later cause problems with software that you will find difficult to solve. A new file, **s:user-startup**, is provided for you to add things to, so that the **startup-sequence** file can be replaced when new versions of Workbench are released without disturbing your system. On a hard disk the **startup-sequence** is executed very fast, so do not worry too much about this. *JR*

FOUNTAIN OF PROBLEMS



Since I have had my Amiga 500 Plus, I have attempted to install *Fountain*

numerous times using the methods shown in various magazines. One says copy 'diskfont.library' from Extras or Amigafonts to Workbench but there is insufficient space on the WB disk to do this. I am no

computer expert so would be grateful if you could explain from the start how to get this to work.

Mr AD Ormston
Carterton
Oxon

Firstly, to explain in full, *Fountain* is a utility for creating bitmap fonts of any size (like those used with *Dpaint*) from an outline font source, such as a DTP program. It does this by converting an Agfa Compugraphic font into a format that it can utilise. *Fountain* will not work unless it sees a particular version of the **diskfont.library** in the **libs:** directory of your Workbench disk. The correct version of this library lies in the **libs:** directory of your Extras disk. To copy it over, type:

```
Copy Extras2.0:libs/diskfont...  
library to workbench2.0:libs/
```

JARGON BUSTING • JARGON BUSTING

Font – the group of letters, numbers and special characters that comprise one variation of typeface: 12pt Times, 12pt Times Bold, 12pt Times Italic, and so on. Sometimes (mistakenly) used in desktop publishing to refer to a type family.

RAM – Random Access Memory, so called because any part of it can be accessed immediately, rather than having to search through it from the start of memory to the point of interest. RAM is used to hold programs while they are being executed and temporary data. The contents of RAM are lost when the power is switched off.

Startup-sequence – a program which is executed every time the Amiga is switched on and after every reset. It sets up the system so that it is usable from Workbench, and may be customised by those who have unusual hard or software requirements.

MJC COMPUTER SUPPLIES

Suppliers of Discount Software since 1984

Educational, Local Authority and government orders welcome. European orders please call or write for a quotation. All goods subject to availability, prices subject to change without notice. E&OE.

Prices include VAT and delivery by post.
Courier delivery available on request.
Please allow 5 days for cheque clearance.

TO ORDER: Credit card orders can be placed by calling the telephone number below - or send a cheque/PO's made out to MJC Supplies to:

MJC SUPPLIES (ASH)

Unit 2 The Arches, Icknield Way,
Letchworth, Herts. SG6 1UJ.
Tel: (0462) 481166 (6 lines)

AMIGA COMPUTERS

NEW - AMIGA 1200

The very latest Amiga computer now offers twice the processing speed at 14.9Mhz, 2 Mbyte of Chip Ram as standard, the new AA enhanced chip set offering up to 16 million colours, a full 96 keys with numeric keypads, Workbench 3.0 and 12 months On-site warranty.

MJC PRICE £CALL

(price includes free courier delivery)

AMIGA 600

The "portable" Amiga, features surface mount technology for greater reliability and Workbench 2. Comes complete with 12 months on-site warranty.

MJC PRICE £259.00

Amiga 600 & Zool games pack £275.00

(price includes free courier delivery)

AMIGA 600 HD EPIC PACK

Amiga 600 with the choice of a 20 or 40 Mbyte genuine Commodore hard drive fitted. The Epic pack comes complete with four games, Deluxe Paint 3 and an Amiga Easy Text Word Processor

AMIGA 600 EPIC PACK WITH 20MB HARD DISK £359.95

AMIGA 600 EPIC PACK WITH 40MB HARD DISK £399.95
(price includes free courier delivery)

PLEASE NOTE:- All the above computers are genuine UK models with nothing taken out of the packs. All come with 12 months On-site warranty and free courier delivery.

AMIGA STARTER PACK

Includes:- 10 disks, 40 capacity disk box, joystick, dust cover and Mouse mat.

MJC PRICE £19.95

(Or just £15.95 if purchased with an Amiga)

AMIGA 600 CONTROL CENTRE

Manufactured by Premier Micros these are made of sheet steel and epoxy coated to exactly match the 600. They are precision made to fit the 600 and offer a perfect base for a monitor and a shelf for your extra disk drive or peripherals.

MJC PRICE £34.95

(Or just £29.95 if purchased with an Amiga 600)

A600 1 MEGABYTE EXPANSION

Increase your memory to 2 Mbyte.
Includes Clock.

MJC PRICE £44.95

(Or just £39.95 if purchased with an A600)

EDUCATIONAL SOFTWARE

THE FUN SCHOOL RANGE

Probably the best selling educational software for the Amiga. Fun School 3 and 4 also conform to the National Curriculum

Fun School 3 for Under 5	£15.95
Fun School 3 for 5-7 years	£15.95
Fun School 3 for over 7	£15.95
Fun School 4 for Under 5	£15.95
Fun School 4 for 5-7 years	£15.95
Fun School 4 for Over 7	£15.95

FUN SCHOOL SPECIALS

In response to consumer demand a range of FUN SCHOOL SPECIALS have been developed to help children with specific areas of learning.

Merlin's Maths	£17.95
Spelling Fair	£17.95
Paint and Create	£17.95

LAUGH AND LEARN WITH ADI

The ADI series is aimed at being fun to use as well as being a serious educational tool. Each package is specifically designed to follow the National Curriculum for a particular school year.

ADI - English 11/12 years	£17.95
ADI - English 12/13 years	£17.95
ADI - English 13/14 years	£17.95
ADI - Maths 11/12 years	£17.95
ADI - Maths 12/13 years	£17.95
ADI - Maths 13/14 years	£17.95
ADI - Maths 14/15 years	£17.95
ADI - French 11/12 years	£17.95
ADI - French 12/13 years	£17.95
ADI - French 13/14 years	£17.95
ADI - French 14/15 years	£17.95

KOSMOS SOFTWARE

Kosmos software produce a superb range of educational software including the Answerback Quiz programs and four foreign language aids as well as the hugely popular Maths Adventure.	
Answerback Junior Quiz (6-11 years)	£14.95
Answerback Senior Quiz (12 to Adult)	£14.95
Factfile Spelling (requires Junior Quiz)	£7.95
Factfile Arithmetic (requires Junior Quiz)	£7.95
French Mistress	£14.95
German Master	£14.95
Spanish Tutor	£14.95
Italian Tutor	£14.95
Maths Adventure	£17.95

LCL SOFTWARE

Primary Maths Course (3-12 years)	£18.95
Micro Maths (GCSE Level)	£18.95
Micro French (GCSE Level)	£18.95
Micro English (GCSE Level)	£18.95
Micro German (GCSE Level)	£18.95
Reading & Writing Course (3 years+)	£18.95

COOMBE VALLEY SOFTWARE

This is a range of excellent educational adventure games for various ages.

Maths Dragons (5-12 years)	£12.95
Cave Maze (8-13 years)	£12.95
Reasoning With Trolls (5-12 years)	£12.95
Fraction Goblins (8-13 years)	£12.95
Picture Fractions (7-10 years)	£12.95
Tidy The House (5-9 years)	£12.95

NODDY'S PLAYTIME

A complete entertainment and learning package for young children. Contains 10 exciting programs which include a full Junior Art package, Noddy's Paint Pot, Post Office, Market Place and many more.
1Mb required.

MJC PRICE £18.95

AMIGA SERIOUS SOFTWARE

AMOS - THE CREATOR

Easy Amos - Simple but powerful	£22.95
Amos v1.2 The original language	£31.95
Amos Compiler	£18.95
Amos 3-D	£21.95

NEW - AMOS PROFESSIONAL

An enhanced version of the very popular Amos program. Contains over 200 new commands. 650 page brand new manual and many more new features.

MJC PRICE £44.95

MINI OFFICE AMIGA

Great new integrated package featuring a Word Processor, Database, Spreadsheet, Graphics and Disk Utilities.

MJC PRICE £39.95

VIDI AMIGA 12

Vidi Amiga 12 is the latest low cost colour digitiser from Rombo. RGB Splitter is built in and colour images can be captured in less than a second. Mono images are grabbed in real time. Features multi tasking software, composite or S-VHS Input, HAM, EHB and overscan.

MJC PRICE £75.95

NEW - CLARITY 16

The first low cost 16 bit stereo sampler for the Amiga. Contains an Editor, Midi Functions, Sequencer and Realtime Special Effects.

MJC PRICE £105.00

WORD PROCESSORS

Wordworth V2	£74.95	Kindwords 3	£32.95
Protext V4.3	£39.95	Pen Pal V1.4	£37.95

NEW - VIDEOMASTER

Videomaster combines a Video Digitiser and a Sound Sampler in one low cost unit. Digitise monochrome quarter screen pictures at speeds up to 25/30 frames per second. Can digitise in colour using filters supplied or an additional RGB splitter (not provided). Record sound tracks using the Sound Sampler to create your own short films or demos.

(Amiga 500/500+ Only)
MJC PRICE £49.95

MISCELLANEOUS

Pro Midi Interface	£19.95
Stereo Master	£29.95
Rombo Megamix Master	£28.95
Rombo Take 2	£39.95
Pagesetter 2 (requires 1 Mbyte)	£39.95
Hisoft Deypac 3	£49.95
Hisoft Highspeed Pascal	£69.95
Final Copy 2	£65.95
Deluxe Paint V4.1	£54.95

FINANCIAL

Home Accounts 2	£36.95
Personal Finance Manager Plus	£29.95
Maxiplan 4	£34.95

AMIGA ACCESSORIES & ADD-ONS

ACTION REPLAY MK 3

MJC PRICE £54.95

NAKSHA UPGRADE MOUSE

280 DPI quality replacement mouse - Pack includes Mouse house, Mat and Operation Stealth game.

MJC PRICE £22.95

ZYDEC SECOND DISK DRIVE

Excellent value external drive for the Amiga. Includes free Virus X utility.

MJC PRICE £52.95

ROBOSHIFT

Auto sensing joystick/mouse switch box.

MJC PRICE £13.95

SQUICK REPLACEMENT MOUSE

Great value replacement mouse.

MJC PRICE £12.95

VISA

Remember - prices include VAT & delivery!

Access

Put the FONTS: disk in any drive and with a bit of luck, *Fountain* should run normally. **WR**

WHICH COMPILER?



I've decided to learn C and I would like some advice on which package to

buy. After looking at various adverts I've come up with the following sorts of prices:

<i>Lattice C v6</i>	£179.99
<i>Lattice C++</i>	£159.00
(what's the difference?)	
<i>Aztec C Developer</i>	£124.95
<i>Aztec C Professional</i>	£134.95

Which do you recommend? Are there any other C compilers that are better? By the way – would you do a regular assembler column?

Mark Harris
Kirriemuir

C++ is a 'C-flavoured' object-orientated language. Conceptually, C++ is a very different language from C and you really have to be competent with C before you can even think about learning C++. There's absolutely no doubt that *Lattice/SAS v6* is the package that you should go for – it is absolutely brilliant and, if you are serious about learning C, you'll find it worth every penny of the asking price!

We are getting lots of people asking for help with 68000 coding. So, by public demand, there's a big feature on getting started with assembler starting on page 24 of this issue. **PAO**

FANTASTIC FOUR



I am considering a major upgrade to the A4000, but there are a few questions I'd

like answered first. I have read (in another magazine) that the A4000 comes with a 68EC040, and not the usual 68040. The MMU I can live without (though it would be nice to

run *Enforcer*), but the FPU? How easy and expensive would it be to put a real 68040 in it? Can you just switch chips, or do you need to swap boards?

My second question concerns a monitor. I'd obviously need a multisync to get the new modes, but would the old ones work? Your advice please!

Geoff Hackworth
Ruddington
Notts

I'm afraid that you have been misinformed. The A4000 comes with a real 68040, and it has both the FPU and the MMU. The MMU is essential for a number of reasons, one being that it is necessary to get the Commodore A2091 SCSI card to work in the A4000. So you can run *Enforcer*, and do lots of floating point maths! There was originally a chance that CBM would do a cheaper version of the A4000 with the EC040, and the manual describes how to upgrade, I can only assume that this is how the confusion you describe came about.

You do not, strictly speaking require a multisync to display new modes. You only require the multisync if you want to display flicker-fixed modes, such as 640 by 512. You can display 256-colour 640 by 256 quite happily on a 1084S. All your old modes will work, however, with a multisync monitor. Please make sure you don't accidentally buy a cheaper VGA only monitor – you need a real multisync on the Amiga, such as the Taxan 775, or Commodore A1960. **TS**

DOCTOR WHO?



Can you please explain to me how to repair my disks when they become faulty. I

already have *Fix Disk*, *Last Hope* and *DiskDoctor*, but all they do is to report errors. What I would like to know is what I am supposed to do with these errors. Could you please

WHERE ARE MY TOOLS?



I bought my machine for Christmas and worked through the tutorial (without making a copy of the Workbench). I think I must have altered something because when I try to load something it states: "The icons have no default tool". This is followed by a message: "program Unnamed1 has not returned, should I wait some more?" If I cancel the request Workbench continues as normal – but how can I get rid of the problems? (If they are problems!)

JR White, Bugbrooke, Northampton

First and foremost: never, ever work on your original disks! This is a sure way to cause yourself problems. In my opinion Commodore should supply a set of blank disks with every machine so people won't have an excuse not to back up. That is academic now, but what intrigues me is your address – is there really a place called Bugbrooke?

What I suspect you have done, although I don't have a copy of Workbench 2.05 to try this on, is made a new drawer and dropped it into your **WBStartup** drawer. (When I tried this on Workbench 3 nothing happened, but that could be a bug fix.)

New drawers are always called 'Unnamed#' so that explains the name. Although you didn't specify this in your letter, what you describe only occurs after booting the disk because any programs located in the **WBStartup** drawer are executed. If you had a drawer in there, Workbench 2.05 might assume that was a 'Project' icon and try to execute its default 'tool' – an application program. Since drawers don't have tools attached, that would give rise to the first error: "The icon(s) do not have a default tool".

The second error is also a bug in Workbench. Since it has attempted to start an application (Unnamed1) and not realised that nothing actually happened, it was still waiting around for the program to complete, hence the second error message.

Solution: open your **WBStartup** drawer and drag all the contents out. If there's anything in there you don't want, delete it. Problem solved. In future though, please work on a copy. **MS**

explain in very simple terms how to rescue the files on a faulty disk?

Ted Pittaway
Wednesbury
W Midlands

It seems to me that the mistake that you're making is to assume that once a disk has been corrected by *DiskDoctor*, you can carry on using it as if nothing had happened. Don't believe it – *DiskDoctor* (and indeed all the other disk repair programs that you mention) simply attempts to make a faulty disk as usable as possible, allowing you to extract the files that you need. As soon as you run a disk through *DiskDoctor*, you should transfer its contents to another disk and then throw it away. Don't use *Diskcopy*, though – use the AmigaDOS command **Copy df0: df1: all** instead. **JH**

PAINT TROUBLE



After several months working with *Vista Pro*, *Scenery Animator* and *Real 3D*, I find that various problems have regularly arisen that you might be able to help me with.

The first is that I find it horrendously boring loading *Real 3D* frames (HAM Interlace) into *Deluxe Paint IV* frame by frame to create an animation. The use of 'wildcards' may indeed hold the solution to my problem, but I am unfamiliar with

their operation. The word 'pattern' shows up when the *DPaint IV* load requester appears, but I can find no reference to loading sequences of frames without the monotonous task of loading each individual image into successive frames of an animation.

The next problem is that after I've loaded in all the frames they look perfect – until I actually run the anim (using *ShowAnim* from one of Tobias Richter's slideshows) and then I get the most appalling anti-aliasing on all but the first frame. I must point out that this problem is intermittent and I suspect that it may be caused by 'memory fragmentation' – which the *DPaint* manual mentions but doesn't explain – or perhaps the fact that *Vista Pro* uses the two colours from *DPaint*'s menus and requesters in its palette.

Thirdly, when using *Vista Pro 2* and *Real 3D*, to my horror the same old requester "Not enough memory" appears – even though I have 4.5Mb of memory on board. Is this caused by lack of Chip RAM and, if it is, why doesn't the program use Fast RAM instead?

My fourth problem is with printing frames rendered by the above programs on my Honeywell Bull A3 colour Proprinter. All the pictures come out very dark even

continued on page 40

JARGON BUSTING • JARGON BUSTING

C – a compiled language designed primarily for systems programming. It was used to write much of the Amiga's operating system, and is used in the writing of many Amiga applications.

Compiler – a means of translating a program to render it understandable to the computer. A compiler translates the whole thing into machine code before it is run. The compiled program is generally much faster than its interpreted counterpart.

HAM – HAM (Hold And Modify) is an Amiga graphic mode which allows a maximum of 4,096 colours to be displayed on screen at once, subject to certain restrictions.

SCSI – short for Small Computer Systems Interface, this is the standard used for connecting hard drives, CD-ROM drives and tape back-up units to computers.




PHOENIX

**FREE! FAST!
UK DELIVERY**

SAME-DAY DESPATCH!*
NEXT-DAY COURIER ONLY £4.50

**ALL PRICES
INCLUDE VAT!**

Tel: 0532 311932



PHOENIX, UNIT 19, ARMLEY PARK COURT,
STANNINGLEY ROAD, LEEDS LS12 2AE. Please make cheques
payable to PHOENIX. Allow 5 working days for cheque clearance. BFPO welcome.
NORMAL OPENING TIMES: Mon-Sat 9.00am-6.00pm FAX: 0532 319061E&O.E.
* On Credit card orders/ bankers draft/ building society cheque/Postal orders.

AMIGA 1200

Probably the home computer of the decade, the A1200 is the latest addition to the Amiga family. Incorporating a new internal engine and many more exciting and powerful features, this machine truly takes the Amiga family into the next generation!!!!!!

FEATURES INCLUDE:

68020 Processor Running at 14 Mhz • 2Mb Chip RAM (expandable) 256 colours on screen from a 16.8 million colour palette • Full Amiga Key board (with Alpha numeric key pad).

Phoenix Price Only **£379.99**

GVP/1200-Hard drive Upgrade

85 Mb ultra fast Maxtor 2.5" drive • GVP Formatting software • installation manual • All necessary screws and cables

Phoenix Price **£284.99**

Please ADD £20 if you require Phoenix to fit the drive.

PHOENIX A1200 HARD DRIVE UPGRADES - Now Available!

• Lightning fast access times • Highgrade 2.5" Connor hard drives • Fully fitted and tested by Phoenix technicians • 1yr. warranty on all models
20 Mb - 40 Mb - 60 Mb - 80 Mb - 120 Mb - 200 Mb

Call for the lowest prices in the U.K.

A1200-PCMCIA Fast RAM Expansion

Credit card memory now available

2Mb..... **£129.99**

4Mb..... **£199.99**

A1200 32-Bit Trapdoor RAM Expansion

includes 16 Mhz 68881 co-processor !!

Microbotics MBX 4 Mb..... **£299.99**

Microbotics MBX 8 Mb..... **£424.99**

A 1200 ACCESSORIES

Control Centre (Inc. FREE cables) ... **£36.99**

Dust Covers..... **£5.99**

Multi-Sync Monitor adaptor cable..... **£9.99**

AMIGA'S

'CARTOON CLASSICS PACK'

It's Back and it's bad - the pack they tried to kill returns for its final mission - don't miss this golden opportunity to acquire one of the best ever home computers, features include: 1 Mb of RAM Workbench 2.04 • TV modulator • Lemmings • Captain Planet • The Simpsons • Deluxe Paint III

Phoenix Price **£249.99!**

'THE WILD, THE WEIRD & THE WICKED'

1 Mb A 600 as standard and includes the excellent value Software titles: Deluxe Paint III • Formula One Grand Prix • Putty • Pushover

Phoenix Price ... **£319.99!**

A 600 2Mb (incl. above software)..... **£359.99**

'EPIC-LANGUAGE PACK'

1 Mb A 600 as standard and includes 20MB HARD DRIVE the excellent value Software titles: Deluxe Paint III • Trivial Pursuit • Epic • Myth • Rome

Phoenix Price .. **£399.99!**

A 600 2Mb+20 Mb Hard Drive **£439.99**

(both include the above detailed software)

A 600 - The stand-alone A 600 is compact, semi portable, fully featured and can be purchased in the following configurations:

A 600 **£279.99**

A 600 2Mb **£314.99**

AMIGA 1500

2.04 Workbench Includes: Deluxe Paint 3, Platinum Works, Home Accounts, Toki, Puzznic, x Elf, Amiga Format Book and Joystick

AMIGA 1500..... **£479.99**

AMIGA 1500 + 52 Mb hard drive..... **£689.99**

ACCELERATORS

500/500+/1500/2000

32-Bit technology at a price you can afford. Ray tracing an image that takes 24-hrs on a standard Amiga takes just 1 hr. 36 mins. with an A5000!! FREE maths co-pro included with both A/B5000 accelerator cards.

A5000 + 1MB 16.67 Mhz **£159.99**

A5000 + 2MB 16.67 Mhz **£198.99**

A5000 + 3MB 16.67 Mhz **£234.99**

A5000 + 4MB 16.67 Mhz **£269.99**

B5000 + 1MB 25.00 Mhz **£282.99**

B5000 + 2MB 25.00 Mhz **£329.99**

B5000 + 4MB 25.00 Mhz **£424.99**

B5000 + 8MB 25.00 Mhz **£604.99**

HARD DRIVES

GVP IMPACT SERIES II Hard Drives, the fastest Hard Drive/Controller for the Amiga. Features Game Switch, external SCSI port, FAAASTROM SCSI Driver, GVP's custom VLSI chip and internal RAM expansion up to 8 meg! Units use high specification fast-access QUANTUM Hard Drives coming with 2 yr. guarantee.

500/500+

A500-HD8+ 42 Mb **£329.99**

A500-HD8+ 80 Mb **£389.99**

A500-HD8+ 120 Mb **£499.99**

A500-HD8+ 213 Mb **£662.99**

A500-HD8 controller only **£179.99**

1500/2000

Series II Hard Disk Controller/RAM card..... **£122.99**

Series II 42 Mb Hard Disk and RAM card..... **£309.99**

Series II 80 Mb Hard Disk and RAM card..... **£379.99**

Series II 120 Mb Hard Disk and RAM card..... **£454.99**

Series II 213 Mb Hard Disk and RAM card..... **£614.99**

EXTRA MEMORY-Only **£29.99** per Mb.

ACCELERATOR-HARD DRIVES

500/500+

GVP COMBINATION ACCELERATORS & HARD DRIVES-The ultimate expansion product for the Amiga 500!

A530 Combi 40MHz + 42Mb Hard Drive..... **£709.99**

A530 Combi 40MHz + 80Mb Hard Drive..... **£804.99**

A530 Combi 40MHz + 120Mb Hard Drive..... **£879.99**

A530 Combi 40MHz + 213Mb Hard Drive..... **£1039.99**

A530 68882 Co-Processor..... **£219.99**

1500/2000

GVP G-Force 030-25MHz + 1Mb..... **£474.99**

GVP G-Force 030-40MHz + 4Mb..... **£575.99**

GVP G-Force 030-50MHz + 4Mb..... **£1136.99**

GVP G-Force 040-33MHz + 4Mb..... **£1419.99**

GVP Accelerator RAM

1Mb Simm-32 Bit 60 Nanoseconds..... **£65.99**

4Mb Simm-32 Bit 60 Nanoseconds..... **£182.99**

EMULATORS

GVP PC-286 16MHz..... **£239.99**

KCS Powerboard A600..... **£165.99**

(Inc ver 4/5 Software which includes soundblaster AdLib Emulation)

KCS Powerboard A500/500+..... **£146.99**

KCS adaptor for 1500/2000... **ONLY £57.99**

Vortex A Tonce Plus 286 (16MHz)..... **£214.99**

D.O.S 4/5..... **£POA**

Vortex 'GOLDEN GATE' **NEW! £419.99**

Suitable for the 1500/2000 and 3000/3000T

MONITORS

All monitors are supplied with a **FREE** cable for connection to your Amiga.

PHILIPS 8833Mk II..... **ONLY £224.99**

Colour Stereo Monitor now including 'Lotus Turbo Challenge', and 1 years on-site warranty.

COMMODORE 1084 STI... **NEW! £199.99**

Brand new high quality Monitor with built in Tilt 'n' Swivel monitor stand

MONITOR ACCESSORIES-

14" Dust covers..... **£4.99**

14" Tilt & Swivel stand..... **£13.99**

Anti-Glare filter screen..... **£19.99**

A4 Copy Holder..... **£12.99**

MEMORY EXPANSION

500/500+

SUPRA 500RX the ultimate in Fast Ram expansion units. (*Uses 256x4 Zips)

8 Mb pop to 1 Mb*..... **£99.99**

8 Mb pop to 2 Mb*..... **£124.99**

8 Mb pop to 2 Mb..... **£149.99**

8 Mb pop to 4 Mb..... **£209.99**

8 Mb pop to 8 Mb **£309.99**

A 500+

A PHOENIX RAM module can expand your chip RAM up to 2 Mb by using the trapdoor expansion port. Extra RAM is necessary to unleash the incredible graphics capabilities of your Amiga. All our boards carry a full 2 year no quibble replacement guarantee. It's never been cheaper to upgrade!

1 Mb Fully populated

RAM board... **NOW ONLY £34.99**

1 Mb unpopulated RAM board..... **£16.99**

1/2 Mb inc. clock..... **£29.99**

A 600

Phoenix PA 601-populated-1Mb..... **£44.99**

Phoenix PA 601-unpopulated-0Mb..... **£24.99**

PA 6020 2 Mb PCMCIA card..... **£129.99**

PA 6020 4 Mb PCMCIA card..... **£199.99**

CHIPS

AMIGA CUSTOM CHIPS

Kickstart 2.04 ROM..... **£34.99**

Kickstart 1.3 ROM..... **£27.99**

NEW Super Denise..... **£29.99**

Fatter Agnus 8372A..... **£34.99**

CIA 8520A..... **£9.99**

MEMORY CHIPS

4 Mb x 9 (-70) Simm..... **£99.99**

1 Mb x 9 (-80) Simm..... **£27.99**

256k x 4 (-80) Zip..... **£29.99**

256k x 9 (-80) Simm..... **£12.99**

1 Mb x 1 DRAM..... **£3.99**

256k x 4 DRAM..... **£3.99**

*This price is for 1 Mb of RAM

These chips cover practically every popular memory expansion or Hard Drive system on the market for the Amiga ie. GVP, SUPRA, MICROBOTICS, COMMODORE

PRINTERS

**REGISTERED DEALER FOR
STAR • CITIZEN •
HEWLETT PACKARD AND CANON**

PHOENIX PRINTER PACK

Supplied with **ALL** printers containing 1.8m std. printer cable, printer ribbons/cartridge and 250 sheets of paper absolutely **FREE**.

STAR

LC-100 Colour..... **NEW! £164.99**
9 PIN colour printer with paper parking, eight fonts and electronic DIP switches.

LC24-100 **NEW! £189.99**

24 PIN with compressed data mode, 16 K buffer and 10 letter quality fonts.(with Star printer driver only).

LC-20..... **£132.99**

LC-200 Colour..... **£199.99**

LC24-20..... **£199.99**

LC24-200 Mono **£219.99**

LC24-200 Colour..... **£279.99**

XB24-200 Colour..... **£379.99**

SJ48 Bubblejet **NOW ONLY £219.99**

Star printers come with one year warranty.

CITIZEN

Swift 240 Colour..... **NEW! £264.99**

Swift 240 Mono..... **NEW! £254.99**

Swift 200 Colour..... **NEW! £214.99**

Swift 200 Mono..... **NEW! £187.99**

Swift 9 Colour..... **SPECIAL OFFER £169.99**

Citizen printers come with 2 year warranty.

HEWLETT PACKARD

Deskjet-550C (colour printer).... **NEW! £559.99**
300 dpi laser quality output • sharp blacks and 16 million colours available • six built in type faces-4 scalable • improved media handling • several paper sizes • **FOUR TIMES FASTER** than previous H.P. Deskjet range.

Deskjet 500..... **SPECIAL OFFER £329.99**

Deskjet-500 Colour..... **£449.99**

HP printers come with 3 year warranty.

HP black ink cartridge **£24.99**

HP colour ink cartridge **£29.99**

AUTO SHEET FEEDERS

STAR LC20..... **£57.99**

STAR LC200..... **£59.99**

STAR LC24-200..... **£62.99**

STAR LC24-20..... **£62.99**

STAR SJ48..... **£49.99**

BUBBLE JET

CANON BJ 10eX..... **£214.99**

Upgraded version of BJ10e, the worlds biggest selling portable inkjet printer.

CANON BJ 20..... **£319.99**

More Features than the BJ10, includes Auto sheet feeder. Top selling-Highly Recommended

CANON BJ 200..... **NEW! £349.99**

Feature include: 300 dpi. • Min 80 page Auto sheet feeder • minimum 3 pages per minute **SUPER VALUE!**

CANON BJ 300..... **£374.99**

80 column bubblejet provides laser quality output.

CANON BJ 330..... **£499.99**

136 column bubblejet.

CANON Bubblejet cartridges..... **£17.99**

BJ 10eX Autosheet feeder..... **£49.99**

PRINTER ACCESSORIES

We have a large range of high quality printer accessories for all the printers we sell including:

dust covers from **£2.99** • Ink cartridges from **£13.99** • Mono ribbons from **£3.50** • Colour ribbons from **£7.99** • Printer stands from **£7.99**

TRAIL BLAZERS-WHAT'S NEW IN FEBRUARY 1993!

In this month's "TRAIL BLAZERS," we focus on some of the best products and peripherals currently on release for the Amiga.

PHOENIX 1Mb A600 UPGRADE



Simply the Best!

£44.99

CANON BJ 200

This printer boasts an ultra compact design and generates 300 dpi resolution output giving you near laser quality. With draft quality print at up to 240 CPS (3 pages per minute), high quality print at 170 CPS and a built in 80 sheet auto sheet feeder this is the ultimate BJ!

Phoenix price.....£347.99

AMOS PROFESSIONAL

The most eagerly awaited software package of the year, has just received an award of 97% in CU AMIGA. Francois Lionet's superb creation has now evolved to include numerous new features developed from Amiga users ideas and feedback. Don't miss this six disk Bonanza!

Phoenix price.....£44.99

MICE & TRACKBALLS

Roctec Mouse.....**£13.99**

GOLDEN IMAGE Mega Mouse.....£12.99
(Has just received 90% Amiga Format Gold Award)

Optical Mouse.....£29.99
High precision, pointing device.

Crystal Trackball.....£37.99

Infrared-Cordless-Mouse...NEW! £47.99
(Rechargeable top selling innovation.)

Optical Pen Mouse.....NEW! £39.99

High Quality 8mm mouse Mats.....£3.99

AUTO MOUSE/JOYSTICK SWITCH.....£15.99

Don't damage your Amiga's ports! This device saves wear and tear makes switchover **FAST**, and does **NOT** require power unlike many others.

SCANNERS

Powerful image processing tools for the office or the home environment.

POWER-Features include: 100-400 dpi • 64-Greyscales Thruport to printer • **FREE** Editing software.

Power Scanner v3.0...NEW! £109.99
Includes **FREE** upgraded editing software.

Power Scanner Colour.....£234.99

GOLDEN IMAGE-Hand Scanner Series
Features: 400 dpi • 256-Greyscale • Touch up and Merge it software.

AlfaScan.....£124.99

AlfaScan Plus.....£149.99


AlfaScan OCR (inc OCR Software)...£279.99

ROCTEC ROCLITE

This famous super slim drive has now been upgraded to include Anti-click and virus checker - We have reluctantly had to raise the price of this product due to the variance of the dollar rate. However to soften the blow we will include a **FREE** disk head cleaner worth £3.99

Phoenix price.....£64.99

FINAL COPY 2-UK VERSION

 This powerful, unique WYSIWYG word processing package is the best value choice for your Amiga, sharing many of the features of full-blown DTP packages

Phoenix price.....£69.99

Be safe in the knowledge that you are buying the official UK version of the product from Phoenix. **BEWARE** of dealers offering "Latest version" of Final Copy. This may be American product and should not be sold in the UK!

POWER SCANNER v3.0

Powerful image processing tools for the office or the home environment.

Power Features include: 100-400 dpi • 64-Greyscales Thruport to printer • **FREE** VERSION 3.0 SOFTWARE

Phoenix price.....£109.99

AMIGA MUSIC

Attention! All you music lovers! Phoenix have kept this unbeatable music deal running for you into the New Year.

MUSIC-X Jnr....only £15.00

When purchasing either a Phoenix Stereo Sampler or Pro Midi 2 Interface Please Note: this is a limited offer only while stocks last!

STEREO SAMPLER.....NOW ONLY £29.99
Combines ease of use with state of the art analogue to digital conversion technology (inc. **FREE** sample editing software + audio lead)

PRO-MIDI 2 INTERFACE.....£24.99
This fully featured professional quality midi interface is very flexible giving semi-patch bay facilities. It has five ports in, out, thru and two switchable out/thru. (inc. **FREE** midi lead)

GVP DIGITAL SOUND STUDIO.....£54.99
High quality sound sampler for all Amiga Computers
Amiga Music Made Easy-Only from Phoenix!

AMIGA RELEASE 2

Now Only..£79.99

The popular upgrade kit for 1.2 / 1.3 owners from Commodore is in stock and selling fast!

PHOENIX ROM SHARERS

Keyboard ROM Sharer.....£29.99

Standard ROM Sharer.....£24.99

Rev 3.5 ROM Sharer.....£27.99

1.3 ROM.....£27.99

2.0 ROM.....£34.99

DISKS

Don't confuse these quality disks with others currently available. 3.5" 100% certified error free 70% clip. All disks include **FREE** high quality Phoenix labels.

10.....	£4.99	200.....	£72.99
25.....	£12.99	500.....	£174.99
50.....	£22.99	750.....	£259.99
100.....	£39.99	1000.....	£339.99

Dysan Branded disks- High performance media from the experts-box 10 with labels and **FREE** 10 Cap plastic storage box

10.....	£5.99	100.....	£52.99
50.....	£26.99	500.....	£249.99

1000 Phoenix Disk Labels.....£9.99

DISK DRIVES

All drives feature super slim design, enable-disable switch, thru port and come with a **1 year replacement guarantee!**

Phoenix Deluxe Drive.....£49.99

Roctec Roclite.....NEW! £64.99
This famous drive has now been upgraded to include Anticlick and Virus Checker

Disk head cleaner.....£3.99

LEADS & CABLES

Midi-Midi 2m.....	£3.99	Modulator ext.....	£9.99
Midi-Midi 3m.....	£4.99	Amiga-Scart.....	£9.99
Midi-Midi 5m.....	£5.99	Amiga-8833MkII.....	£9.99
Disk Drive ext.....	£9.99	Joystick long ext.....	£4.99

Mouse/Joystick ext.....**£4.99**

Mouse/Joystick splitter.....**£4.99**

*Serial/Modem cables.....**£9.99**

*Amiga-Multisync.....from **£9.99**

*Amiga-Microvitec.....**£9.99**

*Amiga-CPC monitor.....**£9.99**

*Amiga-RGB/TV.....**£9.99**

*SCSI Cable various.....**£9.99**

Printer 1.8m.....**£5.99** Printer 2.0m HQ.....**£7.99**

*For full details of these cables or information regarding the right cable for the job call **0532-311684**. Custom built leads are no problem.

ACCESSORIES

Control Centre.....£34.99
Heavy duty construction, rubber edging, perfect colour match, makes an ideal workstation for the A500/A500+ A 600 control centre now available.

Phoenix Stereo speakers.....NEW! £37.99
Superb sound and excellent dynamics. These two-way stereo Hi-Fi speakers are an Amiga standard-Excellent companions on any gaming soiree!

DATA SWITCHES-(25 pin D type)

2 way.....	£15.99
3 way.....	£17.99
4 way.....	£19.99

STORAGE:

90 Capacity BANX.....	£11.99
150 Capacity POSSO.....	£16.99

Disk Box 10 Cap.....£1.99

Disk Box 25 Cap.....£2.99

Disk Box 50 Cap.....£4.99

MULTI-MEDIA

Rombo's Vidi Amiga 12 is the replacement for their complete colour solution bringing you the world's first mass market colour digitiser for **under £100**.

VIDI-AMIGA 12.....ONLY £79.99
Outstanding features and plenty of VFMI-(Value for money!)-Highly Recommended.

ROCGEN Plus.....£129.99
Quality features and performance-Recommended.

A 570 CD ROM

This Amiga essential heralds the dawn of multi-media-suitable for A500/A500+ /A570.

Phoenix price...ONLY £299.99

SOFTWARE

NEW TITLES...STOP PRESS...NEW TITLES...

Art Expression.....£139.99

Clarity 16.....£107.99

Video Master.....£52.99

Pagestream Bussiness Forms.....£29.99

Morph Plus.....£149.99

Image master.....£129.99

Big Alternative Scroller v2.0.....£59.99

Amiback v2.0.....£42.99

Techno Sound Turbo.....£29.99

System 3E.....£49.99

Deluxe Paint 4.5 (AA).....£69.99

Hotlines v1.1.....£62.99

WORD PROCESSING / DTP

Kindwords 3.....£36.99

Final Copy 2.....NEW! £69.99

Professional Page 3.....NEW! £129.99

Pagestream v2.2.....£126.99

Pagestream Font pack 1.....£44.99

Pen Pal 1.4.....SPECIAL OFFER £39.99

Hot Links.....£52.99

Wordworth V 2.0.....NEW! £72.99
now includes 17 Compugraphic fonts!

INTEGRATED PACKAGES

Gold Disc Office 2.....£59.99

Mini Office.....NEW! £39.99

CAD & DRAWING

Professional Draw 3.....SPECIAL OFFER £79.99

Intro CAD Plus.....£74.99

X CAD 2000.....£99.99

X CAD 3000.....£269.99

UTILITIES

Lattice 'C' v6.....NEW! £214.99

A-Talk 3.....£44.99

Cross Dos v5 (inc. Cross PC Emulator).....£29.99

Diskmaster 2.....£43.99

Dos 2 Dos.....£29.99

Opus Directory v4.0.....NEW! £49.99

Xcopy.....£36.99

Quarter Back.....£45.99

Quarter Back Tools Vs 5.....£49.99

DATABASE

Superbase Pro 4.....£164.99

Superbase Pers 2.....NOW ONLY £39.99

VIDEO PRODUCTION/TITLING

SCALA 500.....£79.99

SCALA Professional.....£219.99

Big Alternative Scroller.....£35.99

Broadcast Titler 2.....£179.99

Font Pack 1 for Broadcast Titler 2.....£88.99

Font Enhancer for Broadcast Titler 2.....£88.99

TV Show Pro.....£51.99

TV Text Pro.....£84.99

FRACTAL AND SPECIAL FX

Race Trace.....NEW! £93.99

Deluxe Paint 4.....£63.99

Deluxe Video 3.....£71.99

Image Finder.....£44.99

Pro Vista.....£71.99

ANIMATION

Take 2.....£42.99

Image Master.....£129.99

3-D Images.....£36.99

Amos.....£36.99

Amos Professional.....NEW! £44.99
(97% in CU Amiga-Software release of the year)

Amos Compiler.....£21.99

Amos 3D.....£25.99

Easy Amos.....£22.99

Deluxe Paint 4.....£63.99

Director v2.....£71.99

Imagme v2.....NOW ONLY £189.99

Map master for Imagme.....£59.99

Presentation Master.....£169.99

Surface Master for Imagme.....£29.99

Showmaker.....£142.99

PRESENTATION & SLIDE SHOW

Art Department Pro Conv. Kit.....£57.99

Can Do It V.I.G.....£94.99

Hyper Book.....£44.99

ACCOUNTING

Personal Finance.....NEW! £29.99

Arena Accounts.....£83.99

Home Accounts 2.....£39.99

System 3.....£43.99

Cashbook Combo.....£57.99

continued from page 37

though I have fiddled around with Preferences. Is there any way I can alter the contrast of an image after it has been rendered by, say, Vista, to make it lighter?

Lastly, is there any method of getting more than 40-odd HAM frames of animation onto a 3.5-inch floppy disk. I cannot afford a hard drive at the moment and so my animations must, by necessity, fit onto a disk and still leave room for a method of showing them (such as ShowAnim) from self-booting disks. I use a 1.3WB Amiga 500 with a 4Mb Cortex RAM expansion.

Gareth Arlett
Barnstaple
Devon

The Deluxe Paint IV loading problem is easy to solve. If you examine the picture 'Load' requester you'll see the words '# of frames' with a box next to it. After selecting the directory and name of the first picture you wish to load, type in the total number of images you have and press return. DPaint will then load the required pictures, making a new animation frame for each one automatically, and when they're all loaded you can play the whole lot back. There are a few rules though. All the pictures must be in an identical resolution and mode (all HAM lo-res, for instance) and one which DPaint IV can handle. They must be sequentially named - Test1, Test2...Test42, for example - and naming should preferably follow the DPaint convention - Test001, Test002... Test042 - or you'll find that frames will sometimes be loaded out of order. Use Reverser (£10 from Alternative Image ☎ 0533 440041) if you need to rename loads of images, though in this case the Vista naming convention ('Pic0000x') seems to work OK.

The 'funny colour' problem arises because Deluxe Paint cannot handle sequences of images with different colour palettes - the results you describe are indicative of this. You need to make sure that all the images use the same palette - in other words, that the palette is 'locked' after the first frame. If you cannot instruct the rendering software to make this happen automatically, you'll have to adjust each image after rendering. This can be done in DPaint but requires a lot of messing around to remap each image to one with a fixed palette. Fortunately, clicking the 'LockP' button in Vista Pro 2 forces the palette to be locked. There is also an excellent PD program called Rend24 which can process animations from sequences, lock palettes and more. I think you'd find a copy very handy.

JARGON BUSTING • JARGON BUSTING

Assembler - a program which converts an assembly language program written in words (well, almost) into the machine code numbers that the Amiga's 68000 processor understands. Writing programs in assembly language ensures that the best possible speed and memory efficiency is gained from the machine.

Emulator - a device, either hardware or software, that enables programs written for another machine to be used on the Amiga. The emulator makes the Amiga take on all (or most) of the characteristics of the foreign machine, and is transparent to the programs running under it.

Fatter Agnus - a newer, although now superseded, version of the Amiga's custom chip which deals with graphics. The main difference this chip has over its predecessor is the ability to access 1Mb of Chip RAM instead of 512K.

I'm not certain about your third problem, but I suspect that it is caused by your Amiga only having 0.5Mb of Chip RAM, which is special RAM dedicated to screen display purposes and, as such, cannot be substituted for by Fast RAM (though many of us wish it could).

Although it might only be a quick fix, try painting over your image in DPaint IV with a white colour while you have translucency set to something like 80%. I mention this because you already have DP IV. But really you should try to find a suitable driver for your printer. Otherwise you'll need some kind of image processing software - you could try Pixmate for starters.

Finally, there's no practical way of fitting a quart into a pint pot. A floppy disk will inevitably fill up at some stage and you appear, unfortunately, to have reached that limit. Smaller images and less colours will help, but if you need to run off floppy disk there's little else I can suggest. Any better suggestions gratefully received. **GW**

ALARMING PEST

In the May 1992 issue of Amiga Shopper a DOS batch file was printed called 'The Pest'. Is there any way of setting the alarm on the clock program to coincide with the time shown in the reminder diary? By the way, the AmigaDOS section of the mag is really cool.

Simon Eastop
Milford Haven
Pembrokeshire

Unfortunately, there is no way that you could set the alarm on the clock externally, but it would be possible to write a program that works similarly to the Workbench clock, running in the background. This program could monitor the system time until it meets a certain point and then a shell window would open to tell you that it's time for your favourite television programme! **WR**

FAT LOT OF GOOD?



a) For some time now I have been using a chunk of memory as a recoverable RAM drive but recently I carried out the modification in your magazine to allow Fatter Agnus to access the full 1Mb Chip. Although this modification solved many problems, my recoverable RAM drive no longer boots! Is this just a matter of modifying my startup-sequence?

b) My brother has an Apple Mac Plus and would like to make use of Amiga graphic files. I am looking for a way of reading or writing to Apple Mac disks and also converting IFF files to Mac format. I don't need to run any Mac programs, just transfer the files.

Jonathan Jewell
Frettenham
Norfolk

a) The problem is this: RAD à la 1.3 does not expect to find 1Mb of Chip, so when you reset the machine it falls over. The solution is to modify the first line in your startup-sequence to read:

SETPATCH >NIL: -R

The -R switch patches the system to expect to find 1Mb of Chip memory. That should fix your problems, although in my experience this fix either works or it doesn't - *c'est la vie!*

b) That's simple enough - we do it all the time. There are several ways around this problem and the most obvious is to buy a specialised piece of software to write to Mac disks - a costly and unnecessary expense. Better still, get your hands on a copy of the PD utility MultiDOS (or something similar) to read and write PC disks.

Now get your brother to format some disks to 720K MS-DOS format on his Mac using Apple File Exchange (an Apple freebie supplied with most systems). You must not use the high-density (1.44Mb)

floppies - they're marked HD and have an extra hole in the case - since your Amiga cannot read them.

What you do next is up to you. You can either convert the Amiga IFFs to a GIF format using something like TurboGif or just save the raw IFF to PC disk. Your brother can read the IFF file on his Mac using Apple File Exchange (default translation) and convert to a Mac PICT format using something like the PD program XLateGraf or from a GIF file using Giffer or Gif Converter. All this software is readily available from PD libraries or the BBS system CIX.

One word of caution here. Most Mac software - like XLateGraf - needs a special 'file creator' header. An all-encompassing one, MDOS, is created automatically by Apple File Exchange. Certain PD programs assume if the file creator is not 'IFFF' (note the extra 'F') then the file is likewise, not IFF. Your brother will be able to fix this using something like Norton Utilities, DiskTop or ResEdit to name but three. Gif Converter is not affected by this problem since it can interrogate the file directly, but it is shareware and requires around 3Mb of memory. **MS**

WHAT A GREY DAY!



I enclose two pictures obtained using the Golden Image hand scanner on a black-and-white photo. The printer used in both cases was the Hewlett Packard DeskJet 500, with the HP_DeskJet driver.

I find that no matter what adjustments I make, the picture printed with Wordworth (and ProWrite) nowhere equals that from Pen Pal. I imagine that I could improve things and remove the banding by using the Turboprint Professional program, but I have had no luck to date.

Can you throw some light on this problem?

SW Waldron
Newport
Gwent

Pen Pal loads the picture and creates a screen image for document formatting purposes, but when it comes to printing time it reads the picture file from disk again in order to print it in the original colours, or shades of grey. Wordworth 1.1, on the other hand, loads the picture and then converts it to the number of colours of the current screen mode. When it prints the picture, it prints exactly what is on the screen, so if you loaded it into the document while working in four colours, only black, white and two shades of grey are printed, instead of the full 16.

The Wordworth output you sent me looks like it has either been

printed while in two-colour mode, or that you selected B&W output instead of Grey.

If you want *Wordworth* to print better greyscales, then you must load the picture into the document while in 16-colour mode (selecting 'Use Pic's Palette') and also print the document using the Grey setting (not B&W) while in 16-colour mode. **JW**

BECOMING BILINGUAL



I recently started programming in 68000 Assembler and I am very

interested in graphic applications. Could you tell me any good machine code books to buy?

Would it be possible to show me, with a piece of code, how to load files from *DPaint 3* for display on the screen?

I currently own the Abacus *Machine Language* book and have been following the tutorials in *Amiga Format*.

Simon Wareham
Bradley Stoke North
Bristol

I am afraid that there aren't many really good assembly language books for the Amiga that I am currently aware of. The real problem stems from the fact that to program the Amiga well, you also ought to have some knowledge of C. The books for you are the ROM Kernel Manuals, or RKMs. This is where you need your C knowledge, as you'll find that most of the examples and discussions in these books are C-related.

Programming the Amiga badly is very easy to do. The problem with just working through a programmer's guide-type book is that you can pick up a lot of bad programming techniques which will cause serious incompatibility problems on faster processors, and on machines with the AGA chipset. Programming the Amiga well is a lot harder, but it is worth the effort. You do not need to become an expert on C – you just need a basic knowledge. This way you will be able to understand the *Amiga Libraries Reference RKM*, which will tell you all you need for loading up pictures. I'm afraid there isn't enough space to print a program to do what you require, but this is something that's sure to come up in the forthcoming *Amiga Shopper* articles on assembler. Have a look in on the C columns too. **TS**

INDIRECT ADDRESSING



In the September issue of *Amiga Shopper* a music article mentioned

'Hands-On MIDI Software' but only provided a telephone number rather than a full address. I wish to write

to them because my English is not good enough to talk to them by phone so I wonder if you could provide the address for me. I think that all your overseas readers would appreciate that. If you give a telephone number for your English readers, you would also give the full address for the rest of us – thanks.

Jos Van Gasse
Meaksem
Belgium

Point taken, the full address you want is: Hands On Midi Software Ltd, 3 Bell Road, Cosham, Portsmouth, Hampshire PO6 3NX, England.

As luck would have it, the company's telephone number was actually printed wrongly in the September issue – the correct number is 0705 221162. **PAO**

LOST DRAWERS



As a latecomer to video, and a senior citizen to boot, I sometimes feel that I

could do with a 'Hot Line' to someone who can help me solve my video editing problems with my *Amiga 500* and *VideoPilot V110* editing system. It's probably a very simple problem, but for the life of me I can't crack it.

As it is necessary to save the equipment configuration to disk, I have followed the instructions, formatted a disk and created three drawers called *Config*, *Edit* and *Black*. These are on a disk I have called 'USA 92 (1)'.

Everything works OK until I choose 'Save' from the pull-down menu and, even after the reassuring sounds of disk activity, a message appears saying 'Config not saved', or something similar.

I've enclosed a photograph of the screen (which shows a fairly standard file requester – *GW*) to help you diagnose my problems. In the requester I would type 'Config', 'Edit' or 'Black' as required for the drawer name and 'USA 92 (1)' for

the file name. Am I doing this right? Also, where does the 'parent' bit come in? Also, does 'Directories' mean 'Drawers' in this case, or am I missing something?

Fortunately, the last edit is always saved to a file called 'screen' for safety, but I'm afraid this isn't sufficient. Please help!

I also suggest that Gary Whiteley tests the *EMR VideoPilot* – it is an amazing outfit.

Joe Derrick
Bristol
Avon

It sounds like the nub of your problem is in distinguishing between drawers, files and disk names. What you should be typing in the Drawer requester is something like **USA 92 (1):Config** and in the File requester the name which you want the file to be called – **FirstCut.config**, say.

To clarify this a little – the first commands refer to your disk **USA 92 (1)** and its drawer, **Config**. Be careful with disk names – one with spaces in it like this could cause trouble with some operations. It is often best to use '_' between words if you need to separate them. Incidentally, you are correct in thinking that 'Drawer' is synonymous with 'Directory'.

Thanks for your suggestion about me checking out the *VideoPilot*, Joe. But I already did – in *AS* Issue 7! **GW**

WALKING ON WATER



I have a printer driver for my *Star LC-200* dot matrix that was recommended by your magazine. My problem is that when I print a picture the detail is not very good.

Is there a better driver, or some other sort of software that will give me better quality pictures? And is there a converter that is able to change HAM pictures into 64, 32, 16 or 8 colours?

Paul Burke
Sheffield
W Midlands

From your second question I'm guessing that you are trying to print digitised or delicately shaded 4096-colour HAM pictures on your 9-pin colour printer, and you're expecting them to come out looking like they do on the screen.

It's not going to happen, Paul, you're asking for miracles. (And I'm afraid the time of year for them has just passed!) Your idea for converting them down to fewer colours is along the right lines, but of course the fewer colours you use, the worse the picture is going to look. Considering your 2Mb set-up, *Deluxe Paint IV* is probably your best bet for converting the pictures. First run *Deluxe Paint* and set the screen up to the resolution and number of colours you require, then load the picture and answer 'No' when asked if you want to change to the picture's screen mode. You will be asked whether you want the picture dithered or not. Your answer to this will depend on the picture – you'll have to experiment to see what looks best.

To get better colour output you should consider buying either *Flexidump*, *Turboprint Professional* or *TruePrint/24*, all programs which will allow you to play with colour correction and dither patterns to get the colours that are printed to look more like those on the screen. But remember that your 9-pin printer is fairly low resolution, and this is always going to be the main reason that the detail is not very good. **JW**

VGC GVP FOR PC



I have an *Amiga 500* and 1Mb of memory. I am thinking of buying a *GVP 52Mb*

hard drive, 4Mb RAM and the *GVP 286 Emulator*. I have recently read in another magazine that it would be best to combine the *GVP HD8* with the *GVP 286*. But, would it be correct to assume that the *GVP 286* could be used with the *RocTec* hard drive to the same standard? As this option is around £70-100 cheaper, please give me your honest opinion: Is the *GVP 286* worth buying in the terms of extra speed and acceptability of PC disks?

Mr PN Reynard
Otley
West Yorkshire

The *GVP PC-286 Emulator* is only compatible with the *GVP HD8* and the *GVP A530 Turbo*, as these are the only products to feature the *GVP 'mini-slot'*, which the *GVP 286 Emulator* plugs into.

In my honest opinion regarding the best accelerator buy for the *A500*, it is almost a draw between the *KCS Power board* and the *GVP 286*. The *GVP 286* is definitely the faster of the two, but the *KCS* now

MORE CHIPS PLEASE



I have just inserted a ROM shaver with V1.3 and V2.04 Kickstarts. I also put in an 8372B Agnus. Can I remove the 0.5Mb on-board Chip RAM and replace it with 1Mb? If I get a *Supra RX* expansion will any of this be configured to Chip memory? All I want is as much Chip RAM as possible – I am experienced in soldering so board modifications are no problem!

Finally, is my Agnus the super-fat one giving 2Mb Chip?

Philip Clagge, Moreton, Merseyside

To use 2Mb Chip RAM in your Amiga you will need more than just a simple board alteration. You will need to add the *DKB MegaChip* board. This has a socket to take your 8372B Agnus chip (so make sure you order one without the Agnus chip), and provides the extra 1Mb of Chip RAM you require. There is no way to make RAM in external expansions (like the *Supra RX*) work as Chip RAM on the Amiga, and yes, your 8372B Agnus is the 2Mb Agnus chip from the *Amiga 3000*. **JR**

features Sound-Blaster Emulation, and a high-density drive adapter should soon be available for reading 1.44Mb disks.

These options are sadly not available for the GVP PC card, although it makes up for it by being at least three times faster. It all depends on what you need! **WR**

OFF TO A GOOD START



I have Kickstart 1.3, and I am thinking about upgrading to version 2.04 or 2.05.

I have a few questions to ask about this upgrade:

- What is the difference between 2.04 and 2.05?
- I have a revision 5 PCB and have read that a special ROM shaver has to be used – is this true? Also, in the December 1992 issue, there is an article on a DIY shaver. Would I be able to use this method, and what modifications would I need to make to be able to use it?
- Is Workbench 3 compatible with Kickstart 2.04/2.05, or will I be forced to upgrade yet again?
- I am thinking about upgrading to a 1Mb Agnus chip, or the 2Mb Chip board. Is the revision 5 PCB suitable for either of these – in other words can it handle more than 0.5Mb of Chip RAM? Also, will these programs work properly with more than 512K of Chip RAM and only 0.5Mb of Fast RAM?

X-CAD 2000 Version 1.1

Pen Pal Version 1.3

Deluxe Paint 4

Will any of these programs run better with 2.04, and will any of them not work?

- If I bought an accelerator, would the Fatter Agnus or Mega-Chip board become redundant?
- Would any of the above programs take advantage of the accelerator and 32-bit memory?

Alex Workman
Enfield
Middlesex

a) Nothing! Well, nothing to speak of. 2.05 contains a number of small bug-fixes, and support for the PCMCIA card slot. There is no specific advantage in going for one over the other.

b) Kickstart 2.04 ROM expansion kits from Commodore come with a flying wire for some older revision boards, and complete instructions on how to perform the upgrade. With any third-party expander, it's always best to check with the supplier.

c) No. Workbench 3 is a whole new concept, and requires new Kickstart ROMs. However, Workbench 2.1, which offers most of the features of 3.0, will work with Kickstart 2.04/2.05. It is not available yet, but should be shortly.

MAKING A DATE



When I type 'list df1:' in the shell on my A500 I get a correct statement of today's date, then a list of all directories and files on the disk in my external drive. Beside each item there are some numbers and a date. Could you please tell me what decides the date quoted? Sometimes it seems to be the date a disk was formatted, regardless of the subsequent dates on which files were saved.

Sometimes it seems to be the date given to a previous file saved some time earlier. Sometimes it is the date a file was last modified. Is there anything I can do to ensure that the date given is the one on which I saved or last modified the file? The clock in my Amiga always shows the correct time and date when booting up with workbench.

AS Fan, Tyne and Wear

Date-stamping of files actually occurs whenever there is a direct re-writing of the file involved. The date stamped onto that file is the current date and time. If you were just to modify the protection flags of that file then the date-stamp would not be altered. When using the CLI, the date stamp of the parent directory is altered to the current time when something is copied into it. You must also make sure that the system clock is loaded while file handling else date stamping will be very inaccurate. **WR**

d) Workbench Applications such as *DPaint* will benefit extensively from additional Chip RAM. 2.04 adds little in the way of features to any of these products, but is a much more powerful and stable version of the operating system. As far as the Chip RAM expansion goes, how easy it will be rather depends on which version of the Fat Agnus you have. It's probably best to take the whole machine to your dealer.

e) No, it would not. An accelerator simply makes your computer go faster, it will not make any Chip RAM upgrades redundant.

f) Yes. Basically any Workbench-based application software package will benefit from having a faster processor and 32-bit RAM. **TS**

PERSONAL STATIONERY




I own a Yamaha PSS-480 music station and am interested in getting started with music on the Amiga. Is there any way I can connect the PSS-480 to my set-up?

G Owland
Cyprus

It's been a long time since I have actually seen a PSS-480 but it has MIDI connections so it should be easy enough to get it to work with an Amiga sequencer program. You'll need a MIDI interface and a few MIDI leads and, since I believe that the PSS-480 can operate in two different modes (one where the tone generator circuitry acts separately), a little experimentation may also be called for. Some Yamaha synths have the annoying habit of echoing all MIDI data that comes into the MIDI IN terminal, and this can occasionally cause difficulties once you get into multi-track sequencing. Some sequencers, Gajit's *Sequencer*

One Plus, for example, provide selective channel filter fixes for this 'echo' problem. **PAO**

BOOTING WITH CDS



I have an Amiga 500 with Supra 500 hard drive, and an Amiga A570 CD-ROM drive.

I am only able to boot from floppy or CD with the CD on, not from the hard disk. Is there any way of reconfiguring so I can boot from the hard disk and access CDs, or will I have to wait for hard disks and RAM expansions for the A570 so that it uses the in-built priority to boot from hard disk if no CD is present? I know it's a bit early for CD-ROM questions, but please help!

Chris Busby
Crawley
W Sussex

There isn't a way of directly booting from the hard disk with the A570 turned on. To be honest, knowing how the Supra hard disk works, it's surprising it works at all with the A570. Your best option is to boot from floppy and transfer control to a RAD: disk to mount your hard drive after reset. With a SCSI hard drive attached via the CDTV SCSI interface to the A570 this problem does not occur, and you can use hard drives, floppy drives and CDs as you would expect. And don't worry about it being too early for CD questions, I was using the Supra-A570 combination over six months ago! **JR**

EXPANSION DILEMMA



I currently own an A500 and I'm in a bit of a dilemma (who isn't?). I'd like to

expand my system to include a hard drive with a view to using a PC emulator in the very near future.

I'm wondering whether it would be a better idea to sell my A500 and buy an Amiga 1500. The price of expansion devices such as hard drives seem to be cheaper for the A1500. Would this be a good move?

I remember a while back a company that sold a case conversion kit that allowed the A500's innards to be stripped out and installed inside a PC-like casing. Is this still available and, if so, would this be a better bet?

Alan Cheung
Bradford

If you're not interested in the Amiga A1200, then I'd personally recommend that you hang on to your machine for a couple more months. Word has it that a new mid-range A2000 replacement is to be released early next year for under £1000. Rumoured to be based around a 68030 with a 68881 maths co-processor in an A4000-like box with a separate keyboard, the new machine also has the new 'AGA' chip set. Several US-based developers claim to have seen the machine, so I think we can safely assume that it is more than just pure speculation. Mark my words – the A2400 will soon be with us. **JH**

CUB TROUBLE



I own a completely bog-standard A500 Plus. Is it possible to connect this to a

Microvitec Cub colour monitor? The only form of input to the monitor is a DIN socket marked 'TTL INPUT'. If it is possible could you please tell me the pin connections and if it isn't possible, can you tell me why? I'd really like to get this sorted out as trying to word process using a TV is terrible!

Glenn Hargreaves
Trellogan
Cornwall

It is possible, but some internal modifications are required to convert the monitor from TTL to Amiga and you'll need more detail than I can supply here. Mark Smiddy ran a tutorial on the subject way back in *Amiga Shopper* Issue 3, or you may want to get in touch with Meedmore Ltd (☎ 051 521 2202) who can do the job for you if you don't fancy doing a little surgery yourself. **GW**

WHO, WHAT, WHERE?



I have bought *PageSetter II*, which lives up to expectations except for one or two snags I am having.

With *PageSetter 1.2* I could remove all the boxes and move the script around at leisure, which made lining up very easy. I can't seem to

do this with **PageSetter II**. Neither can I get reverse printing – white on black that is.

Except for the Compugraphic fonts, which are excellent, all the other fonts supplied are rubbish, so I treated myself to a set of outline fonts. But as much as I have tried, I cannot get them to load. Can you please advise?

W Gazzard
Bristol
Avon

Sorry, Mr Gazzard, but your letter is a classic case of not enough information and poorly expressed problems. "I cannot get them to load" means nothing. Exactly what have you done? Exactly what happens? Exactly what is the name of the outline fonts package you bought and exactly where did you get it from?

Sadly, neither can I make head or tail of "I could remove all the boxes and move the script around at leisure, which made lining up very easy". Remove what boxes exactly? Lining up what?

But I can help with the white-on-black problem. The solution is simply to drag a block over the text concerned and then give it a white solid fill colour, and then give the box that contains the text a black solid colour. You do this by first selecting the 'Frame' tool in the 'Active Box' requester and then choosing a fill colour for it from the menu. You may need to adjust that particular box's margins to bring the text down and to the right a bit, allowing some black above and to the left of the text. **JW**

THE HALL OF FAME



Please could you explain how to go about writing a high-score table routine

for a game I intend to write in assembly language. Also, how can I get a **DPaint** file onto the screen as graphics data?

Bill Chessell
Hants

There are almost as many ways of doing this as there are score tables. Let's suppose you want to always store and display the top ten scores in ascending order. You'll need routines to write and read the data-file that will hold player names and scores. There are low-level AmigaDOS file functions that can handle this easily enough and you open and use the DOS library just as you would any other Amiga run-time library. You will also need to knock up a routine to display the contents of the high-score file on the screen – this could easily be done using Intuition-based **PrintText()** calls to display the appropriate data on the

screen. If you are going to collect the data and then update the score table you'll need another routine that does the necessary updating whenever the final score is higher than the current lowest stored score. You might, for instance, open an Intuition requester so that you can prompt the user for their name before placing the new score-name pair in the appropriate file position.

Having updated the high-score file you could then use your general table display routine to re-display the updated contents. I'm sorry I can't be more specific about this but there really are a hundred and one ways to do this sort of thing and much depends on exactly on how, graphics-wise, you envisage your high-score table operating.

Programs like **PowerWindows** can take files stored as **DPaint** IFF brushes and convert them into Intuition Image format, and so produce the equivalent 68000 assembler data statements. This allows you to display the data using Intuition's **DrawImage()** library function or to use it as part of other image-related graphics functions. The bitplane data can also be treated as raw screen data and pumped directly into bitplane memory, which is also useful at times. **PAO**

TOP TEN SUPPLIERS



Following your article on accelerators in the December edition of **Amiga Shopper**,

could you please advise me of a supplier of 68010 chips?


Andy Evans
Langton Green
Runbridge Wells

Most major electronic component suppliers have them. RS, or to be more precise, the company's private

purchase section, 'ElectroMail', has the chips at £18.70 for the 8Mhz version, a more than good enough Motorola build with a chip name of MC68010P8. RS can be reached on ☎ 0536 204555 or by post at ElectroMail, PO Box 33, Corby, Northants NN17 9EL.

If you shop around you should be able to get 68010s for as little as £10-12. **TS**

SPECIAL ASSIGNMENT



There are several things I would like to be able to do with icons – I hope you will be able to explain how to:

- Add assigns to an icon.
- Ask for input of a filename in a script or from an icon.
- Change the pointer but not the main Prefs settings.

I do have some other questions. First, what is the point of using diskcopy or even copy from the CLI? Also, do you agree that most coverdisks, PD disks and such like, should not have a full Workbench on them all the time? When I buy a disk like this, I always feel that I have been conned or that my intelligence has been insulted.

And finally, how's about some tips and tweaks for **Sid** and **Opus** users? You could ask for user's tips, and list the errors they get – for instance, why do I keep getting "Object in use", which means I can't delete?

Des Handley
Barking
Ilford

Unfortunately, Des, your questions were rather difficult to read, so I'm afraid I will have to improvise a little where necessary.

- To add assigns to an icon, simply create a script file, using **Ed**,

for instance, saying **Assign CGfonts: dh0:ProPage/CGfonts**. Place this file in the directory where you want its icon to be. Next, create a project icon for it, and using 'Information' from the menu, add **C:iconX** to its default Tooltype.

b) This all depends on the particular context you are referring to. I presume you would like to input and store filenames as variables, so they can be processed by another command later on.

In the case of the following example, the script asks you for a the name of a file, which it later displays on the screen:

.key file

```
if "<file>" EQ ""
skip askfile
endif
```

```
if exists <file>
type <file>
quit
else
echo "File does not exist!"
quit
endif
```

```
!ab Askfile
echo "Please Enter Filename."
echo "file:" noline
execute >nll: J
sys:scripts/fileEntry ?
```

This short AmigaDOS script works by setting up a key variable for the filename. The first time the script is executed, a prompt appears for the input of the filename as no arguments are specified. The whole program is executed again, this time with the ? parameter, which asks for arguments to be passed into the script. After entering the file name, which is the key variable **<file>**, this is acted upon by 'typing' the file. An error detection facility is incorporated which finds out whether the file exists or not.

c) Changing the pointer without changing the main Prefs settings is done by loading 'pointer'. You can change the pointer as you wish and then exit to the main Prefs menu and save. No changes are made to the other settings.

Good uses for Diskcopy function may not be immediately obvious, but you'll find that it is handy from the CLI when you want to enter the FFS (Fast file system) option or just do a Quick format without Trashcan icons.

Workbench is placed on most PD disks so that those without hard disks can easily access the contents without having to load up their own copy of Workbench. It is also often necessary to execute various commands in the startup-sequence that are related to the software contained on the disk. **WR**

JARGON BUSTING • JARGON BUSTING

Accelerator board – a device which either includes a central processor like the Amiga's, or a more advanced one in the same range, but operating at a higher speed. An accelerator is useful for calculation-intensive applications, such as 3-D rendering.

MIDI – Musical Instrument Digital Interface is a standard devised by electronic instrument manufacturers, allowing a number of synthesisers to be controlled by a single keyboard or sequencer.

ROM – Read Only Memory is used to store essential programs, such as Kickstart and many of the library routines. These do not have to be re-loaded each time the Amiga is switched on because ROM retains its contents without power. No new information can be written to ROM, hence the name Read Only.

Script – a meta-AmigaDOS command built from other AmigaDOS commands. More usually referred to as a batch file on other systems.

Sequencer – a piece of software which stores musical scores and transmits this information in real time via MIDI to synthesisers which will then play it.

SCAN BY YOUR MAN



In your PD section, I have noticed that you are giving an increasing amount of coverage to disk magazines. I would like to make one of these myself which I could hand out to my friends. Would *CanDo* handle the job or is there a PD program available designed specifically for this task?

Also, I am thinking of buying a black and white hand scanner. Which would you recommend? I understand that the Power Computing hand scanner is worth considering.

Mark Reeves, Slade Green, Kent

CanDo will do the job, but you're probably better off with a very-impressive PD disk magazine authoring system called *Magnetic Pages*. It's geared entirely towards the task of producing disk magazines, so you'll probably find it much easier to work with. It's on Fish disk 684.

As for the hand scanner, the one that I personally recommend (and I know that our DTP Editor, Jeff Walker, would agree with me on this) is the *Power Scanner* from Power Computing – see page 64 of this issue for a review of the very latest colour version. **JH**

I'D THINK TWICE



I am now a happy owner of a new Amiga 600HD, but I have a serious

problem! My old 500 Plus had a SCSI disk of 105Mb and now they say I can't connect a second hard drive. Commodore say that theoretically it can have two IDE drives but you need to open the machine and have a connection lead outside the case somehow.

Can this be done? If so, how? By the way, how do you connect a second SCSI drive? The reason I ask is because SCSI drives how have removable cartridges which I think is pretty neat – but IDE drives seem lacking in this area.

Freyr Njardvik
Egilstadir
Iceland

Connecting two IDE drives to any computer is a painful and often pointless exercise. SCSI drives are relatively compatible – you can link up to seven different devices to one controller, but with IDE you have all sorts of weird jumper settings to set on each drive, and some drives won't work with drives from a different manufacturer.

The other problem with the Amiga 600HD IDE is that it is a 2.5-inch IDE connector, which is not the same as the standard 3.5-inch IDE connector found on most 3.5-inch IDE drives. So, adding a second external IDE drive to an Amiga 600HD is extremely difficult.

Adding extra drives to a SCSI controller is simple. You just set the SCSI device number on the new device and link the device to the external SCSI port on your computer. There are IDE removable cartridge drives, including an IDE version of the popular Syquest 44Mb and 88Mb cartridge drives, although again these will be difficult to link to an Amiga 600HD. **JR**

32-BIT BOPPER



I am currently considering the purchase of an Amiga A1200 and I would

be grateful if you could clarify some areas of its specification and expansion capabilities.

a) From your article in the December issue, I understand that the A1200 runs approximately four times faster than an A500. What exactly are the practical advantages of this, bearing in mind that the A1200 has a more demanding operating system?

b) Since the A1200 is based on a 32-bit processor and full 32-bit architecture, will it require expensive 32-bit RAM chips? The current PCMCIA RAM expansions for the A600 seem rather expensive so it would be nice if the A1200 could accept internal RAM ones.

c) I understand the A1200 has 2 Mb of RAM as standard. Does this mean it has 1Mb of Fast RAM and 1Mb of Chip RAM?

d) What capacity floppy drive does the A1200 have? Does it use a standard 880K unit or the far superior 1.76Mb units to be found in the A4000?

e) Is the A1200 compatible with hard drives for the A600?

f) If I buy an A600 IDE drive separately, will I receive all the necessary software that I will need to format the drive?

g) Could you please tell me about *Deluxe Paint 5*?

David Lambert
Garrowhill
Glasgow

a) Having a faster computer is like having a faster car – you get where you want to go faster or, in the case of the A1200, you get what you want faster. The A1200's faster processor and 32-bit architecture speeds up virtually every aspect of the Amiga including the Workbench. Once

you've used an accelerated Amiga, you'll never want to go back to a 68000-based one.

b) To get the A1200 to run at full speed, you will need 32-bit RAM chips, though it can also use 16-bit RAM in the shape of a PCMCIA RAM card. I don't see how you can claim that a PCMCIA RAM card is expensive – a 4Mb PCM card can be bought for under £200!

c) The A1200 has 2Mb of Chip RAM. However, any more RAM that you add to the machine will be treated as Fast RAM.

d) Unfortunately, the A1200 still uses the same 880K disk drives that you'll find in the A500 and A600. Commodore had planned to fit the machine with a high density disk drive, but this would have bumped the price up quite substantially.

e) The best way to answer this one is to direct you to this month's cover feature on IDE drives, which you can find by turning back to page 14. However, I will make the point that, when they appear, you'll also be able to use A600 hard drives that connect to the machine via the PCMCIA slot.

f) Not usually, although you could try asking the supplier for the necessary software when you buy the drive. Once again, this month's cover feature has a lot of further details on this topic, and you'll also be interested in the news story on AmigaDOS Release 2.1 on page 7.

g) As far as I'm aware, there's no such thing as *Deluxe Paint 5*. What you are probably referring to is *Deluxe Paint 4.2 AGA* which provides direct support for the new AGA chip set. Electronic Arts demonstrated this to us lucky journos at the recent launch of the A1200 and from what I've seen, it's one hell of a program. Boasting a proper Workbench 3.0 user interface and full support for the A1200's new screen modes, it should be available by the time you read this. Keep your eyes peeled for a full review soon... **JH**

THE WAY TO DTV



For some time I've been involved in home video production –

holidays, weddings, anniversaries, and so on – and compiled my own captions and titles using *Letraset*, stencils, cutouts and the like. Now I want to go the whole semi-pro hog and use a computer to assemble editing, captions, titles and animations. I would like to be able to wipe, dissolve and fade these over live video.

However, trying to obtain information on 'Desktop Video' from local retailers is like trying to get someone to explain how to make a hydrogen bomb! So I'm hoping that

you will be able to point me in the right direction in the following areas, bearing in mind that I have a budget of £1000 to £1500 and a Sony V700 camcorder, Panasonic NV-FS88B S-VHS recorder, Sony KV2532 S-VHS TV and audio dubbing mixer for video equipment. My questions are as follows:

a) Which computer should I buy – an Amiga 600, Amiga 600HD, the new A1200 or something else?

b) What sort of genlock (if any) do I need?

c) What else do I need for assemble editing?

d) What software should I buy for painting and graphics?

e) I also have a Sony 14-inch TV. Will this be OK for use with the Amiga or will I need a specific monitor instead?

Being a complete novice I have probably left out some items which you may consider essential, so feel free to correct me.

I am also concerned that if I buy from a mail order company I may be sold 'grey import' equipment which is not genuine and has doubtful warranty cover. But it does appear that buying computers and software is much cheaper by mail – so will I be safe?

Mr G White
Coventry

I'd tend to go for the new A1200 for a number of reasons – the new screen modes for one, the latest operating system for another. You'll probably want to add a hard drive at some stage but until you are proficient with your computer you could possibly wait. Mind you, hard drives are extremely useful, and if you do decide on buying one go for the biggest you can afford – and definitely larger than 40Mb. However, I would recommend adding at least 2Mb of extra memory immediately. If you don't have a hard drive you will find a second floppy drive handy, but not necessarily essential.

A genlock will definitely be indispensable if you wish to overlay titles and graphics onto video. You'll need one with S-VHS capability and at this stage I'd recommend the Electronic Design Y-C genlock (as reviewed in *Amiga Shopper* Issue 9). Another possibility is the new G-Lock from GVP, which was being demonstrated at the Future Entertainment Show at the end of last year and looked pretty good, though I've not had chance to take a close look at one yet. Both these genlocks also have composite inputs, among other features.

There are several editing systems available, including Gold Disk's *Video Director*, EMR's *VideoPilot* and Syntronic's *EditMan*. All work differently and cover a range

of prices. Perhaps the *Video Director* may be a good choice for you, but check first that it will work with your equipment. Jessops sell the *Video Director* and, as luck would have it, have a branch in Coventry, so perhaps that might be a good place to start.

The first choice has to be *Deluxe Paint IV*. For graphics, animations and titles it's hard to beat for all-round performance and should suit most of your needs well. For scrolling captions there is *Big Alternative Scroller* – a new version of which has just been released. These programs will provide a fine start and you may later consider something like *Broadcast Titler 2* (though you should wait until it works with the new AGA chips in the A1200).

Yes, your Sony will probably do fine as long as it has at least a composite video input, and especially if it has a SCART input for RGB or will take S-VHS video. However, a dedicated RGB monitor will provide crisper graphics images, so perhaps you should consider a Philips 8833, Commodore 1084S (or similar) monitor.

That's about it, so you'll be pleased to see that you weren't too far off the mark yourself.

In answer to your last point, if you are really concerned about being fobbed off with a grey import (which is pretty unlikely if you use a reputable company) make sure that the firm you buy from is a member of the *Mail Order Protection Scheme* (MOPS) and, if possible, pay by credit card to gain some insurance and refund cover. You'll find more information on ordering goods in the back of every *Amiga Shopper* (page 136 in this issue). **GW**

1200 COMPATIBILITY



Please could you print this, because I am a desperate man! I have three

questions to ask:

a) Is it possible to connect my 120Mb A530 to an Amiga 1200 in any way? I have read that someone will be bringing out a SCSI II PCMCIA card, so will a lead go from this to the SCSI port on the GVP?

b) If that works, would the A1200 be able to detect the RAM in the A530?

c) Lastly, if none of that works, is there a way of linking the A500 Plus to the A1200 so that the A1200 can store files on the GVP A530? I have asked the following questions because I don't want to sell the A530, and I was about to buy a DCTV for all those colours, but why bother when the Amiga 1200 has them already and is the same price?

**Mr GM Read,
Woodlands Vale
Scarborough**

a) No. Well, not really. Sort of. You could connect the drive if the A1200 had a SCSI port, which it currently does not. If someone bought out a PCMCIA SCSI card, you could attach the drive, but not the entire A530.

b) You cannot use the 68030 in the A530, and the RAM is useless unless someone comes out with an A1200 memory expansion board that takes the same RAM modules. Your best bet, to be honest, if you really want a A1200 (and it's a wonderful machine) is to sell the A530, and get the A1200. You will suffer some loss of speed, and you will be forced to buy an IDE hard drive which is slower

than SCSI. Alternatively, wait for a few months and see what peripherals everyone comes out with for the A1200 – this may make the transition from your A500 Plus to the A1200 slightly more attractive.

c) You could link the two using some PD software called *ParNet*, which involves construction of a strange cable that connects two Amigas together using the parallel port. It is reasonably fast, and can be quite useful. **TS**

PROWRITE CRASHES



After creating a document with ProWrite I select Print from the Project menu. That requester appears, then the program crashes with the following message: "Program failed. Wait for disk activity to finish. Suspend or Reboot."

Rebooting is a real pain as my document is lost, unless I remember to save it.

The same error happens if I select Page Set-up from the menu. Sometimes the program doesn't crash – one out of three times perhaps. Is ProWrite V3.0.1 not compatible with the Amiga 500 Plus and Workbench 2? And what is the Suspend option for in the Program Failed requester?

**Peter H Smith
Chorley
Lancs**

That version of *ProWrite* is quite old. In our word processor round-up way back in Issue 6 we were using V3.1.1. *ProWrite* is now much enhanced, and up to version 3.3. I suggest that upgrading to this latest version will get rid of your problem.

The 'Suspend' button suspends the task that has crashed but allows you to continue using the Amiga without having to re-boot. This is useful if you're multitasking with a lot of memory and want to finish off some work you are doing in another program before hitting [Ctrl]-[Amiga]-[Amiga]. **JW**

STARTING WITH C



I've just started to program in C and when using the NCBBoot disk that you showed us how to create I always run out of disk space. How can I save programs to another disk? How can I add icons to programs so that the programs work when I click on the icon? How can I make a program execute automatically, when my Amiga boots up?

**Amiga Shopper Reader
Tyne and Wear**

Sounds as though you are creating files on the *NCBBoot* disk itself. If you

type 'cd ram:', so that you can edit and compile all your programs in RAM, then your "disk full" problem should disappear and you will be able to copy those RAM files anywhere you wish. If, say, you place a disk in drive df1: and type:


copy ram: to df1:

then you'll copy all of your RAM files over to the disk you've placed in drive df1:.

To make a program runnable from the Workbench you need to link it with a piece of code called a 'startup module'. This takes care of the somewhat tricky message-handling operations that have to be carried out by Workbench programs before they run. C startup code usually does a few other things as well such as opening the DOS library and setting up the standard input and output streams (the so called input/output handles). You'll find *NorthC's* startup module *crt0.o* in the *libs* directory but you should note that, depending on a program's I/O requirements, it may not always be able to run from the Workbench. Programs which run from the Workbench do not have valid stdin/stdout handles and so a program which, say, uses the *printf()* statement, could crash the operating system if run from the Workbench. Some startup code modules open a CLI/Shell window and set up stdin/stdout handles automatically to protect against this type of program failure.

When the Amiga boots up it automatically executes a set of the commands specified by a file known as the 'startup-sequence'. To make your own program start automatically all you need to do is add the program's name to the list of commands given in your startup-sequence. **PAO**

MAKING LIGHT WORK



Occasionally when switching on the computer, without a disk in the internal

drive, the drive light comes on and the drive starts working. On other occasions the drive does not check when a disk is inserted, and nothing happens. The same happens with all peripherals disconnected. 60% of the time the drive works normally. Is there a fault in the internal drive or is the problem more serious?

**H Osborne
Stynechale
Coventry**

It sounds like the switch on the disk insert line on your floppy drive is faulty. This will probably require replacement of the drive unit. **JR**

This month's Code Clinic appears on page 50

EXCELLENT - NOT!



Armed with my student loan and a list of items your magazine had reviewed, I headed for a computer show and saved a lot of money.

I bought a Power Scanner, Excellence 2 and a Canon BJ-10ex printer. Some five days later my IBM-owning friend was green with envy when I showed him my aerospace assignment on-screen.

But when I attempted to print it... disaster! The page numbers I had inserted into the footer of each page would not appear, and at times the last four sentences were missing, even after checking that the assignment was aligned perfectly on the screen.

As a last resort I had to pencil in the page numbers. Apart from being tacky, this cost me in overall presentation grades in my four assignments.

Aymen Mussad, London

The BJ-10ex, like many cut sheet printers, insists on keeping half-an-inch at the top of each page and half-an-inch at the bottom for itself, so that it can feed the paper in and out of the printer. Things are going missing and getting out of step because after the printer feeds out the paper (which it has automatically recognised as being half-an-inch from the bottom) it has to print the remaining text on that 'screen' page on the next sheet of paper.


Reduce your page size in *Excellence* by an inch (six lines), and keep in mind when setting top and bottom margins that there will already be half-an-inch at the top and bottom to start with. So if you want an inch top margin, set it to half-an-inch in *Excellence*. **JW**

Read just about any article on programming in *Amiga Shopper* and you'll find a recommendation for

Addison Wesley's *ROM Kernel Reference Manuals* (often abbreviated to *RKM*). The reason is simple: they contain all the information you need to know in order to program the Amiga properly. Let's take a look at the latest editions, updated to take account of Workbench 2.

AMIGA ROM KERNEL REFERENCE MANUAL - INCLUDES & AUTODOCS

This volume contains details of all of the Amiga's include files and function autodocs. It also contains a host of other useful items.



The first section provides the library summaries and it must be said at the outset that this material is essential for the serious Amiga user, because it contains details and usage instructions for every routine in every library. Function descriptions

are organised alphabetically, library by library, with an alphabetical function index making it easy to find your way around.

Afterwards comes the devices section, containing summaries of the device calls and so on. This is followed by the disk/cia/potgo and miscellaneous resource summaries, after which comes the very hefty C and assembly language 'include' file listings. This volume also includes the source code for a sample library.

Plenty of reference charts are provided, giving details of the libraries and their function offsets, assembler include file structure prefixes, and structure offset reference details. There's also a hardware register map and a C include file cross-reference table.

AMIGA ROM KERNEL REFERENCE MANUAL - LIBRARIES

This begins by providing a massive introduction to Intuition, the library which provides the Amiga's high-level programming interface. It covers the

use of screens, windows, gadgets, menus and so on from the programmer's viewpoint. Because Intuition has changed so much with Workbench 2, there is a lot of new material to be found here (including the use of public screens, the object-orientated BOOPSI Intuition extensions, GadTools and the ASL file requester).

As well as these major system additions you'll find details of the other system changes that have occurred. As some of you may already know, a lot of the Intuition structures and flag definitions used in earlier versions of the operating system have now changed, and consequently a wealth of detail concerning the new extensions has been provided.

Overview-style discussions of how Commodore has attempted to make many of the extensions transparent to 1.3-based programmers are given together with a lot of useful guidelines for

concepts this stuff is still, as it has always been, hard work when first encountered (even for experienced programmers).

Libraries is also the volume in which you can get authoritative details of the Amiga's superb graphics facilities. As well as general introductions you'll find accounts of such things as the Amiga's display modes, image formation, viewport creation, and so on, and very detailed accounts of sprite handling, Bobs, and the use of the system's animation facilities.

Although the Intuition, Exec and graphics material constitute a large proportion of this volume the other libraries are not forgotten. As well as providing details of all the libraries carried over from 1.3 (layers, translator, maths libraries and so on) there are new chapters on the Commodities Exchange library (used to create standardised custom input handlers), the IFFParse library and the Utility library which houses a variety of functions (such



programmers that need to work with both the old and new Amiga operating systems (which at the moment of course means the majority of us).

It's worth mentioning that, from the point of view of the applications programmer, Intuition is actually one of the simpler components of the Amiga system to get to grips with. There are plenty of examples supplied in this volume (mainly in C) and the material is, in general, relatively straightforward to understand - this makes the early chapters of the Libraries volume some of the most accessible to the serious Amiga newcomer.

Hidden beneath the Amiga's Intuition interface lies some very complex software components. One such component which both merits, and gets, special attention is the multi-tasking 'Exec' system. Topics covered include the use of Exec functions, lists, library organisation, message passing, interrupts, and Exec's I/O techniques. Most of the Exec material is of course based on that found in earlier editions, but there is now a very good introductory section which includes discussions of the amiga.lib stub routine mechanism, expanded explanations of library layouts and LVO values and so on. All of the main Exec topics are carefully dealt with but because many of the issues involve difficult

as Tag List operations and callback hooks) that don't quite fit in anywhere else.

This manual certainly provides an immense amount of up-to-date, useful material but it is also obvious that the documentation itself is maturing nicely: improved layouts, better examples, more notes about what programmers should and should not do, snippets of 'inside information', and in general far more help. There even seems, in some places at least, to be an attempt to 'soften' the style slightly - this might just be the effect of the passage of time on the core documentation or it might be a deliberate attempt to make some of the material more accessible to newcomers. Either way it is a very welcome change! It was nice also to read the odd notes about some 1.3 bugs which have come to light (and how they've been fixed) and I particularly liked the Release 2 compatibility notes that have been provided - these include details of some of the tricks used by 1.3 programmers that are now causing some programs to break under version 2.

AMIGA ROM KERNEL REFERENCE MANUAL - DEVICES

This is another area of the documentation where the material has both grown and matured relative

JARGON BUSTING • JARGON BUSTING

Function - This is a C orientated term used to describe a subroutine-like piece of code.

Include file - Files of predefined constants, data block definitions, macros, and so on, that may be 'included' at the front of a source code file using a special directive. When the program is compiled these additional files are read in and used just as if they had been written as part of the source code itself.

I/O - An abbreviation for 'input/output' and can involve absolutely anything which is concerned with getting data into, and out of, a computer.

LVO - This expression stands for Library Vector Offset. Basically these are index values which allow you to specify a particular function within an Amiga library.

RKM - An abbreviation for 'ROM Kernel Manual'

Structures - These are C language complex variables which are frequently used by the Amiga programmer to define blocks of data (the Amiga system include files contain many pre-defined structures).

to earlier publications. The manual starts with a good general introduction to the Amiga's devices and their communications methods and this is followed by separate chapters which document the use of those all-important Amiga devices, namely the audio, clipboard, console, gameport, input, keyboard, narrator, parallel, printer, SCSI, serial, timer and trackdisk devices. There is a chapter on the low-level hardware control functions and on the Interchange File Format (IFF). The IFF sections are now quite comprehensive and include useful introductory notes on the EA IFF 85 document, and details of Form specifications. The graphics, music/sound-sampling, and all the other IFF areas are well covered as are many third-party registered Form definitions and there are good selections of code examples and good levels of tutorial-style help.

The good thing about the Amiga's device concept is that it aims to make the whole job of I/O as


playfield hardware and its relationship to the Amiga's display facilities. The Amiga's sprite hardware, audio hardware, and the now famous 'blitter' chip all get a similar detailed treatment with the last two chapters being used to

Intuition style and consistency together with notes on Workbench, Shell, ARexx, the clipboard IFF data sharing scheme and related issues. It's a subject area which is probably of most interest to commercial developers who wish to ensure that

confusion in these two operating system areas.

The technical documentation available for the Amiga nowadays is massive, but while many good tutorial introductions to various areas of the Amiga programming are readily available, the Addison Wesley manuals are particularly important.

Firstly, they constitute the *official* documentation. Secondly, they provide the most complete descriptions of the Amiga software system generally available. This is not to say that other good Amiga programming books do not exist, because they do, but there's no doubt that at the end of the day it is the Addison Wesley manuals that provide the most authoritative and complete accounts of this complex system. If you're serious about programming, you need them. **AS**



of the matter

'device independent' as is possible. Now, given the widely differing characteristics of most typical physical devices (printers, disk drives and so on) these ideas can only be taken so far but there's no doubt that, despite the fact that each device will have its own special characteristics, a lot of common ground exists with all of the Amiga's devices. This means that this is another of those Amiga areas where, with a little dedication, it is relatively easy to make rapid progress.

AMIGA HARDWARE REFERENCE MANUAL

After a brief introduction this volume dives straight in with a look at the Amiga's co-processor unit, its instruction set, and its use. This sets the scene for a discussion of the

Paul Overaa takes a look at the official documentation for the Amiga system. Read on...

describe the remaining aspects of the Amiga's system control and interface hardware.

If you like to get your hands dirty, if in other words you have to understand and program the Amiga at a low level, or if you want to know how to achieve things like smooth scrolling, then the *Hardware Manual* is the place to look.

AMIGA USER STYLE INTERFACE GUIDE

This volume is more about user interface issues than coding. The volume provides basic advice on

their products follow established guidelines, although there's no doubt that all Amiga programmers would benefit by knowing something about these style-related issues.

FINAL CHAPTER

It is obvious that a tremendous amount of effort has gone into this new documentation, and equally clear that any programmers working with Workbench 2 are going to find these new volumes absolutely essential.

The new manuals still contain a lot of information relative to the 1.3 operating system release but I suspect that many serious users, irrespective of whether they buy the new manuals or not, are still going to hang on to their old 1.3 editions as well simply because the relevant 1.3-orientated information is going to be easier to find in the old manuals. Having said that I ought to point out that the *Includes & Autodocs* function descriptions clearly specify which functions are relevant to which versions of particular libraries. Similarly, it is apparent that a special effort has been made with the other volumes to minimise any potential

CHECKOUT AMIGA REFERENCE MANUALS

Ease of Use

●●●●○

Topics are well covered and well indexed but obviously a lot of material requires the programmer to have a good computing background. Newcomers to the Amiga will find these manuals rather daunting in places.

Features

●●●●○

They're authoritative, and very comprehensive. No other Amiga books contain anything like the amount of system information that these official manuals contain.

Price Value

●●●●○

Despite the fact that these volumes are expensive they really do contain an immense amount of useful material.

Overall rating

●●●●○

Serious Amiga programmers simply cannot do without them.

SHOPPING LIST

Amiga ROM Kernel.....£34.95
Reference Manual - Libraries
ISBN: 0-201-56774-1
Amiga ROM Kernel.....£25.95
Reference Manual - Devices
ISBN: 0-201-56775-X
Amiga ROM Kernel.....£34.95
Reference Manual - Includes &
Autodocs
ISBN: 0-201-56773-3
Amiga Hardware.....£25.95
Reference Manual
ISBN: 0-201-56776-8
Amiga User Interface.....£19.95
Style Guide
ISBN: 0-201-57757-7
All books are by Commodore-Amiga Inc
and published by
Addison-Wesley

YOU CAN'T RUN AWAY FROM C

The majority of serious Amiga programming books, including the Addison Wesley *RKM* manuals, have been written with the C programmer in mind and even where topics have involved 68000 assembler you'll usually find some dependence on C-style explanations. The bottom line is that without some exposure to the C language, 95% of the wisdom of books such as the *RKM* manuals will pass you by.

The solution? No matter what language you really want to program your Amiga with... you *must* also learn some C just to come to terms with the technical documentation!

Award winning innovative products from

A2000 Hard Cards

GVP Series 2 HD

- Up to 8MB SIMM RAM on-board
- Supports external SCSI devices
- 14MHz SCSI controller

Bare	£129
40QMB 0MB	£249
80QMB 0MB	£349
40QMB 2MB	£299
80QMB 2MB	£399
40QMB 4MB	£349
80QMB 4MB	£449
40QMB 8MB	£429
80QMB 8MB	£539

Nexus Hard Card



- Up to 8MB RAM on-board

Bare	£129
40QMB 0MB	£249
80QMB 0MB	£349
40QMB 2MB	£299
80QMB 2MB	£399
40QMB 4MB	£349
80QMB 4MB	£449
40QMB 8MB	£429
80QMB 8MB	£539

Bare SCSI Hard Drive

40 Quantum	£179
80 Quantum	£229

(Suitable for GVP G-Force, GVP HD or Nexus HC)
Other sizes of HD available, please call

RAM Expansion

- Aries A1500 / A2000 RAM

2MB	£129
6MB	£209
4MB	£169
8MB	£249

Macintosh Emulator

"This really is the best emulator we've seen for the Amiga. It behaves just as if you really were using a Mac"

Amiga Format Sept 1992

AMax-II Plus

- Amiga 1500 and above
- Runs Mac software
- Runs System 7
- Full support for all SCSI Mac peripherals and the ability to read Mac disks in your drives
- 68020/68030 compatible
- AppleTalk emulation
- Can use Amiga ECS
- Easy to install



AMax-II Plus	£229
--------------------	------

(Mac ROM chips required)

24-Bit Colour

OpalVision

- 24-bit graphic card
- 16.8 million colours available
- Operates in all standard Amiga resolutions
- VLSI Microcode graphics co-processor
- Double buffered 24-bit and 15-bit animation is available in all resolutions
- 'Palatte-mapped' design updates screen colours in real-time. Fade pictures in and out and change their palettes
- Equipped with 1.5MB of display RAM
- Auto-config for NTSC or PAL
- Available for all Amigas

Software included

OpalPaint

- 24-bit painting and image processing

OpalPresents

- Presentation program
- Control OpalVision images, Amiga graphics and live video
- Includes fades, effects etc.
- Many more features

King of Karate

- 24-bit computer game
- Exciting karate competition
- Demonstrates OpalVision capabilities

OpalVision£699

More information available
OpalVision roster chip available soon

Auto ROM Sharer

- Kick-off is the latest Amiga add-on from Power
- One of the most advanced kickstart ROM sharers available
- A clever design on a small reliable board
- Fits A500, A500+, A1500
- Kickstart ROM can be selected from the keyboard
- No messing about with switches
- No "CIA adaptor" or other trailing wires
- Jumper to select which ROM boots on switches
- Compatible with old Amiga board revisions
- Simple internal fitting*

* Kick-off requires the lid to be removed from the Amiga. This may invalidate your warranty.

ROM Share	£17.95
ROM Share inc. kickstart v2.04	£55
ROM Share inc. kickstart v1.3	£39
ROM Share for A600	£29

Optical Hard Drive



- Manufactured by Power Computing
- 128MB on one optical disk
- Read and write optical disks
- 40ms running speed
- Built-in power supply
- High power cooling fan
- 25-way and 50-way SCSI ports
- Thru'port built-in
- SCSI ID switch
- Compatible with major SCSI controllers

128MB optical drive (Internal)	£729
128MB optical drive (External)	£999
128MB 3.5" optical disk	£39.95 each
SCSI controller card for A1500 / A2000	£129

(Compatible with Amiga, PC, and Mac. A SCSI controller is required on the Amiga and PC)

Commodore A1500

- 1MB of RAM
- Two 3.5 internal disk drives
- Fully expandable, accepting all A2000 peripherals
- Keyboard and mouse
- Software included
- The Works Platinum Edition
- Delux Paint III
- Home Accounts
- Puzznic game
- Toki game
- Elf game

A1500£599

Accelerator

GVP G-Force

- 68030 accelerator board
- 68882 Maths co-processor
- DMA SCSI controller on-board
- 68000 fall-back mode
- Only CPU slot is used
- Internal and external SCSI connector
- Converts to hard card with Hard Drive mount kit
- 32-bit RAM as standard

25MHz 1MB RAM	£529
40MHz 4MB RAM	£759
50MHz 4MB RAM	£1249
Hard drive mount kit	£35

Scanners

"If your in the market for a hand scanner then forget the rest and get Powerscan"

Amiga Format July 1992

Power Scanner v3.0



- 100-400 DPI scanning resolutions
- 64 greyscales
- Thru'port for printer
- Award winning editing, image manipulation & scanning software

Power Scanner v3.0£99
Power Scanner Colour£239

Epson GT-6500



- 600 DPI Colour flatbed scanner
 - 24-bit colour
 - Software included
- GT-6500 inc. Powerscan v3.0£799
GT-6500 inc. ASDG Software.....£899
Transparency Adaptor Unit.....£499
Document Feeder.....£399

Epson GT-8000

- 800 DPI colour flatbed scanner
 - 24-bit colour
 - A4 reading area
 - Software included
 - Amazing scan quality
- Epson GT-8000£1199

Upgrade Offers

If you consider your scanner system to be inferior to the Power Scanner, we will happily upgrade your software and interface. (Power Scanner is compatible with most scanning heads)

v3.0 Upgrade (inc. interface).....£49.95
v3.0 Software upgrade for PowerScanner users (send SAE)£15

The Amiga can only display 16 greyscales

Floppy Drives

"This drive contains more gadgets than Batman's utility belt"
Amiga Computing Feb1992

PC880B Power Drive



- Award winning drive manufactured by Power Computing
- Super slim design
- Anti-click (Cures that annoying click)
- Virus blocker (Prevents viruses)
- Built-in backup hardware

PC880B with Blitz Amiga£60
PC880B with Blitz & XCopy£75
PC880B (Cyclone compatible)*£65
PC880B in black case£65

*This drive is only available to registered owners of XCopy Professional. You must provide proof of purchase of XCopy Professional

Power Drives

PC880E Economy drive£49.95
PC881 A500 Internal drive£40.00
PC882 A2000 Internal drive£45.00

Dual Drive

- Two high quality disk drives built into one compact unit
- Same features as PC880B

Dual drive£125

Blitz Amiga

- Backup disks at lightning speeds
- Stops all external drives from clicking
- Contains anti-virus from being written into the bootblocker


Blitz Amiga£20

Floptical Disk Drive

- Stores 20MB on one 3 1/2" disk
 - Cost effective mass storage unit
 - Can be used as a 1.44MB floppy with Amiga DOS and AMAX
 - AMAX compatible with DMI Mac driver
 - Packs an entire back-up onto one floppy
 - Additional disks available
 - Internal version for A1500/2000/3000
 - External version for A500
 - SCSI Interface required
- Internal A2000 kit£289
Internal A3000 kit£289
External A500 kit£389

RAM Expansions

A600 Memory Cards



1MB RAM with clock£39.95
1MB RAM without clock£34.95

PC501+ RAM Card

Our RAM board is designed especially for the A500+ computer and comes with 1MB of RAM on board to expand your memory to 2MB of chip RAM. Plug-in and go operation (Fits into the trapdoor)

PC501+ RAM card£35.95

8MB for any A500

- Plugs into side slot, fully auto config, full thru'port. Expand 2MB-8MB

2MB £109 4MB £169 8MB £289
1 x 4ZIP chips£14.95

2MB for any A500

- Economy 2MB RAM externally cased
- 16-chip (1 x 1 DIP)
- No thru'port

2MB RAM£79

1.5MB RAM Board

- Fully supports 1MB of chip RAM
 - Fully compatible with Fatter Agnus
- (Kickstart 1.3 and above, not compatible with A500+)
(Your Amiga needs to be opened, this may effect your warranty)

1.5MB RAM board£75

1MB with Thru'port

- Expand your A500's memory up to a total of 2MB without disposing of your existing 512K upgrade
 - Works with 1MB of Chip RAM
- (512K RAM must be 4 chip type or not exceeding 9cm in length)
(Your Amiga needs to be opened, this may effect your Warranty)

1MB with thru'port£45

A500 RAM Card

- 512K RAM expansion with clock & free software (A500+ compatible)

512K RAM (4 chip)£29
512K RAM without clock£24
512K RAM (16 chip) with clock£24
512K RAM (16 chip) without clock£19

POWER

Award Winning Manufacture
Power products come with
full technical support

Order Form

Name

Address

Postcode

Tel. No.

Description

Credit Card No.

Expiry Date

--	--	--	--

Signature

I enclose cheque/PO for
£

Tel 0234 843388
Fax 0234 840234

Power Computing Ltd
Unit 8 Railton Road
Woburn Road Ind. Estate
Kempston Bedford
MK42 7PN



Established 1985

Specifications & prices
subject to change with out notice
All trademarks acknowledged, VAT included

48Hr delivery £2.50
24Hr delivery £4.50
Parcel post delivery £1
(UK mainland only)

Program Name: timer.s
Language: 68000 Assembly Language
Problem: Measuring time accurately
Author: M Saunders, Doncaster

CODE CLINIC

In this month's code clinic, I'm going to fix a few problems in a short routine which measures time, and in doing so, totally re-write it from scratch. The program uses the vertical blank timer to count in 50ths of a second, waiting until a specific amount has been counted. It takes the form of a routine called 'waittime' and takes one parameter, in the 68000's register D0, which is the number of 50ths of a second to wait. The way it does this is a little dodgy, which brings us to the bug in the program: it does not work reliably. The author has even had disk corruptions as a result of using it and is confused as to why.

The root of the problem is in the first few lines of the routine:

```
waittime:
    movem.l d0-d7/a0-a6, -(sp)
    lea    level3, a0
    move.l a0, $6c
    move.w #8020, $dff09a
    ...
```

Quite why this works at all is beyond me. The Amiga operating system (OS) is extremely complicated, and

relies on the interrupt system to operate correctly. What this code does is remove one of the OS's vital blood vessels, wait a while, plug it in again and expect it to still be alive. This will not work. You must ask the OS for access to the VerticalBlanking interrupt, by calling a special **exec.library** routine called **AddIntServer** – this will add a routine of your specification to the interrupt chain. You can have the top priority if you wish, and then your routine will be called every 50th of a second. This way, the rest of the OS also continues to operate.

A far preferable solution is to use the **timer.device** in the Amiga to wait for times, as in this month's listing. This co-operates with the OS in every way, and will measure times far more accurately than the interrupt system. The timer device is multi-tasking, and can be asked to "get on with the timing while I do something else, and let me know when my time's up".

GENERAL OBSERVATIONS

1. You have accessed the interrupt system with:

```
move.l a0, $6c
```

This is very naughty, for two reasons. The first is that you should never access any of the 68000's vectors, ever. The only memory location you're legally allowed to touch in the Amiga other than the custom chips (and only then if you've asked the OS) is \$0004, the **ExecBase**, and you're only allowed to read from it. Accessing the vector tables will cause unreliable system operation, and possibly crashes and data loss.

The second is that from the 68010 and above, the vector table can be moved with the new VBR register. A lovely side-effect of this is that the entire table can be moved to 32-bit Fast RAM. Well, it could in theory, but Commodore have been unable to do this because too much software crashed because it accessed fixed locations as in the above example. If you must use interrupts, **AddIntServer/Handler** and **RemIntServer/Handler** will allow access to them.

2. You push lots more registers to the stack than you actually use:

```
movem.l d0-d7/a0-a6, -(sp)
```

Your entire routine uses a0, a1, d0 and d1 to operate. Pushing data to the stack is a slow process – for fast efficient code, it's best to only push registers you are going to use.

3. In terms of general technique, there are a couple of things you could have done to make your code quicker and more compact. Although I would recommend you look closely at the replacement example below, you might like to bear in mind that if your **leas** are closer than 32K, you can use PC relative addressing to make the instruction shorter:

```
lea    level3, a0
```

could be replaced with:

```
lea    level3(pc), a0
```

Both do the same thing, but the latter takes up less bytes. If you are moving immediate data values less than 128 into data registers, you can use **moveq** (move quick). This is much faster, and effects all 32 bits of a data register. This instruction:

```
moveq    #$00, d0
```

is faster than:

```
clr.l    d0
```

– the official method according to the 68000 instruction timings!

Although you did not fall into the most dangerous trap with timing, this sort of code is common:

Small_Delay:

```
    move.w #ffff, d0
wait_a_bit:
    dbra    d0, wait_a_bit
    rts
```

This routine will simply wait for a while. Unfortunately, on faster processors, this routine does not wait quite so long. In fact, it returns pretty much instantaneously on anything faster than a 68020 because of the caches. So, you should never use software delays like the above three-line example. Eventually, you'll probably get a better Amiga, and you'd be pretty upset if none of the programs you so painstakingly wrote on your earlier machine worked! **TS AS**

TIMER LISTING: THE SOURCE CODE

```
; Code Clinic, timer.device example.
; By Toby Simpson.
;
; This code is not perfect, it's been optimised so that it is not too long.
; It waits for one second and quits.
;
    incdir    "include:"
    include   "exec/exec.i"
    include   "exec/funcdef.i" ; ! You may not need this line !
    include   "exec/exec_lib.i"
    include   "devices/timer.i"
    include   "exec/io.i"
    include   "exec/ports.i"

_EXECCBASE: equ    $04

SYS:
    macro
    move.l    _EXECBASE, a6
    jar       _LVO\1(a6)      ; Call exec.library
    endm

    section   timer_demo, code

START:
    suba.l    a1, a1          ; Quick way of clearing Addr reg.
    SYS       FindTask        ; Get our task ID.
    lea       Timer_Port, a0
    move.l    d0, MP_SIGTASK(a0) ; Set task to signal.
;
    lea       Timer_Name, a0
    moveq     #UNIT_VBLANK, d0
    lea       Timer_IO, a1
    moveq     #$00, d1
    SYS       OpenDevice       ; Try to open timer device.
```


```
    tst.l     d0
    beq.s     Timer_Opened    ; Opened OK.
    moveq     #$00, d0
    rts       ; Return.

; - Set up our reply port ...
Timer_Opened: lea     Timer_IO, a1
               lea     Timer_Port, a0
               move.l   a0, MN_REPLYPORT(a1) ; This is our reply port.

; - Now post our request and wait ...
               lea     Timer_IO, a1
               move.w   #TR_ADDREQUEST, IO_COMMAND(a1)
               move.l   #01, IOTV_TIME+TV_SECS(a1) ; Set up seconds
               move.l   #$00, IOTV_TIME+TV_MICRO(a1) ; And microseconds
               SYS      DoIO

; - Now quit ....
Timer_Quit:   lea     Timer_IO, a1
               SYS     CloseDevice ; Close timer device.
               moveq   #$00, d0
               move.w   #$fff, $dff180
               rts

; - Our data ....
               section timer_data, data
;
Timer_Name:   dc.b     "timer.device", 0
               cnop     0, 4
Timer_IO:     ds.b     IOTV_SIZE
Timer_Port:   dc.b     MP_SIZE
;
               end
```


**MAIL BYTE VISA****Orders & Enquiries: 081 974 6767****AMIGA Software**

Phone for prices on our huge range of Amiga leisure, business & creative software.

AMIGA Hardware

Amiga 500+	£Call
Amiga 600	£Call
Amiga 600HD	£Call
Amiga 1200	£Call
Amiga 1500	£Call

Colour Monitors

Commodore 1084SD2	£197
Phillips CM8833 MkII	£197

Memory Products

512 Exp + Clock	£29.99
512 Exp	£24.99
1Mb Simms (70Ns)	£29.99
4Mb Simms (70Ns)	£110.00
A600 1Mb Exp + Clock	£44.99
A500+ 1Mb Exp	£36.99

GVP Hard Drives

Call for the now even lower prices on Great Valley Products' Hard Drives, Accelerators & Video Boards.

Accessories

Auto M / J Switch	£12.49
Amiga to Philips MkII	£5.99
Amiga to Sony Scart	£8.99
Amiga to Scart	£7.99
Parallel Printer	£3.99
All Serial Cables	£6.99
Citizen Swift Stand	£24.99
Mouse Mat	£2.75
TecnoPlus Mouse	£10.99
Amiga 500 Soft Cover	£3.25
Amiga 600 Soft Cover	£4.25
Zipstick Autofire (BEST!)	£9.99

Discs & Boxes

Highest Quality Bulk Discs	
50x 3.5" Bulk Discs	£23.50
100x 3.5" Bulk Discs	£45.25
200x 3.5" Bulk Discs	£89.50
500x 3.5" Bulk Discs	£178.25
1000x 3.5" Bulk Discs	£356.75
80 Cap Disc Box	£4.99
Posso 150 Cap Box	£19.99

Bubble Jet Printers

Canon BJ10ex	£215.00
10ex Sheet Feed	£58.99
Canon BJ200 NEW	£Call
Canon BJ300	£359.00
Canon BJ330	£469.00

Remember all our prices include 2-3 day delivery.
Add £4.50 for Next Day Courier Service

Orders by Fax: 081 974 6102 or Orders by Mail:
3 Enterprise Way, Teddington, London TW11

Reach the top with.....**LCL Self-Tuition Courses**

World leaders • Hons graduate/teacher authors • In educational software charts. • Excellent reviews. (e.g. "Definitely a first class package" AMIGA SHOPPER) • £5 off total for 2, £10 off for 3.

INCREDIBLE VALUE: 24-PROGRAM COURSES WITH A BOOK & MANUAL FOR ONLY £24 EACH

(Micro Series have outstandingly good graphics & music for that level)

Totally comprehensive courses with far too many features & topics to list, but some examples are:

MICRO SCIENCE (8 years - GCSE)

Physics & Chemistry practical experiments • Biology demonstrations • Graphics adventure game (1Mb required)

MICRO MATHS (11 years - GCSE)

Algebra • Geometry • Trigonometry • Statistics • Arithmetic

MICRO FRENCH (Beginners - GCSE)

Real speech • Graphics adventure game • Talking cartoon

MICRO GERMAN (Beginners - GCSE & Business)

Real speech • Graphics adventure game • Business letter generator

MICRO ENGLISH (8 years - GCSE)

Spelling • Punctuation • Grammar • Literature

PRIMARY MATHS COURSE (3-12 years)

Tables • + - x ÷ • HTU • Long & short multiplication • Fractions

READING WRITING COURSE (3-12 years)

Alphabet • Handwriting • Creative writing • Reading • Spelling

MEGA MATHS (A level course)


Calculus • Algebra • Geometry • Full-screen graphs

(*All appropriate LCL Courses are National Curriculum compatible & run on most computers.)
Send cheques/P.O.s (+99p P&P) or phone orders, or requests for free colour poster/catalogues to:

LCL (DEPT AS), THAMES HOUSE, 73 BLANDY ROAD, HENLEY-ON-THAMES, OXON RG9 1QB

**or ring 0491 579345 (24 hrs)****Remember this ?**

EPSON won an Amiga press Gold Award for its GT6000 colour scanner - it became the first sub £1000 full A4 flatbed scanner for the Amiga and offered scan rates of upto 300dpi in both 24 bit colour and 256 grey scale monochrome. Now EPSON have done it again. They have launched the GT6500 and prices start at £799.

**then SCAN THIS !!!**

With glorious 24bit, 16.7million colour technology, the new Epson GT-6500 and GT-8000 flatbed scanners produce high definition, professional colour images.

Do you prefer him in colour or black & white?

Yet they also handle line art and 256 greyscale images (for monoDTP, optical character recognition and computer aided design) with equal clarity and verve.

"isn't colour wonderful?....."

Output resolutions of upto 600dpi* are available on the GT6500 and 800dpi* on the GT8000.

Transparencies as well !

With the optional transparency adaptor and automatic document feeder, these scanners are almost too accommodating for words.



* sub scan logic doubles the standard 300dpi/400dpi maximums and working in 200% zoom mode in line mode can offer 1200dpi/1600dpi when used in conjunction with certain software hardware configurations.

EPSON**SCANNER DEALER**

Available from your local Epson scanner dealer (where you see this Epson Scanner sign)

Distributed by:

HB Marketing Ltd, Unit 3, Poyle 14, Newlands Drive, Colnbrook, Berks., SL3 0DX.

Tel: 0753 686000

Fax: 0753 680343

The crowd who put together your favourite Amiga mag are a good bunch of sorts, clued-up to the eyeballs on all of the latest releases, and whizzos with all the most recent technokit. Truth is, I'm old enough to be the father of most of them, and of course, when we get together, you can imagine how I'm sometimes the brunt of 'old man' jokes. Well, that may be the case, but sometimes it takes an old timer to put the youngsters right, which nicely brings us to the reason for all this ranting and raving. You see, I often wonder if we overlook what we already have, in the headlong rush for what is just around the corner. So, for the vast majority of Amiga users, who don't have hundreds of pounds to spend on the very latest programs, I'm going to show how taking a pragmatic attitude to older programs can be a highly rewarding experience.

HORSES FOR COURSES

Creating animations is one of the most exciting things you can do with an Amiga, and there are numerous packages specifically designed for this purpose. The range of options is enormous, from simple 'entry-level' systems to the very sophisticated. The right choice for your particular needs is not always obvious, as it is always difficult to make sure that you have seen the full potential of all the candidates. So, in my column this month, I'm going to look at two likely contenders, each of which offer different facilities, but, in their own right, are giants. It is usually the case that the *DPaint* programs (version III onwards) are assumed to be the ultimate in animation

packages, but this is not always true. The programs I have chosen here have been used time and time again in my school, and can now be picked up at bargain basement prices if you shop around.

HUNGRY FOR MEMORY

It is important to remember that graphical applications of any nature, on any computer, make considerable demands on available memory. Even though there are specific circuits within your Amiga to enable it to perform complex graphical calculations, carrying out lengthy animations demands intensive memory reserves, and on a basic 512K machine will necessitate some degree of compromise or trade-off. The price of memory expansions has fallen dramatically in recent months, so if you wish to use your Amiga for this kind of thing, then increasing the size of its memory must be your number one priority.

GETTING FRAMED

For those of you just beginning to get to grips with using your Amiga (particularly if it arrived via Santa!), I'll now briefly explain the simple principle behind all animation packages. Creating an animation on a computer is very similar to creating one on film. Frames are constructed one at a time, and the speed at which the the finished sequence of frames is presented

gives the impression that the object or image is moving. So each of the animation packages offers frame creating and editing facilities, and some offer even more, allowing your Disney ambitions to go even further.

FANTAVISION, THE FORGOTTEN FAVOURITE

Some of you Amiga veterans out there will remember this program from the past – maybe you gave up using it as more cartoon-dedicated packages came along, and as the new arrival *DPaint IV* showed its wares. Well, perhaps it's time to dust off the old disk, and ask yourself if you really exploited the full potential of this excellent package. I use *Fantavision* constantly at work, and still discover new facilities and uses for it almost every week. What I like about this software is the fact that, unlike some of the subject-specific

Amiga graphics, and are looking for the right program for your needs, you should give this one a test drive.

GOING DOTTY

The simplest way to think of *Fantavision* in use is to conjure up an image of those 'join the dots' drawings which are a stock favourite of childrens' drawing books. Using vectors, the program allows the user to create complex shapes, and then move them around the screen. Each time you 'clone' an object, you can then alter it, and *Fantavision* will calculate the in-between frames necessary to create an animation. This particular trick is known as 'tweening', and it works very well.

Any kind of IFF file, including HAM, can be loaded as a background, and subsequent animations developed on top of it.

SOUNDS UNLIMITED

The most endearing (and often amusing) facility this package offers

moving

packages, it does not restrict the type of animations that you can create – *Fantavision* is totally open-ended, and jam-packed with useful facilities. The price is ridiculously low, and the quality of effects quite stunning. So, if you are just entering the world of

is the ability to add sounds to your animations – or 'movies', as *Fantavision* calls them – and synchronise them with specific frames in the action. Any 8SVX IFF sound sample can be used, so if you own your own sound sampler, you can generate your own sound effects and add them to any movie you make. This particular feature of the package makes it quite unique, in



Fantavision's bottom right-hand menu has loads of features which you'll find handy. The globe icon allows you to make global changes to any object, so for any change you make on a given frame (editing the shape, or changing the colour, for instance), simply click on this icon, and the changes are carried out throughout the movie. The two overlapping squares are used to create 'overlays'. Should you wish to add additional frames to a movie, you can use this icon to keep

certain images visible, in order to facilitate continuity of editing. The mountain icon allows objects to be fused with the background.

The lightning mode, symbolised by a stylised flash, creates flashing effects, and the trace mode, shown as a decreasing series of solid circles, creates a colourful stroboscopic effect. As mentioned in the caption below, the bitmap icon is repeated again here, and this is to enable you to load and save bitmaps. The

Shown on the left is the main *Fantavision* work-screen. Along the left-hand side is a collection of icons for generating specific effects. These are associated with drawing, entering text, rotating, zooming, deleting, squashing, flipping and turning the 'objects', which are the building blocks of *Fantavision's* moviemaking abilities. The icon in the form of a square containing a circle containing a cross has a particularly important function – it allows the user to convert a background into a bitmap image. This function relates to another icon in the lower right-hand corner, which is described in the main text (above).

The lower left-hand menu is associated with generating colours and patterns within your animation. The up and down arrow on the left-hand edge allows the user to flip through patterns which can be used for solids or lines. The arrows to the right of the menu determine whether you wish to draw an outline, filled item, or background. The colours may be changed on-screen by using one of the options in the pull down menus, which presents a visual colour selector, and RGB slider bars to make your own choice. A further sub-menu lets you adjust the overall brightness – care must be taken here, otherwise you can end up blanking out your whole screen!

that adding sound to any other animation package is no easy task. Sadly I cannot demonstrate this in the magazine, but the Ferrari in the illustration on the bottom left moves across the screen sounding just like a galloping horse, and hits the wall at the end with a sound resembling a squashed tomato.

The graphic editing facilities also offer a vast array of possibilities. In our example, as the wall is hit, the bricks fly off at assorted angles, and the front of the Ferrari becomes somewhat distorted. Individual picture elements can be picked up as vectors, and scaled, rotated, coloured, leaned over at an angle, or sent to the front or back.

Along with the software comes a 'Movie Player' which eliminates the need to keep loading the package each time you wish to view your work. All in all, if you are on a tight budget, and want a really useful animation package, then *Fantavision* is one to seriously consider. **AS**

CHECKOUT FANTAVISION

Speed	●●●●●
Really quick, with variable frame rate.	
Functions	●●●●○
Versatile in lots of areas. Nice effects.	
Ease of use	●●●●●
A doddle to operate.	
Overall rating	●●●●●
Brilliant value for money.	

SHOPPING LIST

Fantavision £40.85
 By Domark ☎ 081 780 2222
Moviesetter £39.95
 Available from Diamond
 ☎ 071 580 4399


experience

Animation programs open up a world of possibilities – and they needn't cost the earth. Wilf Rees presents some golden oldies that still offer a piece of the action

original, or your current colour map can be selected, and a mask can be selected if you need to draw one around your image. A series of four tools is also provided for changing the dimensions of objects, allowing solid, dimension, line and dot size to be adjusted as required.

This screen picture illustrates just one highly effective aspect of *Fantavision*. Shown here is my sound sample directory. Any selection from this directory can be imported and modified to suit the particular need of the movie. Facilities are available to alter volume, balance, echo, pitch, duration and sustain.

Just behind this requester is the main film window (also visible in the top-right of our first *Fantavision* picture). Here, each box offers access to further features. 'Info' provides details on number of objects, total frame number, overall speed, and so on. Clicking 'Sound' brings up the window illustrated, and controls all of the audio parameters. 'Blank' allows the insertion of a blank frame at any point, while 'Clone' makes an exact copy of the current frame. And once you have completed all your painstaking frame-making, and wish to examine the outcome, the final act is to click on 'Go!', and your movie will play itself back to you.



MOVIESETTER AND WYSIWYG

Some years ago, Gold Disk introduced *Moviesetter*, a program for creating cartoons. To this end, the package offers very powerful facilities for editing the 'productions', as Gold Disk calls the outcomes. A freely-distributable *MoviePlayer* is included, which enables you to transfer your productions onto video tape.

Moviesetter works by using two principal requesters. One controls the motion in a similar way to a tape recorder, while the other controls the track editing. To support these, there are pull-down menus which give the usual access to loading/saving, and other features.

Similarly, *Moviesetter* uses two working environments: the 'Set Creator/Editor', and the 'Scene Creator/Editor'. All *Moviesetter* productions begin with IFF pictures. These can take two forms in the program: 'backgrounds', and 'faces'. Backgrounds are just that, and can be scrolled vertically or horizontally, independent of other elements in the scene. A face, on the other hand, is a single image of an animated object. A 'set' is a collection of related faces in a logical order – say, the sequence of frames required to make a figure walk. *Moviesetter* is WYSIWYG:

What You See Is What You Get. So, the images you produce on the screen are exactly the outcomes you see when the image is animated.

Operating *Moviesetter* is simply a case of developing the faces, and then pasting them onto the background in the right sequence and at the appropriate location. The final results are quite stunning, and as good a cartoon representation as I have seen anywhere.

The biggest limitation you may run into with *Moviesetter* is the amount of available memory. If you only have 512K, then screen colours are restricted, so a memory upgrade is necessary in order to really make the package work.



CHECKOUT MOVIESETTER

Speed	●●●●○
WYSIWYG makes producing animations extremely quick and easy.	
Functions	●●●●○
Limited, as this is dedicated software.	
Ease of use	●●●●○
More complex to use than <i>Fantavision</i> , but once mastered, not too difficult.	
Overall rating	●●●●○
Loses a mark for lack of versatility.	

Here we see *Moviesetter*'s main scene editor, complete with a picture of a Porsche imported into the heart of the package. Using the track editor (which has a comprehensive range of facilities for cutting, pasting, and manipulating images), I can now set about tracing a sequence of 'faces', to show the path of the car across the screen.

Using the player control window, which has controls similar to an audio tape recorder, I can then view the outcome, forwards, backwards, fast or slow motion, or solely at the intended speed. It just goes to show: *Moviesetter* really is a smashing package.

The Set editor in use. This Porsche was actually captured from *Fantavision*, and brought over to *Moviesetter*. There are several examples of clip-art on the second disk in the *Moviesetter* package, and these are classic cartoon-style images. The version of the Porsche shown here has received detailed editing (using the various drawing tools on the right-hand side), and is now ready to be transferred into the main program.





**THE FIRST
COMPUTER CENTRE**

OPEN 7 DAYS A WEEK
MON-SAT.....9.30AM-5.30PM
SUNDAY OPENING.....11.00AM-3.00PM
THURSDAY NIGHT LATE.....9.30AM-7.30PM
CLOSED BANK HOLIDAYS

AUTHORISED DEALERS FOR
ATARI, CITIZEN, COMMODORE,
ACORN, PRIMA, ROMBO,
SUPRA & SEGA

FREE DELIVERY!

HOW TO ORDER

Order by telephone quoting your credit card number. If paying by cheque please make payable to the: "FIRST COMPUTER CENTRE."
For any correspondence please quote phone number & post code. Allow working days for cheque clearance

All prices include VAT and standard Delivery in the UK
All hardware/computers are genuine UK spec.

Free Fast Standard 4 to 7 Day Delivery

Guaranteed 2 to 3 day Delivery only £2.50

Guaranteed Next Day Delivery only £4.90

Open seven days a week for your convenience

Overseas orders welcome

SALES & TECHNICAL

24 HOUR MAIL ORDER SERVICE 6 LINES!!

0532 319444

FAX: 0532 319191

FOR DESPATCH & RETURNS ENQUIRES TEL. 0532 637988

PLEASE ADDRESS ALL CORRESPONDENCE TO:

DEPT. AS, UNIT 3,


ARMLEY PARK COURT,

OFF CECIL STREET,

TANNINGLEY ROAD,

LEEDS, LS12 2AE.

Prices are subject to change without notice. E&OE.



FIRST COMPUTER CENTRE (LEEDS) Tel: 0532 319444

AMIGA 1200 £379.99!!!

This has got to be the best Amiga under £400.00 ever produced. True 32 bit technology based on the 68020 chip running at 14.2 Mhz and also the new AA custom chipset. The 1200 represents the future of the Amiga. Buy it!! Comes with Workbench 3.

AMIGA 500 Plus only £254.99 Cartoon Classics Pack

comes with Lemmings, Captain Planet, The Simpsons & D-Paint 3
AMIGA 500 Cartoon Classics Deluxe
Only £349.99 with built in ROM shaver 2.04/1.3

AMIGA 600 Basepack.....£279.99

AMIGA 600 20HD The Epic pack
With 20 Mb Hard drive, Epic, Rome, Myth, & Trivial Pursuit, Dictionary, Language Lab & Deluxe Paint 3
only £364.99 (Inc On Site Maintenance)

The A600 Wild, Weird & Wicked
inc Micro Prose Grand Prix, Deluxe Paint 3, Putty & Pushover
only £319.99

A600 DELUXE.....ONLY £339.99

A600HD DELUXE.....ONLY £509.99
inc. ROM shaver with 1.3 & 2.05 ROM's making incompatibility a thing of the past. The A600 HD Deluxe comes with a Built in 20 Mb hard drive
Just add 37.99 for a 2 Mb 600 Deluxe!!

SPECIAL OFFER!! THE AMAZING ZOOLO PACK!!

Complete with the best selling:
● ZOOLO (97% Amiga Computing, Nov 92)
● STRIKER (94% CU Amiga, June 92)
● PINBALL DREAMS (94% AUI, Sept 92)
● TRANSWRITE word processor with 90k UK spell checker!!
only £19.99 with any AMIGA !!
or £29.99 without an AMIGA

A600 & 1200's with built in Hard Drive

Hard Drive upgrade kits for 600 & 1200 available. Please phone for prices

	A600	A1200
20Mb.....	£429.99	£539.99
40Mb.....	£499.99	£604.99
60Mb.....	£529.99	£644.99
80Mb.....	£559.99	£694.99
120Mb.....	£604.99	£784.99

Complete with 12 month back to base warranty

AMIGA 3000 RANGE

25 Mhz with 52 Mb HD, 2Mb RAM...£1299.99
25Mhz with 105 Mb HD.....£1549.99
All 3000's come with Amiga Vision Hard drive & Workbench 3. 12 month on site warranty

AMIGA 4000

With the power of the 32 bit processor running at 25 Mhz (upgradeable), the new double AA graphics chip set & 16.8million colours. High density 1.44 Mb floppy, 120 Mb IDE
only £2099.99

AMIGA 1500+ only £415.99
With 2.04 Kickstart chip and Workbench 2.04 !!
AMIGA 1500+ SW Pack only £445.99
inc D-Paint 3, Plot Works, Home Accounts, 3 games, Amiga Format Tips book & Joystick.

AMIGA 1500 Deluxe..only £479.99
With the Prima ROM shaver, 1.3&2.04 Kickstart chip

All Amiga's come with Workbench, mouse & 12 month warranty. The standard A600's, A1200, A3000 & A4000 come with 12 months on site warranty All 600's also come with a built in integral hard disk option.

CDTV MULTI MEDIA PACK AND A570 CD ROM

Complete with CDTV, Keyboard, Mouse, disc drive
Fred Fish & Workbench 1.3...**only £469.99**

CD Rom Amiga A570..only £329.99
Turns your Amiga 500 into a CDTV

CDTV keyboard.....only £49.99
Mouse/joystick interface.....(POA)

PRINTERS

All our printers are UK spec.



All our printers come with ink cartridges or toner. All printers come complete with printer drivers (where available), paper & all cables!!

Star LC20.....£132.99
180 cps draft, 45 cps NLQ, quiet mode and multi fonts, push button operation.

Star LC200 colour...£195.99
9 pin colour, 8 fonts, 225 cps draft, 45 cps NLQ, A4 landscape printing.

Star LC24-20.....£199.99
24 pin quality, 210 cps draft, 60 cps LQ, 16K buffer expandable to 48K, 10 fonts and LCD front display.

Star LC24-200 mono...£219.99
24 pin, 222 cps draft, 67 cps LQ, 10 fonts, A4 landscape. 7k buffer expandable to 39K

Star LC24-200 colour..£269.99
Colour version with 30K buffer expandable to 62K

Star XB24-200 colour....£379.99
Professional quality with On-site maintenance, very quiet.

Star SJ48 Bubble jet.....£209.99
Laser quality, ultra quiet, Epson compatible & portable

Star SJ48 Autosheet feeder.....£49.99

Star Laserjet 4MK3.....£739.99
4 page laser, 1 years on site maintenance

Panasonic Printers

Panasonic KX-P2180.....£189.99
ultra quiet 9 pin colour, 192 cps draft, 38 cps NLQ

Panasonic KX-P 2123...£229.99
ultra quiet 24 pin colour, 192 cps draft, 64 cps LQ, 32 cps SLQ

Panasonic KX-P4410 Laser..£609.99
5 page per minute, 2 years on site warranty!!

Citizen Printers

Citizen printers have a 2 year guarantee

Citizen Swift 9 Colour.....£179.99
Excellent value 9 pin colour. Highly recommended

NEW!! Swift 240 Colour....£269.99
24 pin, 240cps draft, 10 fonts, quiet mode, 240cps.

NEW!! Swift 200 Colour..£217.99
Same out put as the 240 but with less facilities

Automatic Sheet feeder....£79.99

Canon BJ10ex.....£219.99
Laser quality output. Larger buffer than the StarSJ48Canon/Star bubblejet cartridges.....£17.99

NEW!! Canon BJ200.....£347.99
3 page a min speed, 360 dpi, small footprint & 80 page sheet feeder

Canon BJ300.....£379.99
Desktop bubble jet with laser quality

Canon BJ330.....£519.99
Wide carriage version of the BJ300

BJ10ex Autosheetfeeder...£52.99

Hewlett Packard Printers

HP500 mono.....now £329.99

HP 500 Colour..now £419.99

HP 550 Colour..now £539.99
4 times faster than the HP500C!!

HP500 mono cartridges....£14.99
Double life 500 cartridges....£24.99

All HP printers come with a 3 year warranty

FIRST EXTRAS PACK

With the FIRST EXTRAS Pack you can make sure you have every thing you need when buying an Amiga. All the essentials required for the first time buyer & at a bargain price!!
Comprises:

- Top quality microswitched Powerplay Cruiser joystick
- Mouse Mat
- Dust Cover
- 10 high quality Blank Disks
- Plus 3 games!!

only £29.99

MONITORS

All our monitors are UK spec. All monitors come complete with a free Amiga lead

WARNING: Before you purchase a monitor make sure it has a full UK specification. You might be buying what you think is a similar monitor at a lower price but it is likely to be a "GREY" import. These monitors do not comply with British safety standards and are not covered by an official warranty

PHILIPS CM8833 MK2

stereo colour monitor
Colour stereo monitor. 600*285 line resolution, green screen facility, one years on site maintenance.

now with Lotus Turbo Esprit!!

only £224.99 UK Spec.

PHILIPS TV Tuner for the 8833..£64.99

Commodore 1084ST

Stereo Colour monitor
features but in tilt & swivel stand this new moitor from Commodore is outstanding value

only £199.99

PHILIPS BRILLIANCE

SVGA Colour monitor
with overscan facility

The Brilliance monitor has a high quality Super VGA resolution. Includes overscan facility, .28 dot pitch and tilt/swivel stand. 12 months on site maintenance.

1500 VERSION £389.99

with Flicker Free Video card

A500 VERSION £489.99

PHILIPSTV/MONITOR

superior to a standard TV set with full remote control and FAST TEXT

only £269.99

COMMODORE 1960 multisync

only £399.99

SPECIAL OFFERS ON ACCESSORIES WHEN BOUGHT WITH A MONITOR!!

TILT & SWIVEL STANDS.....£11.99

14" MONITOR COVERS.....£5.99

SUPRA MODEMS

The Supra-Fax Modem V.32 bis (14400 baud !!!)
Allows you to send and receive fax messages. This new modem from Supra has full 14400 baud capability. Spec includes V.32bis, V.32, V.22bis, V.22, V.21, MNP2-5, V.42, V.42bis, Class 1 & 2 commands, 9600/14400 Group 3 Fax. Includes free comms software and modem cable

only £259.99!!!
OR £269.99 with

Heavy duty Prima power supply,
recommended for use with the
V32 bis fax modem only £10.00
when bought with modem

Supra Fax Plus (up to 9600 BPS)

With the ability to send faxes! Even faster than the standard 2400 from Supra with auto dial & auto receive. 9600 bps Hayes comp, V22, V42 Bis, MNP 2-5 & auto adjust to maximise transmission speeds. Includes free modem cable & comms s/w!!

now only £139.99

GP FAX SOFTWARE only £29.99
if bought with modem

Supra 2400

Get on line using this great value fast modem with auto dial & receive. 2400 baud Hayes comp, V22 BIS. Inc modem cable & comms s/w!!

only £79.99
All Supra Modems come with a 5 year warranty!!

PRIMA A500 PLUS & A600 RAM

These high quality Prima modules will take your A500 Plus or the new A600 (inc built in clock) up to 2 Mb of chip RAM without invalidating your warranty

3 YEAR WARRANTY!!

A500P A600
Unpopulated.....only £16.99...£23.99
Populated to 512K.....only £29.99...£39.99
Populated to 1 Mb.....only £42.99...£49.99
2 Mb A600 OR A1200 RAM card...£119.99
4 Mb A600 OR A1200 RAM card...£179.99

AMIGA A500 512K RAM by PRIMA
for the original 1.2/1.3 AMIGA...only £27.99

PRIMA ROM SHARERS

Because some older software will not run on Kickstart 2 First Computers launched the PRIMA (as supplied to Phoenix) ROM sharer. This high quality ROM sharer features a flexible ribbon connection so that it can be positioned anywhere within your A500 Plus or A600. Full 2 year replacement warranty

now only £19.99 or £27.99
for keyboard switchable version

SUPRA RAM

Simply the best! Fits onto the side expansion port. Auto configures with no software patching.

When 256⁴ ZIPS are used, the Supra RAM can only be populated up to 2 Mb without replacing with 1 Mb by 4 ZIPS.

8Mb pop to 1Mb.....£89.99
8Mb pop to 2 Mb (256⁴zips)....£114.99
8Mb pop to 2 Mb (1Mb⁴ zips)....£139.99
8Mb pop to 4 Mb....£194.99
8Mb pop to 8 Mb.....£299.99
8Mb pop to 2 Mb for
2000/1500 range.....£149.99

GVP GVP PRODUCTS

AMIGA A500 HARD DRIVES

GVP Series II HD8+ 42Mb.....only £329.99
GVP Series II HD8+ 80Mb.....only £419.99
GVP Series II HD8+ 120Mb.....only £489.99
GVP Series II HD8+ 213Mb.....only £645.99
A500 GVP Combo's
A530 Combo 40MHz/42Mb HD...only £689.99
A530 Combo 40MHz/80Mb HD...only £779.99
A530 Combo 40MHz/120Mb HD...only £854.99
68882 Co-Processor Kit for A530...only £214.99
GVP memory RAM

8mb RAM card AMIGA 1500/2000 with 2mb...only £149.99
32 bit 60ns 1 Mb SIMM for Accelerator...only £64.99
32 bit 60ns 4Mb SIMM for Accelerator...only £179.99
1500/2000 Hard Drives

Impact Series II HC8+ Control card...only £127.99
Impact Series II HC8+ with 42Mb HD...only £314.99
Impact Series II HC8+ with 80Mb HD...only £369.99
Impact Series II HC8+ with 120Mb HD...only £439.99
Impact Series II HC8+ with 213Mb HD...only £599.99

1500/2000 G-FORCE ACCELERATORS

G-Force 030-25MHz with 1Mb 32 bit RAM...only £459.99
G-Force 030-40MHz with 4Mb 32 bit RAM...only £729.99
G-Force 030-50MHz with 4Mb 32 bit RAM...only £1099.99
G-Force 040-28MHz with 2Mb 32 bit RAM for A3000
only £1379.99
Syquest 88Mb + Cartridge & HC8+
only £559.99

All GVP products come with a full 2 year warranty

ROCHARD DRIVES

ROCTEC A500 CONTROLLER CARD

Very similar in style to the GVP HD8+ but without a hard drive so you can fit your own. Please specify IDE or SCSI. Expands to 8Mb of RAM using SIMMS only £164.99

ROCTEC 40Mb.....£275.99

ROCTEC 60Mb.....£304.99

ROCTEC 80Mb.....£339.99

ROCTEC 120Mb...£399.99

POWER SCANNER ROMBO

With the latest version 2 software for bright & sharp grey scale performance. Flexible scanned image display manipulation options, plus Clean up, embolden, resize & flip.

NEW!!

only £94.99 on demo
Colour version only £229.99
EPSON GS6500 COLOUR FLATBED
only £799.99 phone for details & demo

MICE & TRACKERBALLS

NAKSHA MOUSE only £24.99

with Operation Stealth, mouse mat, holder and 2 year warranty, 290 DPI.

Golden Image Mega Mouse
Fully micro-switched.

only £12.99

ALPHADATA OPTICAL PEN MOUSE

only £37.99

GOLDEN IMAGE Brush
mouse with Deluxe paint 3

New concept in mice. Held in a similar way to a pen

only £24.99

Golden Image optical mouse...£29.99

Zydec Trackerball.....£29.99

Golden Image Crystal Trackball...£38.99

DISK DRIVES

PRIMA 3.5" only £52.99

1 meg high quality external drive at a great low price.

Roclite 3.5" only £66.99

super slim Roclite. Best review for disk drives in Amiga Format. Now with built in virus checker and anti click device!!

Cumana 3.5" only £57.99

1 meg external drive. The best name in disc drives now at a great price.

OPAL VISION

24 bit graphics card & video system for the 1500 2000/3000/4000. Includes software bundle

only £635.99

GENLOCKS

GVP Genlock only £349.99

features professional SVHS output

Rocgen Plus only £134.99

Includes dual control for overlay and keyhole effects, extra RGB pass thru

ROCGEN ROCKEY

For creating special effects in video production with genlocks

only £269.99

EMULATORS

KCS Power board.....£147.99

Regarded as one of the best emulators on the market.

1500/2000 adaptor...£59.99

MS-DOS 4 or 5...£POA

KCS Power board for A600.....£167.99

Vortex Golden Gate 386...£389.99

This is a PC 386-255X Bridgeboard running at 25 Mhz

Vortex Golden Gate 486...£699.99

This is a PC 486-255X Bridgeboard running at 25 Mhz

Vortex ATOnce+ 286.....£214.99

286 emulator now with 16Mhz clock speed.

ACCELERATORS

VXL30 25Mhz.....£229.99

VXL30 40 Mhz.....£349.99

68881 Co pro for above.....£79.99

1 68882 Co pro for above...£119.99

32 bit 2 Mb ram for above...£189.99

32 bit 8 Mb RAM for above...£399.99

VIDI 12 £77.99!!

No filters or RGB splitter required. Colour images can be captured in less than a second, mono images are grabbed in real time. Compatible with any video source. Inc. multitasking software, cut & paste with masking, multiframe store with animated playback, composite or s-video input, 4096 HAM support.

Sound & Vision £99.99!!

Vidi 12 with built in Megamix Master!!

TAKE 2 £39.99!!

Features include load and save from D. Paint animations and IFF files. Supports HAM graphics.

Megamix Master £29.99!!

8 bit, high spec. sampler. Special effects include echo that can be added in real time, fully multitasking & easy to use.

NEW!!

MICROBOTICS

The new MBX1200

CO-PROCESSOR &

RAM BOARD

for the AMIGA 1200

Realise the full potential of your

A1200 with this trapdoor expansion

68881 14MHZ.....£133.00

68882 25MHZ.....£199.00

68882 50MHZ.....£399.00

1mb 32 bit fast RAM£62.99

2mb 32 bit fast RAM ..£119.99

4mb 32 bit fast RAM ..£204.99

DRAM & CUSTOM CHIPS

1mb by 8/9 SIMMS (3 chip)...£28.99 per Mb

4 Mb by 9 Simms£114.99 per 4 Mb

1 Mb by 4 DRAMS.....£42.99 per 1 Mb

1 Mb by 4 ZIPS.....only £39.99 per Mb

256 by 4 DRAM (DILs) ideal for A590 and others

4+ (512K).....now only £3.49

8+ (1Mb).....now only £3.29

16+ (2Mb).....now only £3.09

Kickstart 1.3.....£27.99

Kickstart 2.04.....£35.99

Fatter Agnes 8372A.....£32.99

Super Denise.....£23.99

6571-0326 Keyboard controller.....£9.99

CIA 8520A I/O controller.....£8.99

ACCESSORIES

Tecno Plus Pro Midi Interface with Sequencer 1

Plus and 2 midi cables.....only £41.99

Mouse/joystick port switcher.....only £13.99

Computer Video Scart Switch.....only £19.99

2 way Parallel port sharer box inc cable...only £17.99

Amiga Sound Enhancer Plus by Omega Projects. Hear the Amiga's sound like you've never heard it before!.....only £36.99

PRINTERFACE (ADDITIONAL PRINTER PORT FOR THE 1500/2000/3000).....£35.99

QUALITY MOUSE MATS.....£3.99

20 CAPACITY DISK BOX.....£2.99

40 CAP LOCKABLE DISK BOX.....£4.99

100 CAP LOCKABLE DISK BOX.....£6.99

*90 CAP STACKABLE BANX BOX.....£8.99

*150 CAP STACKABLE POSSO BOX.....£16.99

*add £3.00 delivery if purchasing just one Posso or Banx box. Free delivery when purchased with other product or when buying 2 or more.

AMIGA A500 DUST COVER.....£3.99

AMIGA 600 COVER.....£2.99

14" MONITOR DUSTCOVER.....£6.99

12" MONITOR DUSTCOVER.....£5.99

AMIGA TO SCART CABLES.....£9.99

STD 1.8 METRE AMIGA PRINTER LEAD.....£4.99

MODEM AND NULL MODEM CABLES.....£9.99

2 WAY Parallel port sharer.....£17.99

DISKS

All 3.5" disks are GUARANTEED FOR A LIFETIME & are CERTIFIED 100% ERROR FREE. Our DS/DD disks are high quality magnetic media & are extensively used by duplicating houses

QTY 3.5" OR VERBATUM

Bulk OR BRANDED

10.....£4.99.....£6.99

30.....£14.29.....£17.99

50.....£21.99.....£28.99

100.....£39.99.....£54.99

200.....£72.99.....£99.99

500.....£169.99.....£POA

1000.....£339.99.....£POA

Branded disks come complete with labels

Disk Labels...500...now only £6.99

Disk Labels...1000...now only £9.99

SOFTWARE

BUSINESS

HomeAccounts 2.....£37.99

INTERSPREAD.....only £24.99

MiniOffice.....£42.99

NEW!! PERSONAL FINANCE MANAGER Plus
only £29.99

PLATINUM WORKS...only £39.99!!

Excellent integrated business/office pack, with powerful 123 comp spreadsheet, word processor & database

EDUCATIONAL

NEW!! 6 Pack compendium.....only £29.99

inc. Kids Type, Weather Watcher, Calendar Quiz, Word & Numbers, Game Set & Match + What is it? Where is it?

NEW!! Childs Play talking word processor...£24.99

NEW!! Gallery Multi-Media Dbase.....£44.99

MISCELLANEOUS

A Talk comms Software.....£9.99

Distance Suns new version!!.....£49.99

New Low Price!! GB Route Plus.....£45.99

GP FAX Software.....£39.99

MUSIC/SOUND

Audio Master version 4.....£43.99

Audio Engineer Plus V2.....£159.99

NEW!! Clarity 16 sampler.....£105.99

Deluxe Music Construction Set.....£49.99

Musix X JUNIOR.....only £12.99

NEW!! SUPER JAM.....£42.99

PROGRAMMING

Amos Creator.....£34.99

Amos Compiler.....£21.99

Amos 3D.....£25.99

Amos Professional.....£47.99

DEVPA3.....£50.99

Easy AMOS.....£24.99

GFA BASIC 3.5 Interpreter.....only £19.99

GFA Basic Compiler.....£POA

SASC Language Version 6.....£212.99

UTILITIES

AMIGA RELEASE 2 UPGRADE KIT

Complete with: Kickstart 2.04 CHIP, Workbench 2.04, Install, Fonts & Extras disks full manual set

now only £57.99

NEW!! CrossDos V5.....£19.99

Opus Directory.....£26.99

NEW!! Opus Directory 4.....£POA

QUARTERBACK V5.....now only £32.99

Latest version of this Fast & Famous hard disk backup utility.

Quarterback Tools.....now only £37.99

Xcopy Pro inc. hardware.....£33.99

VIDEO AND GRAPHICS

DIGI-VIEW GOLD MEDIA SYSTEM

Complete graphics presentation package. Complete with Digi-View Gold, Digi-Paint 3 & Elan Performer

now only £119.99

37 Compugraphic fonts Vol 1 or 2 by GT.....only £9.99

NEW!! Adorage (creates special video effects)...£61.99

Amiga Vision.....now only £19.99

Art Department Pro 2.1.....only £129.99

NEW!! ART EXPRESSIONS.....by Soft Logic £145.99

NEW!! BRILLIANCE Pro, paint and Animation...£POA

NEW!! CALIGARI 24 3D Design and Animation...£POA

NEW!! Deluxe Paint 4 AA.....£POA

EXPERT DRAW.....only £49.99

EXPERT 4D JR.....only £37.99

Flexidump printer utility.....£31.99

NEW LOW PRICE!! Imagine V2.....£119.99

Make Path for Vista.....£28.99

NEW!! Morph Plus.....£149.99

Pro Draw 3.....£POA

Scala 500.....£75.99

Take 2.....£39.99

TURBOPRINT.....£39.99

TRUE PRINT/24.....£41.99

NEW!! VIDEO DIRECTOR.....£124.99

NEW!! VIDEO MASTER.....£49.99

Owning your own computer can be a source of enormous pleasure, and the knowledge and understanding it brings is without doubt beneficial. That is, until something goes wrong. Repairs to computers can cost a small fortune, while the nature of the fault may often be minor. In this series of articles, I have teamed up with Dave Cooper, an electronics engineer who has spent over six years in the business of home computer repairs. Together we'll show that all you need to repair many Amiga faults are confidence, close attention to detail, and a bit of patience and care.

The repairs I am going to describe go well beyond simple everyday checks, so before we go any further, there is one thing that I want to establish firmly in your mind. Always remember that we are dealing with electricity, which is a killer, and with components that can be temperamental. Correct precautions and procedures are absolutely essential if we are to ensure safe and effective maintenance. Some aspects of equipment repair are beyond the capabilities of even the most ambitious or talented amateur, and in those cases you should always leave well alone. But don't worry – these particular cases will be clearly pointed out as we proceed through the series.

GETTING THE RIGHT KIT

No matter how skilled you are, there are still some basic tools and equipment you will need in order to carry out any repair job correctly. These items are as follows:

1. A set of good screwdrivers, with both Philips and plain heads, in a wide range of sizes.
2. Pliers, snout nosed and standard, in at least two sizes.
3. A simple test meter or continuity tester. You don't have to spend a lot of money on one of these – later, we'll be showing you how to make one cheaply yourself.
4. Isopropyl alcohol and cotton buds.
5. An electrical soldering iron, solder, and a de-soldering tool.
6. Spare fuses and wire strippers.

This article will mainly address repairs to the Amiga 500. However, many of the tests and repairs will be applicable to other Amigas in the range, and indeed to other makes of computers. Throughout the articles, I will refer to components by their correct names. Occasionally I may

mention the more common names, as for example with the custom chips, which are called things like 'Denise' and 'Agnus', but the master diagram of the A500 motherboard (on page 60) should be your reference for identifying each specific component. So, it's probably a good idea to keep this page handy at all times, ready for whenever you need to tackle a problem.

The range of repairs will vary from the blindingly obvious, through the slightly more technical, to the sophisticated modification of major components. Remember, this information is based on the many years' experience of an expert repairer – you might well be surprised at some of the faults Dave has seen, so don't be sarcastic if you think some of the suggestions sound patronising. Remember that there is a logical progression through the fault-finding stages, and this process is essential if correct diagnostic assumptions are to be made.

THE POWER SUPPLY

Amiga 500 power supplies come in two forms: the heavyweight transformer-based type (which we'll refer to as 'type one'), and the lightweight thyristor-based version ('type two'). In accordance with the operating requirements of the Amiga, both types of supply provide output voltages of 12V and 5V. However, they are fundamentally different in design. Identifying which one you

have is quite simple: pick it up and feel the weight. Type one is about the same weight as a household brick, while type two is much lighter, about the same as a large orange.

There is one simple check that can be carried out on both types of power supplies, and this involves examining the plug to ensure that the fuse is intact, and that the screws are tightened down firmly in the terminals. Occasionally, one of the wires in the cable clamp inside the plug can become broken – stripping back the cable can cure this problem. If you own the lightweight power supply, and it is not functioning, then this is as far as

domestic repairs should go. The reason for this is that the lightweight version is of the non-isolated variety, with a rectified charge in excess of 300 volts stored in the capacitor. Were you to attempt a repair,

there would always be a risk of a hefty shock from the capacitor, even after switching off. So, this piece of equipment is best left alone – the only recourse is to take it to your dealer. The heavyweight variety, on the other hand, does offer a lot more scope for investigation.

I'M GOING IN

Rule number one is: always remove the plug from the mains before dismantling anything – you know it makes sense. If you look on the bottom of the power supply, it may have one of two possible securing

systems. The first simply requires the removal of the four securing cross-head screws which hold the two halves of the casing together. The power supply should now come apart quite easily. On the other variety, there are four white plastic plugs which cover the securing screws. These need to be pulled out first – you can do this by sticking a sharp instrument, such as a darning needle, down the edge, then pulling up and sideways. The plug should then come away with no trouble at all. I suggest that you then chuck the plugs away, as they are nothing but a nuisance, and serve no purpose other than as a mild deterrent.

Inside the power supply there are several components which can be serviced. The first thing to check is that you have continuity along the length of the cable. Remove the cover from the plug, and test each of the three cores of the mains cable up to the circuit board solder points. A common fault here is the cable breaking just inside the power supply at the cable clamp. Next, examine the points at which each core of the cable joins the circuit board. Ensure that the soldered joints are secure, and cleanly attached. If not, strip back a length of the core, clean the circuit board hole, and re-solder the cable into the board. Examine all of the soldered joints on the circuit board to ensure firm connections. If you find that you are getting intermittent power to your Amiga, then this is often the reason why.

CON,FUSE,D?

The next item to inspect is the 400mA (milliAmp) fuse. You will find this located in a small silver fuse-

COMMUNICATION DIFFICULTIES

The innards of the mouse revealed. Be careful when you separate the two halves of the mouse. First, remove the ball retaining plate and the operating ball. The two self-tapping screws on the base are next, and then carefully pull the top section forward to separate the two lugs located in the slots on the base plate. Two black self-tapping screws hold the large black moulding onto the mouse circuit-board, and when removed, they will simplify access to the rollers.

You can easily remove the accumulated dirt from the rollers, as well as from the mouse ball. Check the cable contacts at the circuit-board connector, as well as the single blue cable which is soldered directly to the board. Finally, you can replace faulty micro-switches with a little careful soldering.



The two commonest (and most often recommended) means of communicating with your Amiga are using the keyboard, and using the mouse. Repairs to the keyboard are rather limited. Sticking or inoperative keys are usually a symptom of outside contamination, and the commonest culprit is coffee.

As a general rule, you should bear in mind that drinks and computers simply do not mix. The residue from evaporated coffee is a lovely sticky brown sludge which couldn't be better designed as a keyboard contaminant. If you do spill a hot drink over your keyboard, the first action must be to switch off the power. Each of the keys need to be wiped off, and the surfaces underneath cleaned to remove as much liquid as possible.

I have had conflicting advice on the appropriate course of action to take in this instance, but Dave Cooper suggests removing the keyboard from the A500, and simply flooding the entire mechanism with

holder on the circuit board. Test it with a meter or continuity tester to see if it is still intact. It may be that it is still clean, but broken, in which case you should replace it with a fuse of the same rating. Then re-assemble the power supply, and see if it works any better than before.

If the fuse is blackened, or maybe even has the glass broken, then you need to look at the two large diodes on the circuit board. These are in fact rectifiers, and are cylindrical in shape, with a stripe running around them, near to one end of the component. The diodes are a common source of faults in the power supply, and can be tested in the following way: a diode only allows current to flow in one direction. So, remembering that the end of the component with the stripe is called the 'cathode', connect a meter or continuity tester across the two ends. Anode to cathode should produce zero resistance and register a current, while cathode to anode should give infinite resistance, and register no current.

TRANSFORMER TRAUMA

Both diodes should work in this manner. If you find that current can pass both ways through either of the components, then remove them and solder replacements of the same value onto the board. If you do replace the diodes, make sure that you have the cathode at the correct end. Once replaced, re-assemble and test the power supply. There's another important rule here: you should never test the power supply until it has been re-assembled.

The only other power supply component which can be

investigated is the transformer. This is the largest component in the power supply, and as such is easily identifiable. It is roughly cube-shaped, and has several wires coming out of it which are then soldered to the board.

We can only perform two tests on the transformer. Firstly, we can test for continuity on the primary winding, which is the input to the power supply on the circuit board, where the negative and positive wires from the mains plug are soldered. You should find that electricity can flow here. If you don't, then I'm afraid that it's not worth repairing, and you'll have to go out and get a new power supply.



WorkSHOPPER Workshop

The other test we can carry out is to check the soldering of the secondary windings into the circuit board. Ensure that these are clean and securely fixed, and if not, re-solder them, re-assemble the casing, and test. If you have not succeeded in repairing the power supply after these checks, then I'm afraid you'll

Is your Amiga poorly? Worry not, because help is at hand – month by month, Wilf Rees is here to show how you can service and repair your computer yourself

WD40. Afterwards the surfaces should be wiped as clean as possible using dry lint-free cotton. Sticking keys can be treated in much the same way.

The reasons for mouse malfunctions can be broadly divided into two categories: either the mouse is faulty, or the Amiga is. First of all, you should try using a malfunctioning mouse with someone else's Amiga. If it still misbehaves, then the fault must be with the mouse. If it works with your friend's machine, then your Amiga is faulty, and we will look at that option later.

There are several mouse repairs you can carry out yourself. The mouse is driven by a round rubber ball, which runs on three nylon rollers. The commonest fault with the mouse is a build-up of grime and dirt on the ball and the rollers. To solve this, first remove the two self-tapping screws on the base of the mouse, and separate the two halves. Two small black self-tapping screws hold the ball mechanism onto the circuit

board. Remove these, then lift the mechanism clear of the circuit board.

ALCOHOL IN MODERATION

You will see the rollers clearly, each with a ring of black dirt around the centre – brought on by hours of use. Do not buy any of the proprietary fancy brands of mouse-cleaners, but instead pop down to your local chemist's, and ask for a bottle of 'Isopropyl Alcohol'. Soak a cotton bud in the alcohol, and work it over the surface of the rollers. The grime will come off with very little effort. Place the operating ball in a square of scrap cotton, and clean the ball with a few more drops of the alcohol. Re-assemble and test the mouse – you should notice far smoother movement of the pointer.

The cable from the mouse is attached to the mouse circuit board via a push-on connector and a separate soldered cable. Other than to check the wires are still intact at the connector, there is little more you

can do here. However, it is not uncommon for the two micro-switches to develop faults. Once these start to misbehave, they can sometimes be resuscitated with a quick squirt of WD40, but often this is a short-lived measure, while getting an appropriately-sized replacement is not always easy. You could, of course ask your local dealer if he has a dead Commodore mouse lying around that you could buy cheaply, in which case this can be a source of several bits. But remember, with used merchandise, you do tend to get what you pay for...

If you are of the same persuasion as myself, and never throw anything away, you'll stick your duff mouse in a drawer for when your new one gets poorly. And finally, there's just one last mouse-fixing tip I should pass on: if you fail to repair your mouse yourself, it's probably not worth taking it to your dealer to pay for 'proper' repairs – mice are so cheap today, it's far more economical to buy a new one.

probably have to pay out and buy another one.

While we're on the subject of buying power supplies, you should take Dave Cooper's advice and spend a little more on one of the higher power versions available. 40% of repairs to the Amiga 500 involve power supply problems, and the one supplied is not really up to the task of powering all the additional hardware that you lot are bunging into one port or another!

A FRIEND IN NEED...

One of the advantages of being in the electronics trade is being able to replace most components from stock, and then try out the repair straight away. Unfortunately, not having a huge selection of spare parts to hand causes problems for the average punter, so this is where the buddy system can come into play. Often the only way you can detect whether a component is faulty or not is to try another, and that's when you find out who your real

AMIGA 600 'WILD, WEIRD & WICKED' £799.99

- > MOUSE
- > 1MEG RAM
- > 3.5" DISK DRIVE
- > WORKBENCH 2
- > BUILT-IN TV MODULATOR
- PLUS
- > DELUXE PAINT 3
- > GRAND PRIX
- > PUSHOVER
- > PUTTY

ALL 600s HAVE
FREE 12 MONTHS
ON-SITE
WARRANTY

Add £42.99
for 2 meg
versions

AMIGA 600 STANDALONE £279.99

ZOOL PACK ONLY £19.99

with any Amiga.

* BOOL	rrp	£25.99
* PINBALL DREAMS	rrp	£25.99
* STRIKER	rrp	£25.99
* TRANSMITE	rrp	£49.99
(Wordprocessor)		
TOTAL VALUE		£127.96

UPGRADE YOUR 600.

WORKBENCH 2.1 UPGRADE INC ROM £79.99
Similar to Workbench 3 - many new features
& utilities.

2 & 4 MEG FAST MEMORY CARDS IN STOCK
1MEG INTERNAL RAM CARDS IN STOCK
INTERNAL HARD DRIVES FROM UNDER £120

AMIGA 600 DELUXE MONITOR STATION / CONTROL CENTRE £49.99

AMIGA 1200 DELUXE MONITOR STATION / CONTROL CENTRE £49.99

Comprises colour matched steel stand for monitor/tv; shelf
under for PSU & external drive etc; Mouse & Joystick port
extension cables; mouse holder; mouse mat & Large dust cover
covers monitor & computer.

AMIGA 600HD 'EPIC' PACK' £799.99

- > MOUSE
- > 1MEG RAM
- > 3.5" DISK DRIVE
- > 20MEG HARD DRIVE
- > WORKBENCH 2
- > BUILT-IN TV MODULATOR
- PLUS
- > TRIVIAL PURSUITS
- > EPIC
- > MYTH
- > ROME

STOP PRESS
HURRY -
BEAT THE
PRICE RISES

COMMODORE
ANNOUNCE
PRICE
INCREASES
ON ALL
AMIGAS
FROM
1-1-93

PRINTERS

CITIZEN SWIFT 9COLOUR ONLY £184.99
9pin; 192cps draft, 48cps NCU printing speed. 4 built-in
fonts. Friction & tractor feeds. Paper park. Low cost ribbons.
2 year warranty. Epson & IBM Proprietary emulations. Low noise
level. 128K RAM UPGRADE £13.99

CITIZEN SWIFT 240C COLOUR £284.99

CITIZEN SWIFT 240 MONO £249.99
24 pin; 240cps draft & 80 cps letter quality print speed. 9
fonts, 2 scalable fonts. Paper parking, push & pull tractor
feed, friction feed. Epson LQ570, NEC P20 & IBM emulations.
Ultra low noise level, & quiet mode for even lower noise. 2
year warranty. 128K RAM EXPANSION £32.99

CITIZEN SWIFT 200 SUPERB MODEL & ONLY £209.99

CITIZEN SWIFT 200 COLOUR £244.99
24 pin; 240cps draft & 80 cps letter quality print speed. Nine
letter quality fonts, 2 scalable letter quality fonts. Paper
parking, push & pull tractor feed, friction feed. Epson LQ570,
NEC P20 & IBM Proprietary 24x4 emulations. 2 year warranty.
128K RAM EXPANSION £32.99

CITIZEN PRODOT 24 PROFESSIONAL PRINTER £259.99
24pin 90 Column; 5 fonts; Epson, IBM & Nec emulations; 360x160
dpi graphics printing; 16K buffer. Colour version £299.99

CITIZEN PROJET INKJET LASER QUALITY PRINT £309.99
300dpi Laser quality 50 nozzle. Ink jet printer. Fast & very
quiet. 360cps draft & 240 cps letter quality print speed. Three
letter quality fonts & optional font cards. HP Deskjet Plus
emulation. Optional 128K & 256K ram cards. 100 sheet automatic
feeder. Ink cartridges - £13.99

BUDGET APM LASER PRINTER - SEIKOSHA OP 104 £259.99
Four page per minute; HP Laserjet IIF emulation; 300x300 DPI;
lyr on site warranty. Postscript version with 2meg ram £249.99

HARD DRIVES

SUPERB GVP HARD DRIVES

GVP HD8 FOR A500 & 500+ - NO DRIVE	£184.99
GVP SERIES II HD8+ 42 Meg for A500	£329.99
GVP SERIES II HD8+ 80 Meg for A500	£419.99
GVP SERIES II HD8+ 120meg for A500 - now only	£499.99
GVP SERIES II HD8+ 210meg for A500 - now only	£669.99
The HD8 series II can accept either 1 or 2 or 4, 1 meg 51mm; 2 or two, 4 meg 51mm.	
GVP SERIES II HC8 for A1500/2000 - NO DRIVE	£119.99
GVP SERIES II HC8 + 42meg for A1500/2000	£309.99
GVP SERIES II HC8 + 80meg for A1500/2000	£374.99
GVP SERIES II HC8 + 120meg for A1500/2000 - now only	£449.99
GVP SERIES II HC8 + 210meg for A1500/2000 - now only	£609.99
The HC 8 Series II can accept upto 8, 1meg x 51mm in 2 meg steps.	
A530 42Meg Hard drive & 68030 Accelerator for A500	£719.99
A530 80Meg Hard drive & 68030 Accelerator for A500	£819.99
A530 120Meg Hard drive & 68030 Accelerator for A500	£899.99
A530 210Meg Hard drive & 68030 Accelerator for A500	£1049.99
The A530 Combo feature a 68030 40MHz cpu, 1 meg ram expandable to 8megs, 68082 maths co-processor socket, power supply, cooling fan, mini-expansion slot, SCSI hard disk controller & hard disk as specified above. The A530 run at 12MIPS compared to standard Amiga's 0.87MIPS.	
GVP 68082 MATHS CO-PROCESSOR KIT for A530 COMBO	£214.99
1MEG SIMMS FOR GVP DRIVES	£32.99
4MEG x9 SIMMS FOR GVP DRIVES	£129.99
4MEG 32BIT SIMMS FOR A530	£169.99
GVP IMPACT EXTERNAL 51/4" HARD DRIVE CASE	£174.99

COMMODORE A500 HARD DRIVE UPGRADES

A590 40 meg SCSI upgrade - easy to fit	£214.99
A590 120meg SCSI upgrade - easy to fit	£349.99
A590 MEMORY CHIPS	£32.99/MEG
All upgrades are easy to fit yourself, or we will fit for you for £15.00.	

ALL PRICES INCLUDE VAT
SALES: 0274 - 691115

AMIGA 1200

ASTOUNDING SPEC:

- 68020 32BIT Cpu
- 14.19MHz CLOCK SPEED
- 2 MEG RAM
- 3.5" FLOPPY DRIVE
- 16MILLION COLOUR CAPABILITY
- BUILT-IN TV MODULATOR
- WORKBENCH 3, MOUSE & PSU
- 32 BIT EXPANSION PORT

FREE ON
SITE
WARRANTY

PHONE FOR LATEST LOW PRICE

NOW ALSO AVAILABLE
WITH HARD DRIVES
INSTALLED

FAST HARD DRIVES FOR YOUR AMIGA 600 & 1200.

20MEG:	PRICES	BOOTS UP
40MEG:	FROM	IN LESS
60MEG	UNDER	THAN 10
80MEG	£120	SECONDS

- * Prices include drive cable.
- (Cable also available separately for £9.99)
- * Formatted ready to use.
- * Easy to fit - installs in second - attach to internal drive bay bracket (screws included) & plug-in the cable - that's all there is to it. Fitting charge £15.00. Send your 1200 with registered post, enclosing £5.50 extra for return carriage - don't forget the extended warranty if required - £42.99 extra - highly recommended.

SPEED UP YOUR 1200

Adding one of our 32bit FAST RAM cards will give from 2 to 30 times speed increase over a standard 1200 (from 6 to 70 times faster than a A500 - largest increases are for maths intensive applications, making use of the 68881/68882 co-processors on the Ram cards.

MONITORS & TV MONITORS

PHILIPS CM8833mk2	COMMODORE	HI-RES 14"
£224.99	1084S	COLOUR MONITOR
> 14" SCREEN	£199.99	£229.99
> STEREO SOUND		
> RGB & COMPOSITE INPUTS	> 14" SCREEN	> 14" ANTIGLARE SCREEN
> ON SITE WARRANTY	> STEREO SOUND	> 0.28mm DOT PITCH
> LOTUS TURBO CHALLENGE	> RGB & CVBS INPUTS	> 1024 x 768 PIXELS
> OFFICIAL UK MODEL	> SUPERB PICTURE	> ANALOGUE RGB INPUT
> DUST COVER £8.99	> DUST COVER £8.99	> TILT / SWIVEL BASE
> CONNECTING LEAD £3.99	> CONNECTING LEADS free	> Unsuitable for low res (15.6KHz) modes.
> OR BOTH FOR £8.99		

COMMODORE 1960 HI RES 14"

MULTISYNC COLOUR MONITOR.

WORKS IN ALL A1200 MODES inc low res. (15.6KHz modes)

£439.99 inc leads.

Productivity mode Adaptor £14.99 extra if required.

Compatible
with ALL
AMIGAs &
POS

ACCELERATORS & EMULATORS

PC CARDS & EMULATORS

KCS POWER PC CARD v4.5 FOR AMIGA 500 & 500 PLUS	£149.99
MS Dosl if required	£34.99
KCS POWER PC EMULATOR CARD FOR AMIGA 600	£69.99
AMIGA 1500/2000 KCS ADAPTOR	£64.99
VORTEX AT ONCE PLUS 286 PC EMULATOR FOR A500	£219.99
GVP PC286 PC EMULATOR CARD FOR SERIES II HARD DRIVES	£189.99
GOLDEN GATE 386SX PC CARD FOR A1500/2000	£399.99
GOLDEN GATE 486SX PC CARD FOR A1500/2000	£749.99
OPTIONAL DRIVE CONTROLLER CHIP FOR GOLDEN GATE	£34.99

ACCELERATORS

BLIZZARD TURBO/ MEMORY BOARD FOR A500 /500+ £209.99
Clock doubled 68000cpu; 8meg ram capacity - upgradable from 1meg (2,3,4,5,6,8meg steps). Fully autoconfiguring. With only 1meg on board - gives 200% speed increase over standard Amiga. 2yr warranty.

GVP G-FORCE ACCELERATORS FOR A1500/2000
G-FORCE 030/25MHz others available - pos £479.99

FAST INTERNAL HARD DRIVES FOR YOUR

AMIGA 600 & 1200.

20MEG	PRICES	* Prices include drive cable.
40MEG	FROM	* Formatted ready to use.
60MEG	UNDER	* Easy to fit - installs in second - attach to internal drive bay bracket (screws included) & plug-in the cable - that's all there is to it.
80MEG	£120	* FITTING CHARGE £15.00

EXTENDED WARRANTIES - COVERS YOUR AMIGA & DRIVE - FROM £26.99 FOR 2 YEARS. 1 year cover also available.
*Fitting a hard drive invalidates Commodore's warranty - we highly recommend you take out an Extended Warranty which also covers accidental damage.

OPEN SUNDAY
10-4PM

SEE OPPOSITE
PAGE FOR 'HOW
TO ORDER'

TRILOGIC

NO AMIGA REPAIR BILLS FOR 2 or 3 YEARS

WHEN YOU TAKE OUT AN EXTENDED WARRANTY WITH US.
Underwritten by a leading UK Insurance Co.

COVERS BREAKDOWNS & ACCIDENTAL DAMAGE.
ACCIDENTS can happen to anyone & they aren't covered by the manufacturers warranty. AND once this has expired, you can beat things will start to go wrong. With the average minimum Amiga repair costing £49.99 it DOES make sense for a one-off payment, to know you will never have ANY repair bills to pay for 2 or 3 YEARS. This Extended Warranty/Insurance policy must be taken out within 30days of purchase. Full details on request.
COMPUTERS UPTO £600 IN VALUE - 2yrs £27.99 3yrs £42.99
COMPUTERS UPTO £999 IN VALUE - 2yrs £32.99 3yrs £67.99
Also available for printers & monitors etc. POA.

IT'S BACK! AMIGA 500 PLUS CARTOON CLASSICS

> BUILT-IN 3.5" DISK DRIVE	PLUS
> 1MEG RAM	> LEADINGS
> MOUSE	> CAPTAIN PLANET
> TV MODULATOR	> THE SIMPSONS
> WORKBENCH 2.04	> DELUXE PAINT 3
NEW LOW PRICE	2Meg version add just £42.99

1.3 AMIGAs WITH 1MEG RAM.
PLEASE PHONE FOR DETAILS

EXTERNAL DISK DRIVES

ROCLITE RF382av 3.5"

EXTERNAL DRIVE £67.99

WITH ANTIVIBR & ANTI CLUCK FEATURES. RRP £79.99

OR WITH NEW XCOPY PRO £99.99

CUMANA CAX354 £56.99

MEMORY UPGRADES

AMIGA 500 & 500 PLUS
A500 / 500+ 1/2meg upgrade without clock £24.99
A500 / 500+ 1/2meg with clock & battery £29.99
Just plugs in. No soldering. Warranty unaffected.
A500+ 1MEG UPGRADE £44.99
1.5 MEG UPGRADE fully populated £69.99
(Free gary chip removal & invalidates warranty)
500/500+ EXTERNAL 2-MEG UPGRADE inc 2meg £149.99

AMIGA 600
AMIGA 600 1meg upgrade + clock (unpopul) £27.99
AMIGA 600 1meg upgrade + clock - now only £44.99
Just plugs in. No soldering. Warranty unaffected.
A600 PCMCIA 2 MEG 16BIT FAST RAM £149.99
A600 PCMCIA C 4MEG 16BIT FAST RAM £221.99

AMIGA 1200 FAST RAM CARDS
A600 PCMCIA 2 MEG 16BIT FAST RAM £149.99
A600 PCMCIA C 4MEG 16BIT FAST RAM £221.99
MICROBOTICS 25MHz inc 0 meg 32bit fast ram £129.99
MICROBOTICS 14MHz inc 1 meg 32bit fast ram £139.99
MICROBOTICS 14MHz inc 2 meg 32bit fast ram £225.99
MICROBOTICS 14MHz inc 4 meg 32bit fast ram £359.99
These include 68881 co-processor on board & fit in the underside trapdoor. Warranty is unaffected.
Add £50 for 25MHz version with 68882 co-processor.

AMIGA 1500 & 2000 MEMORY CARDS
DRB MEGACHIP BOARD FOR A1500/2000 inc 2meg £184.99
GVP AMIGA 1500/2000 8 MEG CARD (unpop) £99.99
4MEG x9 SIMMS EACH £32.99
4MEG x9 SIMMS EACH £129.99
GVP 4MEG x 32BIT SIMMS EACH £169.99


PRINTER & MONITOR LEADS

AMP1 1.8m PARALLEL PRINTER LEAD	£9.99
AMP2 3m PARALLEL PRINTER LEAD	£12.99
AMP3 5m PARALLEL PRINTER LEAD	£16.99
2 PIECE UNIVERSAL PLASTIC PRINTER STAND	£5.99
UNIVERSAL METAL PRINTER STAND & PAPER HOLDER	£10.99
LACROSS e/adhesive LABELS approx 3.5"x1.5" 1000 for	£7.99
CONTINUOUS 60gm PAPER 11"x5.4" box of 2000for	£21.99
RIBBON RE-INKING SPRAY - Jet black - saves £15s	£11.99
MONO RIBBONS for most Citizen, Panasonic, Star	£4.99
COLOUR RIBBONS - LC200/24-200 & SWIFTS/224/24/240	£15.99
CITIZEN PROJET INK CARTRIDGE (BLACK)	£13.99
TAILORED PVP PRINTER DUST COVERS	£6.99
For popular Citizen & Star printers - please state printer when ordering.	

MONITOR & TV/MONITOR LEADS

ALI FOR TVs WITH SCART SOCKET (Not for VCRs)	£13.99
incl Sony, Philips, Ferguson, Hitachi, Toshiba, Mitsubishi	
AL2 for Ferguson M01/M03/M05 with 8 pin Din socket	£12.99
AL4 for Hitachi/Granada sets with 7pin Din RGB input	£12.99
AL6 for Amstrad CPC464/6128 monitor (with no sound)	£12.99
AL6B for new Amstrad CPC stereo monitor	£11.99
AL7 for 1084e monitor with 8 pin Din socket	£14.99
AL7P for 1083/1084e/8833 with 8 pin Din socket	£14.99
AL11 with 9 pin D plug for multi-sync monitors	£12.99
AL12 with 15 pin BNC socket for multi-sync monitors	£11.99
AL13 with 15pin 3 row plug for multi-sync monitors	£12.99
FLICKER FIXER LEAD - 9 plug to 15way 3 row plug	£10.99
MODULATOR EXTENSION LEAD eliminates overhang	£10.99
DELUXE MONITOR STATION fits over Amiga 500 & 500+	£44.99
includes monitor/computer 1 piece PVC dust cover, mouse mat	
Mouse & JOYSTICK EXTENSION KIT FOR PLINTH 1 & 2.pair	£7.99
MONITOR TILT/SWIVEL BASE for upto 14" monitors or TVs	£10.99
HEAVY DUTY SWIVEL BASE FOR UPTO 17" TVs	£12.99

TRILOGIC



Callers welcome Open Mon Fri 8am-6pm, Sat 8am - 4pm. SUN 10-4pm
We're easy to find, just 1.5 miles from the M62. Easy parking. Leave M62 at junction 26, take A638 to Bradford, uphill, after about 1.5 miles & just past the park, turn left onto New Works Rd, just over a railway bridge, on the left 400yds further on opposite a PO mail box.

UNIT 1,
253 NEW WORKS RD,
BRADFORD, WKS,
BD12 0QP

SALES

0274 69 11 15
FAX 0274 60 01 50

ACCESS, VISA,
SWITCH, DELTA
CONNECT
AMERICAN
EXPRESS

FAST MAILORDER SERVICE
SAME DAY DESPATCH

ORDERING IS EASY

- 1) Order by phone using your credit, charge, or debit card.
- 2) Order by Mail - sending cheque bankers draft or postal orders payable to TRILOGIC.
- 3) Please add post postage & packing of £1.00 to small orders under £100 or £2.00 to small orders over £100. Large/heavy items sent overnight only - £5.50

Overnight carrier £5.50 extra. UK Mainland only. Scottish Highlands £7.50 extra. Saturday delivery add £12.00. Goods remain our property until paid for in full.

EXPORT ORDERS WELCOME
None EC countries - deduct 15% add carriage. For EC Countries - UK vat must be charged from 1-13%. Please contact us for carriage charges.

LOWEST PRICES & PROFESSIONAL SERVICE - at NO EXTRA COST
Our policy is & has been for the last 8 years, to:

- 1) Send orders within 24hrs subject to goods being in stock.
- 2) Endeavour to keep at least 90% of advertised items in stock.
- 3) Only charge prices different from those advertised due to unavoidable manufacturers price increases & to inform you of any change at the time of ordering.

MICE & JOYSTICKS

ULTIMATE PRO ANALOGUE JOYSTICK NOW £19.99

Superb low cost smooth action Analogue joystick with fire button on the end, plus pretable X & Y trimmers, Microswitch fire buttons; analogue (not all games support analogue) ideal for flight simulators etc (Not all games support analogue joysticks)

MOUSE / JOYSTICK PORT SWITCH £12.99

- Has sockets for mouse & joystick.
- Push button selects mouse or joystick.
- Uses no power unlike other types.
- Saves wear & tear on mouse port.

NAKSHA MOUSE

OPERATION STEALTH OUR PRICE £24.99
Includes Mouse mat & holder

BUDGET REPLACEMENT MOUSE	£14.99
SCOTCH MOUSE	£15.99
PTARMAN JOYSTICK	£9.99
TOPSTAR JOYSTICK	£19.99
DELTA 3A ANALOGUE JOYSTICK	£14.99
PRO 5000 MINI - BLACK	£10.99
KIPSTICK AUTOFIRE	£12.99
SPEAKING AUTOFIRE	£11.99
SPEAKING ANALOGUE	£11.99
OPTICAL MOUSE	£37.99
MOUSE MAT	£13.99
MOUSE HOLDER	£1.99
JOYSTICK EXTENSION LEAD (3m)	£2.49
PC ANALOG JOYSTICK CONVERTER	£7.99

BOOKS & VIDEOS

* DISK INCLUDED WITH THESE BOOKS	
AMIGA FOR BEGINNERS	£14.99
AMIGA BASIC INSIDE & OUT	£21.99
C FOR BEGINNERS	£17.95
DISK DRIVES INSIDE & OUT	£27.95
DOS INSIDE & OUT	£22.95
DESKTOP VIDEO	£23.95
GRAPHICS INSIDE & OUT	£31.95
IMAGINE COMPANION	£24.95
LITTLE BLUE WORKBOOK	£14.95
MAKING MUSIC ON THE AMIGA	£27.99
USING AREXX ON THE AMIGA	£26.99
USING DELUXE PAINT	£19.95
UNDERSTANDING IMAGINE 2	£24.95
USER INTERFACE MANUAL	£18.99
HARDWARE REF MANUAL	£21.95
ROM KERNEL REF MANUALS - EACH £28.95	
VIDIA PAGESTREAM GUIDE	£14.95

DIGITISERS, GENLOCKS, SCANNERS & ENHANCERS

ROCGEN PLUS NOW ONLY £139.99
A superb value Genlock with overlay & fader controls + RGB pass thru.

HANDY SCANNER £94.99
In our experience, this is by far the best B/W hand scanner in this price bracket. 400dpi, 64 level grey scale & excellent Datacan Professional 2 software.

ROC KEY Chroma keying unit £269.99
The ideal partner for the Rocgen Plus. This add-on 'Keying' unit enables professional effects such as Chroma keying, luma keying, Key through, Graphics overlay, key window etc

VIDI 12 £82.99 **NEW Colour Frame grabber/digitiser.**

VIDEOMASTER £55.99 **VIDEO & AUDIO DIGITISER IN ONE**

COLOURVIDE £509.99 **Frame grabber, colour digitiser & genlock.**

COLOURVIDE £409.99 **Frame grabber & colour digitiser in one unit.**

REDALE 8002 GENLOCK £135.99 **Low cost hi-spec budget genlock.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

REDALE SUPER 8002 SVHS £493.99 **Semiprofessional SVHS Genlock - excellent value.**

DISCOUNT AMIGA SOFTWARE

BACKUP UTILITIES

X COPY PRO NEW £34.99
Latest version - complete with NEW Mk 2 Automatic Cyclone external drive adaptor. Highly successful.

MK1 CYCLONE ADAPTOR £12.99

AMI SUPERCARD £34.99

(Requires an external drive)

OTHER DISK UTILITIES

ACTION REPLAY 3 FOR A500 ... £56.99
ACTION REPLAY 3 FOR 1500/2000/64.99
NB. Making backups without the permission of the copyright holder is illegal.

EDUCATIONAL

ADI ENGLISH & MATHS	£18.99
ANSWERBACK QUIZZES	£14.99
BETTER MATHS (12-16)	£19.99
BETTER SPELLING (8+)	£19.99
DATAMOR	£14.99
DINOSAUR DISCOVERY KIT	£19.99
FIRST SHAPES (3-8)	£12.99
FIRST LETTERS & WORDS (3-8)	£12.99
PUN SCHOOL A RANGE	£19.99
PUN SCHOOL SPECIALS	£18.99
FRENCH MISTRESS NEW	£16.99
GERMAN MASTER	£16.99
ITALIAN TUTOR	£16.99
JUNIOR TYPIST (5-12)	£19.99
KID'S TYPE	£17.99
KID TALK	£12.99
LETS SPELL SERIES	£16.99
LINKWORD LANGUAGES	£21.99
MAGIC STORY BOOK	£18.99
MATHS TALK (5-11YRS)	£19.99
MATHS TALK FRACTIONS	£19.99
MATHS MANIA	£19.99
MATHS ADVENTURE	£19.99
MICRO MATHS	£19.99
MICRO FRENCH	£19.99
MICRO ENGLISH	£19.99
MICRO GERMAN	£19.99
MEGA MATHS	£19.99
MONEY MATTERS (4-7YRS)	£14.99
MOODY'S PLAYTIME	£19.99
PICTURE BOOK	£16.99
POETRY BOOKS	£16.99
READING WRITING COURSE	£16.99
RHYMING NOTEBOOK	£12.99
SPELL BOOK	£19.99
SPANISH TUTOR	£16.99
TARGET MATHS (4+)	£16.99
THINGS TO DO WITH... SERIES	£17.99
VOYAGER 1.1	£54.99
WEATHER WATCHER	£19.99
WORLD ATLAS	£41.99

SPECIAL OFFER

EXCELLENT VALUE BOXED SET COMPRISING:
• WORDS & NUMBERS • KID'S TYPE
• GAME SET & MATCH • WEATHER WATCHER
• WHAT IS IT WHERE • CALENDAR QUIZ
IS IT?

'MIRACLE' MUSIC KEYBOARD SYSTEM

'The Piano that teaches you how to play'

Includes 8 octave 61 KEY Keyboard, 100 instrument sounds & effects. 'Artificial intelligence' software for the Amiga which customises the lessons to each individual.

Our price £279.99 save £20.00

TOP 50 GAMES

A320 AIRBUS	£26.99
ASSASSIN	£18.99
ARCHER MACLEANS POOL	£18.99
BIRDS OF PREY	£25.99
BC RIDER	£18.99
CHAMPIONSHIP MANAGERS	£18.99
CAIDION	£24.99
CEASAR	£21.99
CIVILISATION	£24.99
COOL WORLD	£18.99
CRAZY CARS III	£18.99
CURSE OF ENCHANTIA	£25.99
CYTRON	£22.99
DARKSEED	£26.99
EYE OF THE BEHOLDER II	£26.99
FINAL FLIGHT	£18.99
PIRE & ICE	£18.99
FORMULA 1 GRAND PRIX	£25.99
F15 STRIKE EAGLE II	£25.99
GRAHAM TAYLORS SOCCER	£18.99
GOLBLINS	£18.99
HAGAR THE HORRIBLE	£18.99
HEAD TO HEAD	£18.99
HUMANS	£21.99
INTERNET SPORTS CHALL	£21.99
ISHAR	£19.99
INDIANA JONES & FATE OF ATLANTIS	£18.99
INDIANA JONES - ADVANCED	£26.99
JIMMY WHITE'S SNOOKER	£21.99
KNIGHTS OF THE SKY	£26.99
LETHA WEAPON	£18.99
LEGEND OF KYRANBIA	£25.99
LEWIS UNITED CHAMPIONS	£18.99
LIFES	£24.99
LINKS COURSES	£12.99
LURE OF THE TEMPTRESS	£21.99
JAGUAR XJ220	£18.99
JOHN BARNES FOOTBALL	£18.99
LOTUS TURBO 3	£18.99
MONKEY ISLAND 2	£26.99
NIGEL MANSELL'S WORLD CHAMP	£21.99
PGA TOUR GOLF	£21.99
PINBALL DREAMS	£18.99
PINBALL FANTASIES	£21.99
POPULOUS 2	£21.99
POPULOUS 2 PLUS	£25.99

friends are. The best way to move forward is to make an arrangement with a pal, allowing each of you to try out components from the other's machine in the event of problems.

Now there are snags to this play. Firstly, there is the issue of warranties. If either your own or your mate's Amiga is still under warranty, then the only recourse is to take it back to your dealer. Remember, if the silver seals which wrap around the seams of the front and rear of your Amiga are broken, then the warranty is void. Secondly, you may have come to the conclusion, that, say, the 68000 CPU is blown, so you decide to try your mate's chip in your machine. It could be that your 68000 CPU is blown, but the reason for that could be a short on the external edge connector, with the result, on power-up, of two blown 68000s. The moral of this story is to always be very sure of what you are doing, or be prepared to fork out hard-earned shekels. The other warning we should make at this point refers to the handling of CMOS or TTL chips.

You have probably heard before about the need to exert care when dealing with these delicate components, but familiarity breeds contempt. So, to reiterate – integrated circuits (or 'ICs') are sensitive to two particular things: static electricity, and rough handling.



The guts of the Amiga power supply. Remember to test its weight: if it's as heavy as a household brick, then we can attempt some repairs – but if it's fairly lightweight, then keep out. And always ensure everything is disconnected from mains when examining the power supply.

Just to the left of where the cables from the on/off switch join the circuit-board, is the internal fuse. The two large diodes can be seen in the centre of this picture.

To re-assemble the unit, take care to ensure the component parts are replaced in exactly the way you found them. There are moulded slots and bosses inside the power supply case which hold the components in place – check to ensure these are correctly aligned before tightening the four screws. If the power supply does not appear to be going together smoothly and snugly, do not force it together by continuing to tighten the screws. If it won't go easily, take it apart and check again that everything is intact.

BURNT CHIPS

As you move about doing your own thing, you gradually accumulate static electricity in your body. This phenomenon is particularly noticeable if you choose to wear synthetic-soled shoes, and have nylon carpets. No doubt you will have felt the occasional 'shock', when you touch something that earths the charge. Cars can accumulate the same static charge, and often take to disposing of it, via you, when you take hold of the handle. This explains those really naff dangly things that some motorists hang from the rear bumper of their cars, only to find that after about twenty miles the daft thing has worn away, and doesn't reach the road.


Static electricity, when built up in your body, is desperately seeking some way to escape, and the pins of

an IC are a favourite escape route. The difficulty here is that the pin in question may be designed to respond to very low voltage fluctuations, so up to 20,000 volts of static can (if you'll excuse the pun) come as a bit of a shock. The result: a wrecked IC. The simple precaution is to earth yourself prior to carrying out any work on electronic components. This can easily be achieved by grabbing a tap or radiator in the house, thus releasing the charge to ground. Electronics workers in the industry have straps running from their wrists and leading directly to an earth.

Rough handling is the second biggest cause of damage to ICs. The pins are very easily bent or broken, and extreme care must be used when removing or replacing them. Nearly all of the ICs in the 500 are of the two-sided variety, and removing an IC is not difficult – providing you follow this procedure:

1. Discharge any static in your body to earth, as described in the preceding section.
2. With a flat-bladed screwdriver, carefully push the blade under one end, and gently lever the IC against its holder, so that the pins move about a millimetre out of the socket.
3. Repeat at the other end of the IC.
4. Carry on with Steps 2 and 3 until the IC is free of the holder.
5. Making sure that all pins are clear, pick the IC up with thumb and middle finger, lifting it vertically away from the holder.
6. Place the IC in a safe place – preferably stuck into the special black foam used for this purpose. Failing that, gently push the IC into a piece of soft polystyrene: a ceiling tile, for instance.


KNOW YOUR ENEMY



Here is an A500 motherboard, identifying the key components. The ICs have been removed to show the socket holders clearly. The components often have nicknames, but for purchasing from suppliers, it is best to quote the correct reference as given in the official service manual. Along with the name of each part, I have given a brief description of its function in the Amiga.

1. **RGB monitor connector.** Used to connect your Amiga directly to a monitor offering RGB analogue input.
2. **Parallel port.** Used to connect several devices, especially printers. The parallel port is a female socket, and an important characteristic of this port is that pin 14 (bottom left) supplies +5V.
3. **Serial port.** Also used to connect printers, as well as other devices. Pins 9 and 10 carry +12V and -12V respectively.
4. **External disk drive connector.** One of the commonest upgrades available for the A500 – an external disk drive – uses this port. It has no other uses other than as a combined source of both +5V (pin 12) and +12V (pin 23).
5. **Left and right stereo sound output.** The phono connectors deliver left and right audio output. These can be plugged into a monitor, or alternatively, into the Aux or Tape input of a hi-fi system, to give excellent sound quality.
6. **Joystick port.** Another way of communicating with the Amiga, via a 9-pin 'D' connector. This port is also

- referred to as 'Joy 2'.
7. As 6, except this port is known as 'Joy 1', and is primarily used for the mouse. Also suitable for a light-pen.
8. **Power input.** The Amiga receives 12 and 5 volts from the external power supply via this port, these being the voltages required to drive the system.
9. **Internal floppy connector.** A 34-pin connector which receives data from the internal floppy drive. A short ribbon cable connects this and the drive itself.
10. **Odd CIA 8520 I/O.** This is one of the major components in your Amiga, along with Item 12 which is the **Even CIA**. These two chips account for 60% of Amiga repairs, because they deal with the parallel port connector, joystick/mouse connectors, front panel LED, internal control lines, keyboard, serial port, floppy drives, and internal timing.
11. **Denise 8362.** Denise is the custom graphics chip which controls resolutions, colours, sprites, text and TV/monitor software. Unique to the Amiga, Denise has been superseded by the Super Denise



Removing an IC from the holder is an exercise requiring a great deal of care. Antistatic precautions need to be adhered to before commencing, and the process of removal should be carried out in a systematic and gentle way. Avoid any violent actions, or heavy forcing, and allow the pins to exit the holder in as near a vertical direction as possible.

REPLACING AN INTEGRATED CIRCUIT

When you buy a new IC, it is not really ready for immediate placement in your computer. There are a couple of things you need to do first:

1. Discharge yourself to earth before touching the IC.
2. Holding the chip between thumb and middle finger, carefully press all of the pins on each side down against a hard surface. This procedure ensures that the pins are pointing downwards at right angles to the body of the IC. You will find this makes the insertion into the holder much easier, as the legs of ICs are slightly splayed when new, and will not fit comfortably into the holder.

Now check the correct orientation of the IC with the socket. On all of the sockets on the A500

which offers extended graphics capabilities.

12. Even CIA 8502. See Item 10.

13. 86-pin connector (edge connector). Accessed by the removal of the clip-off protective cover. The favourite expansion port of third-party developers.

14. Paula 8364. The sound controller chip, with four voices (configured in stereo), nine octaves, I/O controls for disk data and ports.

15. Gary U5. Gary handles the keyboard reset control, (hence the wire for keyboard control of ROM sharers) bus control signals, decodes address signals, and contributes to floppy circuitry and 68000 signalling.

16. Motherboard revision data. Specific information about the particular version of the A500 you have, plus, on some machines, a daft reference to a 'Rock Lobster'!

17. 68000 CPU U1. The Central Processing Unit – the heart of your machine. This can be upgraded by fitting accelerator daughter-boards, holding the 68020, 68030 and

motherboard, there is a semi-circle cut out of the rectangular print on the motherboard at one end of the IC location. This corresponds with a similar notch on the IC itself. Ensure you have these two correctly aligned.

Once you have done this you must carefully align the pins of the IC directly above their sockets. Gently place the chip on top of the holder, checking that all the pins are in place, and, with even pressure over the whole surface of the IC, push it into place. Check that all pins are correctly located in their 'home' sockets before giving the chip a final firm press with both thumbs, once again, spreading the pressure equally across the top surface.

READY FOR ACTION

Most of the details I have described here will enable you to start checking up on some of the components that make up the Amiga. Some of them are simply background material for repairs which will appear in the forthcoming articles, when we go

68040 Motorola CPUs.

18. Agnus 8370: Fat, Fatter, or Superfat. The animator, generator of the system clock, and generator of control signals for video RAM and expansion RAM card. Agnus takes over from the CPU for controlling graphics, allowing the 68000 to concentrate on other tasks.

19. Data path. These four ICs act as buffers for information as it is being processed from the custom chips. Rarely a source of problems.

20. ROM Kickstart U500. This is what gets the show on the road. It can be upgraded to the next version, or fitted with a daughter-board to share more than one version.

21. RAM chips. 16 surface-mounted memory chips providing 512K of RAM, 32K each.

22. Internal expansion connector. Intended initially as a memory and real-time clock expansion port, but developed into a 56-pin connector for all manner of add-ons. Again, the facility is provided for taking voltage output: pins 1 and 2, and 51 and 52 carry +5V. Pin 55 carries +12V.

inside the Amiga, and start poking around its internal workings. So, you should keep all these articles as a complete reference, as we will refer to particular operations in the future, but not necessarily repeat all the details of the procedures.

There's just two more points to make. Firstly, remember all I have said about safety. Any attempts you make to carry out repairs are entirely at your own risk, and *Amiga Shopper* cannot be held responsible if (heaven forbid) your Amiga ends up

as a melted heap of smouldering plastic. As regards your own personal safety, you should always ensure that mains electricity and humans are kept well apart when investigating faults.


And secondly (on a somewhat related topic), try to work in a well-lit and clean environment when you start mucking around with your precious kit, and not in some dim, mucky corner of the garage. Good luck, happy fault finding, and see you next time! **AS**

CHECKING YOUR CONTACTS

You may already possess a test meter (and understand the basic principles of using it), but most people have not, in which case this simple continuity tester will prove invaluable for checking both wiring and components.

Construction is fairly simple, requiring just a few components, all of which can be bought for about £2 at a shop like Tandy, or any similar electronics retailer. You will need the following:

- A standard 1.5V torch battery.
- A similar battery holder.
- A 'batten' lamp holder.
- A 1.5V screw-in bulb.
- About 1m of single core wire.
- Two rigid probes, or a miniature crocodile clip plus a large needle.



A DESIGN FOR A SIMPLE CONTINUITY TESTER

When it comes to electrical circuits, you can't get them much simpler than this one!

darning needle to the other. A needle makes a useful probe, as the core of the wire can be passed through the hole in the needle, and soldered. Alternatively, you can simply fix a needle to each end.

Using the combination of needle and crocodile clip allows you to attach the crocodile clip to any end of a circuit being tested, freeing one hand for other actions. If you want to improve the tester further, you could strip some old single core cable, and 'sleeve' the soldered joints at the probes. This reduces the chance of you accidentally measuring the wrong part of the circuit.

THE TESTER IN USE

Many tests can be carried out using this simple device. By clipping the crocodile clip to one end of a cable, and touching the other end with the other probe, current should flow along the cable, and the bulb will light. Any breaks in the circuit will prevent the bulb from working.

MAKING CONNECTIONS

Cut a short length (about 10cm) of cable. Solder one end of this to the positive end of the battery holder, and the other end to one of the terminals on the bulb holder.

Divide the remaining cable into two equal lengths. Solder one end of one length to the negative terminal of the battery holder. Solder one end of the other length to the second terminal of the lamp holder (as in the picture, above).

Screw the bulb into the lamp holder, and place the battery in the battery holder. Touch the two remaining ends together. The bulb should light. If it does not, go back over each of the above instructions and check each stage.

If you don't have 'proper' probes, attach a miniature crocodile clip to one of the free ends (this is usually a screw fitting, but may require soldering), and a

WARNING

Due to the exchange rate, many items in this ad will increase in price - including some IBM, HP + Philips product. At the time of going to press we are unable to confirm the extent or date of the increases, therefore, all prices must be confirmed by telephone before ordering.

OLD AMIGA TRADE-IN

The best trade-in allowance, extra for peripherals and accessories. Trade in your old machine for a brand new A600/ A1500/1200/3000/4000/CDTV or even PC. A limited number of refurbished A500/1500/3000s are available, complete with 3 months warranty.

A500s FROM £179 A1500s FROM £299

A600 1MB.....(mint) 219	1500 HD+Controllers.....
A600 20HD.....(mint) 219	40MB.....FROM 199
A3000s.....FROM 899	120MB.....FROM 379
CDTV.....FROM 249	Action Replay.....39
A590 20/40MB.....99/129	XT B Board.....79
Flicker Fixer 1500.....79	AT B Board.....149

OTHER ACCESSORIES - PLEASE ASK.

AMIGA 500+ £229.95

LIMITED NUMBER AVAILABLE - PHONE!

AMIGA 3000 12 MONTH ON-SITE MAINTENANCE

Latest version, 68030 25MHz, 3.5" 880K FD + spare drive bay (or 4 spare bays on Tower), 512K 32 bit ROM, 4 Zorro III, slots with 2PC AT slots (or 1 CPU, 7 Zorro III, 2 PC AT on Tower), hard drive and memory as below:

DESKTOP	52MB	120MB
1MB video + 1MB Fast Ram	1199	1289
2MB video + 4MB Fast Ram	1349	1439
2MB video + 8MB Fast Ram	1489	1579

WITH FREE AMIGA VISION

With extra 4MB Fast RAM (fitted if required) ADD £169.99
With Philips SVGA 28dpi inc. tilt & swivel ADD £259.00

AMIGA 4000 MULTIMEDIA AMIGA

New AGA Chip Set + blistering 68040 processor, 256,000 colours from 16.6 million, scan doubling for flicker free display, 25 MHz, Mouse, Amiga 3.5"/1.76 MB 3.5" drive Plus Cross DOS for transfer of files between Amiga DOS + MS DOS, 2 rear + 2 front 3.5" bays, 1x 5.25" bay, Hard Drive as below, Amiga DOA 3.0 system and utilities, Gold Service Warranty
FULL 68040 ALONE
120MB HD 2 + 4MB £2089 inc. VAT
120MB HD 2 + 8MB £2259 inc. VAT
240MB HD 2 + 8MB £2399 inc. VAT
With Kaga M/Sync SVGA low radiation high-res 28 dot pitch col. monitor inc tilt and swivel, all 4000 modes **ADD £400**

TRADE IN
AVAILABLE

NO OTHER DEALER CAN BEAT OUR CREDENTIALS

- 8+ years experience in Commodore product and here to stay
- Commodore trained staff are friendly and helpful and are parents, multimedia, educational, games, programming or technical specialists (usually more than one!)
- Open 9-6 pm Monday to Saturday and 10.00 am to 4.30 pm Sundays for convenient shopping.
- Callers welcome for advice and demonstration at our 1600+ sq ft High St, Town Centre branches
- Same day despatch for most orders received by 5.30 pm; express am and Saturday services available
- Hardware carefully handled and delivered safely and reliably by caged, insured, top name courier service
- Pre-despatch testing on Amiga systems
- Free 30 day, next day courier collection and delivery of NEW replacement (except product with on-site maintenance)
- Hotline support and in-house engineers
- Upgrade and trade in offers to keep you up to date
- Exceptional after sales service
- BFPD and Export welcome

NOT JUST ANOTHER MAIL ORDER COMPANY

For years a major player in Amiga Mail Order, Hobbyte also boast extensive expertise and experience in specification and support of multi-machine and specialist systems. Hobbyte have been recommended and trained by Commodore and successfully won major orders and support contracts from London Boroughs, MOD, educational establishments etc. We are pleased to be placed on tender lists.

This expertise is available to all our customers.

Hobbyte

COMPUTING
ESTABLISHED 8 YEARS

10 MARKET PLACE ST ALBANS
HERTS AL3 5DG TEL: (0727) 56005/41396
THE GALLERY ARNDALE CENTRE LUTON
BEDS LU1 2PG TEL: (0582) 457195/411281

AMIGA 600

**1/2 PRICE "EPIC
EXTRA" WITH ANY
600HD ADD £15

A600 with 12 month on-site warranty,
1MB, WB 2.05, 3.5" FD + Smart Card
Interface Mouse and Manuals

	ALONE	WITH 8833/CBM 1084 + ON-SITE
A600	249.00	439.00
A600 20MB HD	339.00**	519.00**
A600 40MB HD	399.00**	589.00**
A600 80MB*	469.00**	649.00**

2MB VERSION ADD £39.95

* Top quality 3rd party drives, covered by full 12 month return-to-base warranty

TRADE IN
AVAILABLE

AMIGA 1200

1200 2MB SD.....369	1200 2MB 80MB HD.....595
1200 2MB 20MB HD.....499	1200 2MB 120MB HD.....735
1200 2MB 40MB HD.....549	1200 6MB 80MB HD + 68881.....875
1200 2MB 60MB HD.....569	

Install disc and full 12 months return-to-base warranty on all HD models.

With Zool, Striker, Pinball Dreams and Transwrite **ADD £19.99**

OR SEE NEW AGA GG PACK BELOW

NEW MID RANGE AMIGA EXPECTED
with new chip set, 68030 PHONE!

THE HOT LIST

CURRENT TITLES VARY - INCLUDES:

Paperboy II	Hunt for Red October
Colossus Chess	Blinky's Scary School (under 12)
Challenge Golf	Battleships
Neighbours	Licence to Kill - Bond Game
Frankenstein	Silkworm Helicopter Jeep mission 93% CU
Edd the Duck (under 12)	Continental Circus - 8 Int race circuits 92% AA
Master Blazer - 3D sports	Xenon - C+VG Game of the Month
Onslaught - Format G 90%	Thunderstrike - Fighter Flight Sim

+ LOTS MORE - AT LEAST 25 TITLES TO CHOOSE FROM!

AGA GG PACK (GRAPHICS + GAMES) FOR A1200, 4000 ETC.

	VALUE/RRP
Personal Paint AGA - Top reviews, impressive DP IV clone with additional features inc. image processing, paints in any screen mode	69.99
Your choice of - Wing Commander AGA or Zool AGA or Sensible Soccer AGA	34.99
5 'Hot List' games (AGA compatible) individually boxed	174.95
Microswitched Joystick	9.99
Mouse Mat + Dust Cover	9.98
10 Blank Discs + 80 capacity lockable disc box	16.98
Virus Killer	4.99
TOTAL VALUE	321.87
WITH AMIGA/CDTV SEPARATELY	89.99
	109.99

STARTER PACK

	MAX VALUE/RRP
Microswitched Joystick	9.99
80 cap. lockable disc box PLUS 10 blank discs	16.98
4 great boxed games - See HOT LIST	159.96
Phone for current choice OR DPoint III + 700 Clip Art Pics/graphics	9.98
Mouse Mat and Dust Cover	9.98
16 Days Free Hotel Accommodation in UK, Ireland or France - you pay only for meals	196.91
TOTAL VALUE	196.91
WITH AMIGA/CDTV SEPARATELY	19.99
	29.99

WITH ANY
OTHER PACK
ONLY
£18.99

HOW TO USE THIS AD

For the first time ever, you can choose your own Amiga and software combination, and still benefit from the huge savings only available from package deals. Want an A500 with 1500 software? No problem! Like an A1500 without games? It's up to you! All we ask is that you choose at least 1 software pack when you order your hardware (optional on CDTV, A1200, A3000 or A4000)

WE WANT TO BEAT ALL PRICES! CALL US!!

AMIGA 1500 inc. on-site

Full UK spec. with 1MB RAM, mouse, expansion as 2000, leads, manuals. New including Kickstart & Workbench 2.05. Hard disc configuration inc. the high performance GVP II controller card, EXPANDABLE TO 8MB.

	1500 SPECIALS
Dual Drive	469.00
DD+GVP+52MB HD	732.00
DD+GVP+80MB HD	799.00
DD+GVP+120MB HD	872.00
With 8833/10845	ADD 179.99
With 7CM + M/W FF ADD	379.99
Per extra 2MB fitted to GVP	ADD £60.00
Also with Kickstart 1.3 + ROM Sharer	ADD £39.90
Also with Citizen 200 24 pin Col Printer + Starter Pack	ADD £199.00

1/2 PRICE 1500 S/W PACK EXTRA Only with 1500, 1500 Pack Extra at only £24.99
1500 HD + ON-SITE, 8833/10845, CITIZEN 200 24 pin col printer, 1500 Extra software pack, Starter Pack + AmigaVision 52MB.....£1149.00 120MB.....£1329.00

CDTV

1MB, with Disc Caddy, Welcome CD + tutorial + remote control unit. AS ABOVE WITH MATCHING DRIVE KEYBOARD, MOUSE + WB 1.3

As above	£349*	£435
monitor + remote control		
Extra RAM	EPOA	

* Plus Hutchinsons Encyclopaedia + Lemmings
See below/across for software packs

NEW
PRICES!

THE HOTTEST LOT PACK

	VALUE/RRP
All as Starter Pack	203.90
PLUS:	
Another 10 GREAT individually packaged games, BETTER THAN THE REST previous RRP's up to 39.99 each, phone to choose from HOT LIST, or leave it to us! Children's games available.	269.82
80 Prog. Hobbyte PD Greats Pack II - Includes top games like Battleships, Star Trek, Computer Conflict, Megaball, dozens of arcade classics, board classics and 'shoot-em-ups', DPoint clip art, Utilities, Word Processor, Spreadsheet, Database + Desktop Publisher and the ultimate virus killers - a must for every new Amiga owner!	39.99
TOTAL VALUE	513.71
WITH AMIGA SEPARATELY	49.99
	69.99

SPECIAL: ALSO 10 extra 'Hot List' games **ADD 25.00**

WWW EXTRA PACK

	VALUE/RRP
WWW games:	
Silly Putty	25.99
Formula 1 Grand Prix	25.99
Pushover	25.99
DPoint III with animation	79.99
700 clip art pics/graphics for DPoint III	9.99
3 disc Home Pack incl. W Processor, Dbase, Spreadsheet	9.99
Virus Killer	4.99
TOTAL VALUE	182.93
WITH AMIGA/CDTV SEPARATELY	49.99
	59.99

ALSO WITH
STARTER PACK
£18.99
EXTRA

EPIC PACK EXTRA

	VALUE/RRP
Needs 1MB and Hard Drive	
Epic Pack:	
Trivial Pursuit, language Lab, Amiga text	29.99
Epic, Rome, Myth	77.97
DPoint III with animation	79.99
700 clip art pics/graphics for DPoint III	9.99
3 disc Home Pack incl. W Processor, Dbase, Spreadsheet	9.99
Virus Killer	4.99
TOTAL VALUE	212.92
WITH AMIGA/CDTV SEPARATELY	29.99
	39.99

ALSO WITH
STARTER PACK
£18.99
EXTRA

SEGA AND NINTENDO BEST PRICES - PHONE!

• AMIGA SPECIALISTS • STAR GOLD DEALER • CDTV CENTRE • PHILIPS APPOINTED DEALER •

PROFESSIONAL FAMILY PACK (1MB REQUIRED)

VALUE/RRP

- Cartoon Classics Games: Lemmings OR Zool 25.99
- The Simpsons Striker 24.99
- Captain Planet Pinball Dream 25.99
- Deluxe Paint III with animation + 700 Clip Art pics 89.99
- Gold disc Office - WP + UK 'guess spelling' checker, spreadsheet, database, graphics + desktop publishing 169.99
- Edd the Duck 29.99
- OR Round the Bend OR Digita Home Accounts
- Virus Killer Disk 4.99
- 80 Prog. Hobbyte PD Greats Pack - see 'Hottest Lot Pack' 39.99
- 4 disc DP pack inc. Fonts, Clip Art and Disc Tutor 9.99
- Hobbyte Primary (specify) or Secondary Educational Pack 19.99
- 10 Blank Discs + 80 Capacity lockable disc box 26.98
- Mouse Mat + Dust Cover and Joystick 19.97

TOTAL VALUE 488.85
WITH AMIGA/CDTV SEPARATELY 79.99
99.99

SPECIAL: Also with Citizen 200 24 PIN Colour Printer and Starter Pack ADD 199.00

ABSOLUTE BEGINNERS PACK 3-13 YEARS

VALUE/RRP

- Your choice from:
- Fun School 2, 3 or 4 (for 3-9 yrs - specify age, 9 diff. versions available) Up to 6 stunning UK educational games in each package, with beautiful pictures, exciting animation + music that helps to develop numbers, word + other skills. Up to 6 levels of difficulty. Conforms with National Curriculum. 25.99
- Merlin's Maths (for 7-11 yrs) from the award winning 'Fun School' stable, 6 engrossing games to teach essential maths skills, in a way children will love.
- Spelling Fair (for 7-13 yrs) all the fun of the fair on 6 levels makes learning spelling addictive and fun. Includes 6 games plus 3000 word dictionary + special selection of words for needs of dyslexic children + parents can create own dictionary of words requiring special attention.
- Edd the Duck (7 yrs) OR Elf (7+ yrs) OR Round the Bend 25.99
- Hobbyte Primary (specify) Educational Pack, featuring up to 12 'Learn while you play' games 19.99
- Hobbyte 30 Easy Children's Games, 10 pack disc including Train Set and other top entertaining PD titles 19.99
- SpritzPaint + 700 Clip Art pics 89.99
- inc. children, Fairytale + Legend characters, Sport, Cartoons etc.
- Joystick + 10 blank discs 15.98

TOTAL VALUE 197.92
WITH AMIGA/CDTV SEPARATELY 39.99
59.99
SPECIAL: Each extra title from first selection add just 15.00

TRAMPY'S, THOMAS'S OR NODDY'S PACK 2-8 YEARS

AT LEAST 57 EDUCATIONAL/FUN FILLED GAMES!

MAX VALUE/RRP

- The Shoe People - 6 colourful and entertaining games 29.99
- featuring Trampy and friends to encourage early number reading and pre-reading skills. With Shoe People music
- OR Thomas the Tank Engine's Fun with Words - 6 separate easy to use learning programmes with animation and sound.
- OR Noddy's Playtime (to 7 years) - 8 magical learning games at 3 levels, PLUS Junior Art package inc. Colouring, electronic 'Fuzzy Felt', FREE Toy Town map, Keyboard overlay and wobbler.
- Shapes and Colours - Bobby the Clown entertains and lays down the foundation for maths and writing in 6 colourful animated games.
- OR Fun School 2 (for 3-9 years - specify age) 9.99
- Fun School 3 or 4 - the 'Fun School' suite have won just about every award going. 5 or 6 wonderful animated games. 24.99
- OR Picture Book: 4 colourful and amusing games from ex 'Fun School' design manager will delight young children
- SpritzPaint + 700 Clip Art pics 89.99
- inc. children, Fairytale + Legend characters, Sport, Cartoons,
- Hobbyte Primary Educational PD Pack, containing 10 fun while you learn games 19.99
- Hobbyte 30 Easy Children's Games Pack 19.99
- 10 Blank Discs, Joystick, Mouse Mat 26.96

TOTAL VALUE 221.90
WITH AMIGA/CDTV SEPARATELY 59.99
79.99
SPECIAL: Each extra title from first selection add just 18.99

LIMITED ZOO GCSE 11-15 YEARS

+ SCHOOL PACK

- Zool - Number 1 Chartbuster 25.99
- Striker - 94% CU Amiga 25.99
- Pinball Dreams - 94% AUI 25.99
- Transwrite UK WP + Spellchecker 49.99
- ADI French, Maths or English (11-15, specify age)
- ADI the lovable extra terrestrial gifted teacher, guides you through National Curriculum. Ideally compliments school work.
- From the award winning Fun School team 25.99
- OR ADI Junior (under 5's)
- OR 6 HOT LIST Games 209.94
- Hobbyte 80 Programme PD Greats Pack - 'See Hottest Lot' 39.99
- Hobbyte Secondary Educational Pack 19.99
- Microswitched quality joystick 9.99

TOTAL VALUE 407.87
WITH AMIGA/CDTV SEPARATELY 49.99
69.99

AMIGA 24 BIT SYSTEM - £BEST! WE SPECIALISE

- Extra RAM • Accelerator
- 24 bit colour card • 24 bit colour real time digitizer
- 24 bit 3D Art + animation s/w
- Fitting and Free 1/2 day customised training

TELEPHONE JP

1500 PACK EXTRA (ALSO FOR A500, A500+, A600 CDTV, 3000)

VALUE/RRP

- The Works Platinum, word processor, spreadsheet, database or Office - see Prof. Family Pack 169.95
- Deluxe Paint III with animation 79.99
- Get the most out of your Amiga book 9.95
- 80 Prog. Hobbyte PD Greats Pack - see 'Hottest Lot Pack' 39.99
- 4 disc 700 Clip Art pics/graphics for DPaint III 9.99
- Puzznic, Toki, Elf
- OR Zool, Striker, Pinball 74.97
- Digita Home Accounts 29.99

TOTAL VALUE 429.82
WITH AMIGA/CDTV SEPARATELY 49.99
69.99

ACCESSORIES

- A500 Deluxe control centre 44.99
- Alien/Batman/12 Joystick 10.99
- A600 Control Centre 29.90
- Bug Joystick 11.99
- A520 Modulator 29.99
- CDTV Keyboard 54.99

MODEMS

- Amstrad SM 2400 Modem 118.99
- Supra Fax 2400 + 5 year warranty 78.95

FLOPPY DRIVES

- Zydec 3.5 external drive, daisychain + on/off 48.95
- Comuna CAX 354 3.5 external drive, beige 52.99
- CDTV external 3.5 drive, black + 10 blank discs 49.99
- PC 880B with anti click + Blitz back up and virus protector 65.00
- PC 880B as above, Cyclone compatible 78.99
- Dual drive as PC 880B 125.00
- Replacement A500 drive 34.95

MONITORS/ACCESSORIES

- CBM 10845T including tilt + swivel + 2 games 199.95
- CBM 10845D monitor + leads + 2 great 'Hot List' games 189.00
- Philips UK 8833 MKII mon. + leads + Turbo Challenge + on-site 219.99
- Tilt + swivel stand for Philips 8833 12.99
- CBM 1960 High res monitor 359.99
- KAGA 14" Multi Sync for 1200/4000 429.00
- KAGA 20" Multi Sync for 1200/4000 1549.00
- Philips 7CM Hi-res SVGA, 28dp inc. tilt + swivel 259.99
- NEC 4FG Multi-Sync 544.99
- Microway Flicker Fixer 124.99
- ICD Flicker Free Video 2-A500 197.90
- Elec. Des Fix 196.99

SCANNERS & DIGITISERS

- Epson GT 6000, 600dpi 24 bit A4 789.00
- Epson GT 8000, 800dpi 24 bit A4 1192.99
- Power Hand Scanner, 400 dpi, 64 Greyscale, Powerscan software 88.99
- Power Hand Scanner as above, V3 for 1200/4000 104.99
- Power Colour Hand Scanner 219.49
- Sharp JX 100 A6 Scanner + scanlab s/w up to 18 bit 469.99
- Sharp JX 320A6 Scanner + s/w up to 24 bit 898.99
- Vidi Amiga 12 74.99
- Summa Sketch II A4 Tablet Digitiser 319.99
- Summa Sketch II A3 Tablet Digitiser 529.99

EMULATION

- KCS Powerboard 146.50
- G Gate 386sx 25MHz 438.99
- KCS Powerboard with DOS 188.49
- G Gate 486SX 795.99
- KCS adaptor 59.99
- GVP 286 for GVPH + 530 216.99
- AT Bridgeboard for 1500 199.00
- AT Once 214.99
- 386 Bridgeboard for 1500 299.99
- GVP 40/4 for 1500 945.99

DISCS

- 10 Blank DS/DD discs in box 4.99
- 50 Blank DS/DD discs 17.99
- 10 Blank DS/HD discs 6.99
- 50 Blank DS/HD discs 27.99

ACCELERATORS/HDA500/600

- A530 1MB 120MB 728.99
- A530 1MB 240MB 908.99
- A530 68882 203.99
- GVP HDB 42MB 339.99
- GVP HDB 85MB 439.99
- GVP HDB 120MB 499.99
- IVS Trumpcard 42MB HD 279.99
- Extra 2MB fitted to above 62.99
- A590 20MB 259.99
- A570 for 2.04 1MB 500 309.99
- 20MB HD upgrade 600/1200 149.00
- 60MB HD upgrade 600/1200 199.00
- 80MB HD upgrade 600/1200 229.00
- 120MB HD upgrade 600/1200 359.00
- Microbotics VXL30 25MHz 219.99
- 2MB Burst RAM for above 179.99

ACCELERATORS/HD A1500/2000/3000

- GVP Series II 40MB 309.99
- GVP Series II 80MB 379.99
- GVP Series II 120MB 409.99
- GVP Series II 420MB 1033.99
- G Force 030 25MHz 1MB 543.99
- G Force 030 40MHz 4MB 783.99
- G Force 030 50MHz 4MB 1099.99
- G Force 040 33MHz 2MB POA
- ProgZus 040 25MHz 4MB 1739.99
- ProgMemory 040 25MHz (3000) 1349.99
- Sysquest removable HD 88MB 549.95
- Extra 2MB fitted to any above 62.99

EXPANSION

- A500 512k Ram Exp+Clock 19.90
- A1200 32 bit 2MB exp POA
- A500+ 1MB exp 28.99
- A1200 32 bit 4MB + 68882 279.00
- A500+ 2MB, exp. to 8MB 149.99
- A1200 32 bit 4MB + 68882 349.00
- CBM 2.04 upgrade kit 74.99
- A1200 32 bit 8MB + 68882 549.00
- A600 1MB exp (chip) 39.99
- A500 Rom Sharer 1.3 39.95
- A600/1200 2MB exp (fast) 117.99
- A500 Rom Sharer 2.04 38.95
- A600/1200 4MB exp (fast) 179.99
- A600 Rom Sharer + 1.3 49.95

Chip fitting and board upgrade available, by our qualified engineers or DIY kit POA

GENLOCKS

- CBM Rendale 8802 (500/600/1200 compatible) 139.99
- CBM Rendale 8802 SVHS 529.99
- Video Pilot v330 994.94
- Elec. Des Pal Genlock 329.99
- Elec. Des YC Genlock 496.49

2YR WARRANTY WITH CITIZEN

- | ALONE | WITH STARTER PACK | ALONE | WITH STARTER PACK |
|------------------------------|---------------------------------|-------|-------------------|
| Citizen 120+D 110.99 | HP Deskjet 500 334.99 | | |
| Star LC20 113.49 | HP Deskjet col 424.99 | | |
| Star LC 100 9 pin col 146.49 | HP Deskjet 550C 544.99 | | |
| Star LC200 col 164.49 | HP Deskjet Portable 339.99 | | |
| Citizen Swift 9 163.49 | HP Paintjet 639.99 | | |
| Star LC 24-20 173.49 | BJ10x Hex Bubblejet port 204.99 | | |
| Star LC 24-20 pin 163.49 | BJ 200 329.99 | | |
| Star LC 24-200 197.25 | BJ 330 A3 469.99 | | |
| Star LC 24-200 col 236.49 | BJ 300 338.99 | | |
| Citizen 124D 176.99 | Star SJ 48 205.99 | | |
| Epson LQ 100 189.99 | OKI 400 laser 399.99 | | |
| Citizen S200 24 179.99 | OKI 410 + 649.99 | | |
| Citizen S200 24 col 194.99 | HP Laserjet 11P + 649.99 | | |
| Citizen S240 24 col 249.99 | QMS Ink Jet A4 4999.95 | | |
| Citizen S24X col 296.99 | | | |

*Turbo Print Pro driver/util s/w highly recommended ADD £39.95

STARTER PACK: 500 Sheets A4 or continuous paper, Amiga to printer lead, Universal Printer Stand & Driver with Print Manager

24 BIT

- A Video 24 with TV Point for 500 588.90
- Image Master 1069.00
- Art Dept. Pro 2.1A 129.99
- Opal Vision 24 bit board + Opal Paint, Opal Presents, Karate 24 bit s/w 629.99
- DCTV 403.99
- Rembrandt 24 bit board 2489.99
- Firecracker POA
- V Lab 24 bit real time digitiser 289.99
- GVP IV + VIU-S 1389.99
- V Lab 1200/4000 324.99
- GVP IV + VIU-CT 1759.99
- Harlequin 4000 24 bit card POA

SOFTWARE

- Pro Video Plus 137.99
- AmigaVision 47.50
- TV Show Pro 51.39
- Deluxe Paint IV 53.99
- TV Text Pro 68.99
- Deluxe Paint AGA POA
- Video Director 106.99
- Expert 4D Junior 36.99
- Expert Draw 48.99
- Imagine v2 109.49
- Prodraw 4 AGA POA
- Real 3D Beg 1.4 83.99
- Real 3D
- Turbo Pro 1.4 229.50
- Scala 500 68.99
- Scala MM200 434.99
- Scala Pro 1.13 173.50
- Sculpt Anim.4D 198.99
- Spectra Colour 57.99
- X CAD 2000 89.50
- X CAD 3000 205.99
- Essence 34.99
- Aladin 4D 213.99
- VIDEO PRODUCTION/TITLING
- Adorage 59.49
- AmigaVision 39.90
- Broadcast
- Titler II 148.99
- Deluxe Photolab 51.49
- Morph+ 129.99
- Final Copy II 66.99
- Kind Words III 35.99
- Maxiplan Plus v4 34.50
- Mini Office 43.99
- Pagestream 2.2 143.99
- Pagesetter II 42.49
- Pen Pal 1.4 52.50
- Personal Finance Manager Plus 31.99
- Pro. Page 4 AGA POA
- Saxon Publisher 177.95
- Superbase Pro 4 148.99
- Wordsworth V2 73.99
- Works Platinum 43.99
- MUSIC
- AD 10 12 Studio 16
- Sampler 349.95
- Audio Engineer
- Plus 2 Sampler 188.99
- Audio Master 4 44.49
- Bars & Pipes
- Pro 1.0E 162.99
- GVP Digital
- Sound Studio 48.99
- Midi Interface 19.95
- Rombo Megamix 23.99

ORDERING: TELESALES NO: (0727) 56005

Same day despatch for Switch or credit card orders placed before 5pm subject to availability. Alternatively send cheque, postal order, bankers draft or official order (P.L.C.s, Education and Government bodies only) to: Dept. AS, Hobbyte Computer Centre, 10 Market Place, St. Albans, Herts AL3 5BG. Please allow 7 working days for cheque clearance. Subject to availability, despatch is normally within 24 hours of receipt of cleared payment. Prices are correct at time of going to press, however, we are sometimes forced to change them, either up or down. Please check before ordering. Additional services and different packages may be offered in our showrooms, and prices may vary from Mail Order prices. Personal callers are asked to quote this ad to ensure Mail Order packages are offered.

DELIVERY CHARGES: UK MAINLAND (NOT HIGHLANDS)

Small consumables & software items
Despatched by post, please check charges when ordering
Next day courier service, £10 per box
Please enquire
IN ADDITION WE OFFER THE FOLLOWING EXPRESS SERVICES:
Saturday deliveries
Normal rate plus £15 + VAT per box
Normal rate plus £8 + VAT per box
Any next day

NO DEPOSIT CREDIT FACILITIES

Credit terms at 34.8% APR (variable) can be arranged for purchases over £150, subject to status. Competitive leasing schemes are also available for businesses, including sole traders and partnerships. Just telephone for written details and application form.

Amiga prices, except where stated are inc. VAT. E.&O.E

• HP AUTHORISED DEALER • CITIZEN DEALER PLUS •

NOTE see warning across

I've got to admit that I'm still in two minds about the PowerScan Colour. One half of me is saying that £239 is a small price to pay for the ability to scan in colour. But the other half is putting that price into perspective by reminding me that for the same money I could go out and buy, for instance, a colour TV, or a CD player, or a video recorder.

My gut feeling is that a scanner like this has to be pretty impressive to justify this sort of outlay. And even then I think it's fair to say that it's only worth the money if you have a real use for the product.

So, what would you use it for? Well, probably the most obvious reason why you might want to transfer a colour image from paper onto the screen would be for multimedia purposes – anything from a simple floppy disk slideshow presentation, right up to a full-blown CD-ROM multimedia application put together with an authoring system.

The images you intend to scan might be photographs containing many colours and subtle shades, or they might be illustrations or cartoons containing just a handful of colours. In either case, you will want the colours in the screen image to closely match those of the paper picture. So, for screen work the requirements of a colour hand scanner are simply stated – in essence, you want the picture on the screen to look exactly the same as the picture on paper, always allowing for a certain loss of resolution and slight differences in colour due to the limitations of the screen display.

THE CAMERA NEVER LIES?


You will almost certainly need to 'process' the image once scanned. It is likely to be too big or the wrong shape, so scaling and cropping facilities are required. You may need to brighten or darken the image, adjust the contrast, alter the RGB values, enhance its appearance by applying a dither pattern, reduce or increase the number of colours being used – all these things, and many more, will be important to the 'multimedia artist'. Should you expect the scanning software to provide these facilities, or is it more sensible to buy some dedicated image processing software? The correct answer is probably the second of those two options, but if the scanning software is able to do a certain amount of image processing, so much the better. Provided it makes a decent job of it, of course.

Another use for a colour scanner is desktop publishing. It can be argued that a colour hand scanner requires fewer features for DTP than for screen work. Essentially all you really want for DTP is to be able to

scan a coloured image and then save the file, with all the colour information, in a format that can be imported by your desktop publishing program. What happens after that – image manipulation and output quality, for example – is the responsibility of either the DTP program, the Amiga, the printer driver, the printer, or any combination of the four.

A BIT ABOUT BITS

Now you may have read in news reports or adverts that *PowerScan*



The height, width, resolution and scan mode are specified in the uncluttered Scan Settings requester

Colour scans in 4,096 colours. And you may know that the Amiga's HAM screen mode can display 4,096 colours. But despite the numbers being the same, the 4,096 colours the *PowerScan Colour* creates are not the same as the 4,096 colours HAM can display. Before I get down to actually describing the kit, I think it would be best if I explained about these 4,096 colours.

PowerScan Colour is a '12-bit' scanner. Now, there's no need to wince and worry that I'm getting too technical for you. All '12-bit' means is that the number that defines the colour of each pixel on the screen is held in 12 bits or 'binary digits' of computer memory. Because memory is binary – a 'base 2' numbering system as opposed to our normal 'base 10' numbering system – the biggest number that can be held in 12 binary digits (bits) is 2 to the power 12, or to put it another way, $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$, which works out as 4,096.


HAM screen mode, which professes to be able to display 4,096 colours, can actually only display 16 true colours – 'true'

colours being colours that you can define for yourself – and that's because (leaving the new AA chipset aside for a moment) the Amiga holds the value of each HAM colour in four bits of memory, and 2 to the power 4 ($2 \times 2 \times 2 \times 2$) equals 16. HAM is able to display more colours by some special wizardry called 'Hold And Modify'. In a nutshell this means that the colour of each individual pixel is calculated from the colour of the pixel to the left of it, and the information which tells the Amiga how to modify the colour for the new

pixel is stored in two further bits of memory, which comes to six bits in total.

What the Amiga community has called simply 'HAM' for several years is now being called 'HAM-6', the '6' meaning that it uses six bits to hold the colour of

each pixel. The new AA chipset (in the Amiga 1200 and 4000) is able to use eight bits of memory for each HAM pixel – six bits to store the colour number (so 64 true colours, 2 to the power 6), plus two more bits to store the 'modifications'. This new 'HAM-8' screen mode is capable of displaying hundreds of thousands of colours on the screen at once – hence the 256,000 number you may have read about. Strictly speaking this is a severe underestimate because each pixel on a HAM-8 screen can (in theory) be a different colour, so on a Super-HiRes Interlaced screen (1280 by 512 pixels) more than 650,000 colours are possible.



Images containing only a few colours can be converted to 16 colours and displayed on a HiRes interlaced screen, where they look pretty impressive. Note the Adjust RGB requester that allows you to experiment to your heart's desire with the colour components, the brightness and the contrast

Most images, even scanned photographs, don't contain anywhere near this number of colours, so the fact that the *PowerScan Colour* is a 12-bit (4,096-colour) scanner is not as much of a handicap as it may at first appear.

OK, so we've established that the *PowerScan Colour* scans in 4,096 true colours, but the Amiga cannot display 4,096 true colours.

Pre-AA chipset Amigas (Kickstart 1.x, 2.x) can display up to 32 true colours in LoRes and 16 true colours in HiRes. (AA chipset Amigas can display up to 256 true colours in any resolution.) To display the scan on the screen *PowerScan* converts the 12-bit colour data into a HAM-6 screen image, although it retains the 12-bit data in memory so that any actions you perform on the image are calculated from the original data rather than the screen image.


The reason I've explained about 12-bit and HAM is so that you understand that the picture you see on the screen after scanning something with *PowerScan Colour* is not exactly what is in memory – what you are seeing is the image after it has been converted to fewer colours. However you can save and use the 12-bit data, but more on that later. Let's now look at the package itself.

THE POWER OF TWO

PowerScan Colour comes in two models. The interface for the Amiga 500 and 500 Plus connects to the expansion port on the left-hand side of the machine. It has a through port so that anything else you want to plug into the expansion port can be used at the same time, such as extra memory or a hard drive.

Despite Power Microsystems assuring me that "it will all be sorted out", it would be wrong of me not to tell you that there were design problems with the interface that was sent to me to review. The plate which covered the through port could only be removed by unscrewing the interface cover, unscrewing the printed circuit board (or 'PCB') and unscrewing two tiny nuts. This is both fiddly, and potentially dangerous because the slightest slip could end up in a damaged PCB. Power says that the design has now been changed so that the through port cover can be removed by unscrewing two screws on the outside of the interface.

A more worrying design fault is the fact that the PCB is held in the interface by two diagonally-opposite screws on two raised bushes. Very slight pressure on one of the 'unfixed' corners caused the bushes to shear away from the case of my review model. After reporting this to Power, the manufacturers were contacted. They tried the same



After scanning in colour at 200 dots per inch, the image you first see on the screen may look a little rough and ready (above left). But if you run the image through some image processing software and rescale it (above centre), you can get some fairly photographic-looking images, even in HAM.

PowerScan itself can rescale the image (above far right) but the results are generally not as good as using dedicated image processing software like *Art Department Professional*

experiment and got the same result. Power says the bushes have now been strengthened, but a number of interfaces with this design fault have already been sold, so if you've got a *PowerScan Colour* and find one day that the edge connector is wobbling about in the case, don't panic, it's not your fault – just phone Power and ask for a new one.

The scanner head lead plugs into a socket which is thoughtfully situated on the front of the interface.

The interface for the Amiga 1500/2000/3000/4000 is on a half-length card and fits into any available Zorro slot. A bracket is supplied that replaces the slot cover at the rear of the machine, and the scanner head lead plugs into a socket in this bracket. The only slight problem I've experienced with this Zorro card interface is that the bracket is not that strong, so it tends to bend inwards a bit when you try to push the scanner lead into its socket. But then the odds are that once the scanner head is connected you'll leave it connected, just as you might do with a printer in the parallel port, for example. So, as I said, it's only a slight problem.

Here ends the differences between the two models. Neither of the interfaces will fit the Amiga 600 or 1200, but a PCMCIA (smart card) version is planned. But it will be a while yet, so don't hold your breath.

HEADS YOU WIN

The scanner head is the common 'T' or 'hammerhead' shaped unit, with a slightly raised lip at the rear which gives you something to pull on. (If you look at the scanner head's profile it looks just like a Le Mans racing car.) The lead is a generous 6ft long, so there's plenty of freedom even if it has to stretch round the back of a 2000, 3000 or 4000. The head has a really solid, well-built feel to it, and seems much more sturdy than a monochrome hand scanner.

Colour me good

The scanner itself is quite a sophisticated device which can operate in four modes. The one you'll probably be using the most is CG mode (Colour Grey), which is the 12-bit mode that scans in 4,096 colours. But there's also MG mode (Mono Grey) which scans in 64 true greys (6-bit).

The third mode, labelled D/T on the scanner (for Dithered/Text), is actually two modes depending on which halftone (dither pattern) mode you have selected. If you set the halftone switch to the 'square' position, it scans in 1-bit monochrome (black-and-white) – and this is known as the 'Text' mode. But if you set it to any of the three 'circle' positions it creates an image that contains just eight colours, but dithers the image to give the appearance of up to 4,096 colours. This Dithering mode might be extremely useful if you are printing the images on a printer that uses seven inks, because the colours on the screen will be the same as the colours in the printer – black, red, green, yellow, blue, magenta, cyan. The eighth colour is white, which is actually 'no colour', and will (usually) be the colour of the paper you are printing on.

The advantage of this is that what you see on the screen will look very much like what you get printed. But 7-colour printers are expensive and most of you who own colour printers will have 4-colour ones, so this mode is of limited use. But it's there if you need it.

The Scan Mode and Halftone switches are on the left-hand side of the scanner; on the right-hand side

Long-awaited and much-advertised, the new Power hand scanner offers more than 4,000 colours for less than £300. Jeff Walker asks: can a scanner this cheap really deliver the goods?



PowerScan handled this subtly-shaded cartoon and converted it to 16 colours quite successfully. OK, it needs a bit of cleaning up, but that's a piece of cake compared with drawing the cartoon from scratch in a painting package

are the brightness wheel and the resolution switch. Monochrome hand scanners normally have four settings marked for 100, 200, 300 and 400 dots per inch ('dpi'), but because of the different scanning modes supported by this colour scanner, the switch is marked 1/4, 1/2, 3/4, 1 – quarter, half, three-quarters, and maximum size. In Colour Grey mode these settings correspond to resolutions of 50, 100, 150 and 200 dpi; in the other three modes (Mono Grey, Dithered, Text) the resolutions are 100, 200, 300 and 400 dpi.

The scanner is operated by a toggle button on top of the head.

After setting the software to scan, the scanning light illuminates, but the scanner won't start reading data until you press the scanning button. You press it once to start reading data (a red light shows that the button is on), and press it again to

stop reading data – you don't need to hold it down while scanning as you do with some other systems.

The scan continues as you slowly pull the head over the original image, until either the specified scanning height is reached, or (if you want to stop the scan earlier) you hit the left mouse button. There's no light on the scan head to inform you that you are in danger of pulling too quickly, but after a few attempts you soon get to learn what a slow, even pull feels like.

THE BIG PICTURE

The *PowerScan Professional 3* software is a development from the earlier version supplied with Power's monochrome hand scanner. This one piece of software now serves both the colour and monochrome scanners, automatically recognising which model you have attached and appropriately altering the options available to you.

The first important point you need to understand about *PowerScan Colour* is that 12-bit graphics data eats up a lot of memory, and so does the HAM screen image. The default scan size – 104mm by 64mm (about 4in by 2.5in) – requires more than 600k of memory when scanning in colour at the maximum 200 dpi. A 4in square scan area requires about 1Mb. The Scan Settings

matter of course, and the screen it opens will use a bit of graphics memory, thus taking the largest chunk from each type of memory.

The point I'd like to make here is that although the advertising says that the minimum requirement is

If your main use for *PowerScan Colour* will be to create 640 by 512 (-ish) screen-size images for multimedia work (which is approximately what the default scan size of 104mm by 64mm produces at 200 dpi), then you'll just about get

PowerScan can't be blamed; it's having to convert something like 3Mb of 12-bit data into a HAM image, and this takes time. Only a faster processor can speed it up.

In Dithered and Text modes you get a 'real time' scan – as you pull



Due to only the new machines having the AA chip set, the convert to 256, 128 and 64 colours options will only be available if *PowerScan* is running on an Amiga 1200 or 4000. On any other Amiga you get the option to convert to 32 colours or fewer. Nevertheless, on pre-AA chipset machines you can still get some pretty good on-screen results by converting to 16 colours, scaling and displaying in HiRes Interlaced mode

512K, a more realistic minimum requirement – the amount of memory you will need to do anything other than scan tiny

away with 1Mb of contiguous free memory after *PowerScan* has loaded. But memory will fragment very quickly indeed, and you'll find that you'll almost certainly have to reboot the Amiga every time you want to do another 104mm by 64mm scan.

So you need a fair amount of memory. And, unless you are running an accelerated Amiga, you will also need a fair amount of time.

WORTH THE WAIT?

It takes ages for the 12-bit data to be converted to a HAM screen display, about six minutes for an image of the default scan size on a standard Amiga 500. And because you are working on a HAM screen (LoRes by default), menus and requesters are slow to appear and sluggish to operate. Naturally, on a faster Amiga you don't notice so much, but if you've used any HAM painting package on a standard Amiga 500 you'll know exactly what I mean by sluggish. There's nothing that can be done about it, so *PowerScan* cannot be blamed.

In Colour Grey and Mono Grey modes the screen display remains blank while you do the scan, after which the *PowerScan* screen reappears and you are, erm, 'entertained' by an animated stopwatch pointer for a while. Exactly how long the 'entertainment' continues depends on how big the scan was. If the scan was A4 length, there's plenty of time to walk down the shops, buy some coffee, walk home, make the coffee, drink it, wash up, walk the dog, read the manual, and have forty winks. Again,

the scanner over the image the data is transferred directly to the screen – and there is no wait after scanning.

SCREEN MODES

PowerScan will work in any screen mode which is supported by the monitor and particular version of the operating system you are using.

The HAM screen images it produces look best in HiRes Interlaced (640 by 512), especially scans of photographs, but this screen mode is available only to Amiga 4000 owners (the *PowerScan* hardware doesn't currently fit the 1200). Photographic images generally look fairly naff in LoRes (320 by 256), but an awful lot better in LoRes Interlaced (320 by 512). Selecting this screen mode alters the shape of the screen pixels, giving the image a squashed appearance, so you need to scale horizontally by 50 per cent to compensate. *PowerScan* is able to do this, and the results are quite good.

But if the 12-bit data is saved (as an IFF24 file), imported into *Art Department Professional*, rendered as HAM on a LoRes Interlaced screen and scaled horizontally by 50 per cent, the resulting image is far better than the one created by *PowerScan*. The image is still about twice the size of the original, so it may appear a bit blurry, but scaling again by 50 per cent in both directions will sharpen it up and produce screen images that are surprisingly faithful to the originals. This "scale and scale again" technique does not work very well in the version of *PowerScan* I am



Here's a good *PowerScan* application idea: the beginnings of a pictorial postage stamp database

requester gives you this information, as well as a Max Size figure in kilobytes so that you can quickly see what you can and cannot do.

Although *PowerScan* will happily scan to expansion ('Fast') memory if you have some fitted, it requires a contiguous area of memory in which to hold the data. So if, for example, you have 1Mb of graphics ('Chip') memory and 1Mb of expansion memory, the largest contiguous chunk of memory will be a portion of one of these two 1Mb 'banks' of memory. In this hypothetical memory situation, the *PowerScan* program will load into expansion memory as a

postage stamp size pictures – is either 2Mb of graphics memory, or a smaller amount of graphics memory and 1.5Mb of expansion memory. I used *PowerScan* on a 512K graphics memory Amiga 500 with 2Mb of expansion memory, and it was a little frustrating having to keep clicking the "Not enough memory" requesters. After increasing the expansion memory to 3Mb, it felt a lot more comfortable and I was able to scan some decent-sized images. And, to top it all, on a 9Mb Amiga I was able to scan a 4in by 24in strip of the Year Planner that hangs on the wall next to my workstation.

reviewing (3.15), but the developers are working on an image smoothing option that does the same as *Art Department* and other dedicated image processing software.

Scanned images can be converted from HAM to any other number of colours supported by your hardware. For ordinary mortals this means 2, 4, 8, 16, or 32 colours – Amiga 4000 owners can also convert to 64, 128 or 256 colours.

The screen images can be saved in the standard IFF graphics format, or the full 12-bit data can be saved as an 'IFF24' file, which is really just a 12-bitplane standard IFF-ILBM.

PageStream 2.2 imports these without problem, as does Soft-Logik's *BME* bitmap editor and ASDG's *Art Department Professional*. *Professional Page 3* imports them but doesn't understand that they are 12 bitplanes, and so creates a bit of a mish-mash on the screen and printer. The developers are currently adding an option to *PowerScan* to save the data as proper 24-bit files which *Professional Page* should not have any problems with.

You can also save the image in TIFF or GIF format. TIFF preserves the full 4,096 colour information, while GIF is a 256-colour file format. I've had little success with either of these two file formats as exported by *PowerScan*. *PageStream* loads the TIFFs but the image is of a very poor quality; load the TIFF into *BME* and you get a pretty awful 16-greys representation that suggests the colour information is not correct. *ADPro* loads *PowerScan*'s TIFFs, but when you render them you get garbage for some reason.

ADPro refuses to load *PowerScan*-exported GIFs, complaining of an error early in the file. *PageStream* loads them, but they appear to be corrupted. *BME* gets part way through the load and then goes to sleep. A PD GIF viewer also suggested that *PowerScan*'s GIF files "may be corrupted", and judging by what it displayed on the screen, there's certainly something wrong with them.


Needless to say the developers have been informed of this minor problem and are working on it.

PROCESS THAT IMAGE

PowerScan's image editing and processing facilities are fairly rudimentary. There is a bunch of drawing tools which let you create lines and shapes on the screen, in any colour of the current palette, filled if you like with a solid colour or a selection of patterns. If you don't own a HAM painting package then I suppose these tools might be useful, but you'd be better off loading the images into *Deluxe Paint 4* and working on them there.

Part of the image can be cut out as a brush and stamped down elsewhere, or saved in IFF-ILBM format for later use.

Images and the contents of the clipboard (the current brush) can be scaled by 50 per cent in either



PowerScan is able to rescale the image to fit a specified size (in pixels), either keeping or ignoring the original aspect ratio

direction, and you can also flip them, rotate them by any angle and skew them. Currently there's no way to rotate or skew to a specific angle – you have to do it by eye by looking at the rotated box *PowerScan* shows you on the screen. This is something else that the developers say will be improved in a later version.

For black-and-white line art images there are Darken, Lighten and Cleanup (remove isolated pixels) options. These also work on colour images, but produce unusual results. The only real image processing feature for colour images is the 'Correct RGB' requester that allows you to adjust the amount of red, green or blue in the image. There are also sliders for Brightness and Contrast control. These processing tools don't work too well on HAM images (on the whole you have to wait quite a long time to find out that your fiddling has only made things worse). But they are fairly useful on images that have been converted to fewer colours because they work in real time – as you slide the sliders, so the colours on the screen change.

You don't always need to process a colour scan, as often they look fine as they are. But if you do need to enhance an image, you'll need software that is far more powerful than *PowerScan* – say, *ADPro* or *ImageMaster* – and the memory to be able to work with 24-bit data (I'd say that 4Mb is a realistic absolute minimum for this).

HALF A MO...

As with the earlier monochrome version of *PowerScan*, wider scans can be achieved by scanning the left half of the image onto the screen, and then the right half into the clipboard. There it becomes a brush attached to the mouse pointer, and can be positioned and stamped down next to the left half.

Naturally this requires more memory, and also the patience of a saint because it is possibly the most fiddly, frustrating and time-consuming operation ever invented. It can be done, but don't expect the two halves to ever match perfectly.

It seems a bit pointless talking about greyscales in a colour scanner review, but I'd better point out that in Mono Grey mode this scanner can operate at up to 400 dpi and can save all six

bitplanes, which is 64 true greys – these can be displayed in all their glory on AA chipset machines. The 64-greyscale *PowerScan*-exported images were imported by every DTP application I tried – *PageStream*, *Professional Page*, *PageSetter II*, *ADPro*, *BME*, *Touch-Up* – but they all decoded them incorrectly, spattering little white dots over the image. *PowerScan* re-imports these 64 greyscale images and displays them perfectly in 16 colours.

HUE AND CRY

Is it *PowerScan* exporting (and therefore importing) them incorrectly? Or is *PowerScan* doing it right and has everyone else got it wrong? Either way it's a problem, but only a small one, because the '16 greys' images *PowerScan Colour* produces are far superior to those produced with any of the monochrome hand scanners, including *Power*'s own monochrome hand scanner. This is because it scans in 'true' greys rather than black-and-white dither patterns that have to be converted to grey – this results in larger, sharper images.

The colour images are superb considering the price of the kit and the fact that it is restricted to only 12 bits of colour data. You should keep in mind that an 18-bit hand scanner will cost you twice the price and require more memory; a 24-bit flatbed scanner will cost three times the price and require even more memory. But it has to be said that, for screen work, better results are obtained after loading the 12-bit data into some image processing software and rendering it into HAM or 256 colours (or whatever) that way, rather than using *PowerScan*'s conversions.

This, like a number of other features, may change in later versions. And there's the rub. The software is still a little buggy – it has crashed on me several times – and a number of features have been poorly implemented. I've spoken to the developers and I know that a fair

number of things are going to get better – in fact during one week I saw three software upgrades. *Power* has a good track record for supplying free software upgrades to those who ask for them. This doesn't excuse the company from selling buggy software, but at least you won't have to pay extra for the 'fixed' version.

PowerScan Colour works well enough to be useful in my DTP office, and there is currently no cheaper way to transfer coloured images from paper to the computer. It isn't as good as a 24-bit flatbed scanner, of course, and it would be unfair to compare it against one. In fact there's no other Amiga scanner that it can be objectively compared with. But for those who have a need for colour scanning and can't afford a flatbed, *PowerScan Colour* is a less expensive option. **AS**

SHOPPING LIST

PowerScan Colour £239
By: Power Microsystems Ltd
Unit 8, Railton Road
Woburn Road Industrial Estate
Kempston
Bedford MK42 7PN
☎ 0234 843388

CHECKOUT POWERSCAN COLOUR V3.15

Ease of Use ●●●●○
The most difficult part to learn is the self-discipline to pull the scanner head over the image slowly and evenly.

Features ●●●○○
The image processing facilities are not good enough, and a number of features like cropping, rotating and slanting are cumbersome.

Speed ●●●○○
There's a lot of data to read in and convert to HAM, so it takes a while for an image to render on 68000-based Amigas. It runs at an acceptable speed on 68030-based machines.

Documentation ●●●○○
A slim manual, but it adequately describes how to set up and use the hardware and software. It could do with a large section or supplement manual that goes into detail about colour image processing.

Price Value ●●●○○
Equivalent systems for the PC cost about the same.

Overall rating ●●●○○
Both the interface and the software have a look and feel about them that suggest this product has been rushed onto the market. However, I'm sure it'll become more polished in time.

OFFERS FROM BCS LTD

AMIGAS! AMIGAS! AMIGAS!

BCS ORDER HOTLINE 0273 506269 PHONE NOW

PACK 1

NEW AMIGA 600

**THE WILD, THE WEIRD, THE WICKED PACK
+ SUPERBASE PERSONAL SOFTWARE**

A600 1MB FDD
DELUXE PAINT III
MICROPROSE GRAND PRIX
SILLY PUTTY
PUSHOVER
SUPERBASE PERSONAL
MOUSE ETC
ON-SITE WARRANTY
ONLY £299.99

PACK 2

**NEW AMIGA 1200
PLUS 85MB
INTERNAL
GVP HARD DRIVE**

**ONLY £654.99
LIMITED STOCK**

(add £25 if you require hard drive fitted)

PACK 3

NEW AMIGA 600 BCS PACK

A600 1MB FDD
SUPERBASE PERSONAL SOFTWARE
MOUSE ETC.
ON-SITE WARRANTY
10 3.5" DS/DD DISKS
DISK BOX
MOUSE MAT
TAILORED DUST COVER
MICROSWITCH JOYSTICK
**ONLY £294.99
LIMITED STOCK**

PACK 4

BCS STARTER PACK

10 3.5 DS/DD DISKS
DISK BOX
MOUSE MAT
TAILORED DUST COVER
MICROSWITCH JOYSTICK
3.5 CLEANING KIT

ONLY £17.00

WHEN PURCHASED WITH PACK 1, 2 OR 6

NEW ZOOL PACK INCLUDING:

ZOOL
STRIKER
PINBALL DREAM
TRANSWRITE WP
**ONLY £19.99 WHEN PURCHASED WITH
AN AMIGA. OTHERWISE £29.99**

PACK 5

PHILIPS CM8833 MK II
COLOUR STEREO MONITOR
LOTUS TURBO CHALLENGE
ON-SITE WARRANTY
UK SPEC'
CONNECTING LEAD
DUST COVER

ONLY 225.99

PACK 6

NEW AMIGA 1200

- 68020 PROCESSOR RUNNING AT 14.19MHZ
- 2MB CHIP RAM
- 16 MILLION COLOURS
- AA CHIP SET
- NUMERIC KEYPAD
- ON-SITE WARRANTY

**ONLY £379.99
OR £395.99 with
zool pack**

Limited stock - Call for latest price

GVP SERIES II HARD DRIVES & ACCELERATORS FOR A500

GVP 42MB HD8 II£325
GVP 80MB HD8 II£359
GVP 120MB HD8 II£409
GVP 240MB HD8 II£649
GVP A530 COMBO 40 MHz +80MB.....£629
GVP A530 COMBO 40MHz + 120MB.....£719
GVP A530 COMBO 40MHz + 240MB.....£949
CALL NOW FOR PRICES ON RAM UPGRADES
FOR GVP DRIVES

GVP SERIES II HC8 HARD DRIVES FOR A1500/2000

GVP 42MB HC8 II.....£313.99
GVP 80MB HC8 II.....£379.99
GVP 120MB HC8 II.....£456.99
GVP 213MB HC8 II.....£615

CALL NOW FOR PRICES ON RAM
UPGRADES FOR GVP DRIVES

AMIGA BIT'S 'N' BOBS

A500 1MB UPGRADE.....£34.00
A600 1MB UPGRADE.....£42.99
A600 2MB UPGRADE.....£123.00
A600 4MB UPGRADE.....£193.00
3.5 CUMANA DISK DRIVE£54.99
INTERNAL REPLACEMENT
A500 DISK DRIVE.....£54.95

STAR/CITIZEN PRINTERS

CITIZEN 120D 9PIN MONO£129
CITIZEN SWIFT 9PIN COLOUR£179
CITIZEN 240 MONO£245
CITIZEN 240 COLOUR.....£264.99
STAR LC-200 COLOUR£199
STAR LC-24 200 COLOUR£259
SEKOSHA SL-90 MONO 24 PIN.....£185
ALL PRINTERS COME WITH LEAD & DUST COVER
CITIZEN PRINTERS HAVE 2 YEAR WARRANTY

ACCESSORIES/JOYSTICKS

1000 COLOURED LABELS£8.00
1000 TRACTOR LABELS (WHITE)£10.00
MOUSE MAT£2.75
MOUSE HOLDER£2.50
14" MONITOR STAND£10.00
PRINTER STAND£6.00
3.5" CLEANING KIT.....£2.75
CHEETAH BUG.....£12.99
PARALLEL LEAD£8.00
ZIPSTICK£11.50
QS PYTHON III£9.50
CHEETAH 125+£8.00
KONIX NAVIGATOR.....£12.99

DUST COVERS

A500£3.50
A600£3.50
A1200£3.50
STAR LC200£3.50
STAR LC-24 200£3.50
CITIZEN 9£3.50
CITIZEN 24.....£3.50
PHILIPS MKI/II£3.50
ATARI.....£3.50

WHY ORDER FROM BCS?

Established for over 3 years BCS is well known for the quality of its products and services.

WE HAVE THOUSANDS OF SATISFIED CUSTOMERS ACROSS THE UK.

Fast and efficient delivery service provided. All products sold carry 1 year minimum guarantee. All products UK spec only. All prices include VAT. DONT DELAY ORDER TODAY. CALL IN OR SEND CHEQUES/POSTAL ORDERS TO

BCS LTD


349 DITCHLING ROAD, BRIGHTON, EAST SUSSEX BN1 6JJ

ADD £4 P&P UNLESS STATED. ADD £10 FOR NEXT DAY DELIVERY (MON-FRI) (UK MAINLAND ONLY)

ORDER HOTLINE 0273 506269/0831 279084

All offers subject to availability. E&OE. Prices/pack details may change without notice.

Due to currency fluctuations, all prices may change without notice - Please call for latest prices.



CRAZY SPRING

LOOKING FOR DISKS & BOXES???
LOOK NO FURTHER
REMEMBER ALL DISKS SOLD BY BCS ARE FULLY GUARANTEED

DISKS ! DISKS ! DISKS !

100% CERTIFIED ERROR FREE

PLUS FREE COLOUR CODED LABELS

50	3.5" DS/DD	£23.99
100	3.5" DS/DD	£41.99
150	3.5" DS/DD	£58.99
200	3.5" DS/DD	£76.99
300	3.5" DS/DD	£114.99
400	3.5" DS/DD	£152.99
500	3.5" DS/DD	£183.99
1000	3.5" DS/DD	CALL FOR LATEST PRICE

All prices include VAT/free labels.

REMEMBER, THESE PRICES INCLUDE FREE DELIVERY

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 100 CAP LOCKABLE BOXES

100% CERTIFIED ERROR FREE

PLUS FREE COLOUR CODED LABELS

50	3.5" DS/DD + 100 cap box	£26.99
100	3.5" DS/DD + 100 cap box	£44.99
150	3.5" DS/DD + 100 cap box	£61.99
200	3.5" DS/DD + 2 x 100 cap boxes	£82.99
300	3.5" DS/DD + 3 x 100 cap boxes	£123.99
400	3.5" DS/DD + 4 x 100 cap boxes	£164.99
500	3.5" DS/DD + 5 x 100 cap boxes	£195.99
1000	3.5" DS/DD + 10 x 100 cap boxes	£ call

All prices include VAT / free labels

REMEMBER THESE PRICES INCLUDE FREE DELIVERY

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 80 CAP BANX BOXES

100% CERTIFIED ERROR FREE

FREE COLOUR CODED LABELS

50	3.5" DS/DD + 80 Cap Banx Box	£33.99
100	3.5" DS/DD + 80 Cap Banx Box	£49.99
150	3.5" DS/DD + 2 x 80 Cap Banx Boxes	£77.99
200	3.5" DS/DD + 2 x 80 Cap Banx Boxes	£95.99
300	3.5" DS/DD + 4 x 80 Cap Banx Boxes	£152.99
400	3.5" DS/DD + 5 x 80 Cap Banx Boxes	£197.99
500	3.5" DS/DD + 6 x 80 Cap Banx Boxes	£237.99

All prices include VAT/ free labels & free delivery

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 150 CAP POSSO BOXES

100% CERTIFIED ERROR FREE

FREE COLOUR CODED LABELS

50	3.5" DS/DD + 150 Cap Posso Box	£37.99
100	3.5" DS/DD + 150 Cap Posso Box	£55.99
150	3.5" DS/DD + 150 Cap Posso Box	£73.99
200	3.5" DS/DD + 2 x 150 Cap Posso Boxes	£106.99
300	3.5" DS/DD + 2 x 150 Cap Posso Boxes	£144.99
400	3.5" DS/DD + 3 x 150 Cap Posso Boxes	£196.99
500	3.5" DS/DD + 4 x 150 Cap Posso Boxes	£241.99

All prices include VAT/ free labels & free delivery

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

3.5 DELUXE STORAGE BOXES

10 Capacity	£1.00
40 Capacity (Lockable)	£4.10
100 Capacity (Lockable)	£4.50

5.25 STORAGE BOXES

10 Capacity	£1.00
50 Capacity (Lockable)	£5.10
100 Capacity (Lockable)	£5.90

STACKABLE BOXES

3.5" 80 Cap Banx Lockable Box	£10.95
3.5" 150 Cap Posso Box	£15.50
5.25" 70 Cap Posso Box	£16.50

3.5" HIGH DENSITY DISKS

100% ERROR FREE / FREE COLOUR CODED LABELS

60P EACH £61 For 100 incl delivery/labels/VAT

100% CERTIFIED ERROR FREE

5.25" DS/DD Disks	21p each
5.25" DS/HD Disks	39p each

BRANDED 3.5" DISKS (KAO/TKD)

10 3.5" DS/DD	£6.50
10 3.5" DS/HD	£10.50

BOX OF PAPER 11 X 9.5, 60GMS MICROPERF 2,000 SHEET...£11.75

BOX OF A4 PAPER, 70GMS MICROPERF 2,000 SHEETS...£12.95

LIMITED OFFER
A500 PLUS
CARTOON CLASSIC
PACK £239.99



GVP 85MB A600/A1200
INTERNAL HARD DRIVE
£285.99

PRINTER RIBBONS

PRINTER	BLACK RIBBONS		COLOUR RIBBONS
	BRANDED	COMPATIBLE	BRANDED
Citizen 120D	£3.40	£2.70	N/A
Citizen Swift 9	£3.40	£2.70	£15.30
Citizen Swift 24/24E/224	£4.70	£2.70	£15.30
Panasonic 1124	£8.50	£3.58	N/A
Star LC-10	£4.47	£3.06	£6.70
Star LC-20	£4.47	£3.06	N/A
Star LC200	£6.11	£4.70	£12.30
Star LC24 10/15	£5.58	£3.53	N/A
Star LC24-200	£5.58	£3.53	£13.25

INKJET CARTRIDGES & REFILLS

HP Deskjet Black Ink Cartridge	£14.98
HP Deskjet Black Dual Capacity Ink Cartridge	£23.95
HP Deskjet 500C Colour Ink Cartridge	£26.96
Canon BJ10e/ex Black Ink Cartridge	£19.98
Black Twin Refill Kit	£14.98
Colour Twin Refill kit	£14.98
500C Colour Refill Kit	£14.98
Amiga Colour Separation Software	£39.95

COMPARE AND CONTRAST

System Requirements:	Morph* (v1.0.0)	CineMorph (v1.01)
DOS version	2.0 minimum	1.3 Minimum
Minimum memory	4Mb Fast, 1Mb Chip	2Mb Fast, 512K Chip
Accelerator	Recommended	Recommended

Both programs require adequate storage for the files produced. Floppy disks will do, but images can be more than 1Mb in uncompressed 24-bit form, so a hard drive is virtually essential for both.

Features:	Morph*	CineMorph
Single warping	Yes	Yes
Sequence warping	Yes	No
Dual Image morphing	Yes	Yes
Sequence morphing	Yes	Yes
Auto tweening	Yes	Yes
Magnification	Yes	No
'Onion-skinning'	Yes	No
Scalable windows	No	Yes
ARexx support	Yes -- extensive	No
On-line help	No	Yes
File types loaded	Colour and grey-scale directly, others after conversion with <i>Morph Plus</i> .	All IFF formats, including 24-bit and 8-bit, except HAM-8, plus JPEG/JFIF directly.
File types saved	All IFF formats, including HAM-8, plus ANIM OP5, JPEG and HAM-E, though most are only via <i>Morph Plus</i> .	All IFF formats except HAM8. ANIM OP5 supported directly, plus HAM-E and DCTV.
Output size	User definable	User definable

* *Morph* is part of the larger *Morph Plus* suite, which has extensive image processing and compositing features and a wide range of load/save formats and many other important features.

While it's probably true to say that morphing isn't ever going to be as popular as sliced bread, it's certainly been causing a stir among the public and media alike. Recent blockbuster movies such as *Terminator 2* have exposed the technique to huge audiences, and objects undergoing miraculous transformations are now all the rage in TV ads too. Morphing has thus become the latest 'must-have' in the film and video business, and software producers have taken the opportunity to cater for the many studios (and hobbyists) who want to use morphing effects, but haven't got Hollywood-sized budgets.

The two morphing programs under scrutiny this month – ASDG's *Morph* (which is part of the *Morph Plus* package) and GVP's *CineMorph* – are both recently-released products, but the honours for the first Amiga-based morphing software have already gone to Black Belt's *Imagemaster* (which I reviewed in *Amiga Shopper* 18). Both packages do morphing and warping on still images and sequences, but *Morph Plus* also does a lot more – as both its pricing and name reflect.

CINEMORPH

In many respects *CineMorph* is the simpler of these two packages, not least because it consists of just one program (in contrast to the modular approach of *Morph Plus*), dedicated solely to morphing operations.

In common with other morphing software, *CineMorph* uses vectors

(points) to determine how images are warped (see the box on 'What is Morphing?' for a full description of the process). And, like the others, *CineMorph* has its own unique way of manipulating these vectors.

In this case, a mesh of points is pulled around to control the warping.

WHAT IS MORPHING?

Though morphing programs may appear to differ in the way that they work, the methodology behind each is actually very similar. So similar, in fact, that it seems suitable to explain it all in one place, rather than describe each program's techniques separately.

Put simply, morphing is a process for transmuting one image into another. This might be a black face changing to a white one (as in Michael Jackson's *Black Or White* video), or the T1000 in *Terminator 2* shifting to and from its human form. So long as the images can be imported into a computer system (by scanning, digitising from video, or whatever) they can be morphed. But

video sequences cannot yet be morphed in real-time on the Amiga – the processing power required is far too great – so let's nip that spurious notion in the bud right away.

The morphing process involves a combination of shape-changing and cross-fading. Warping transforms the source image into the shape of the destination image and is controlled by using pairs of points (or vectors) which describe the start and end positions for specific locations on the images. Over a defined number of frames the vectors move towards their end positions, distorting one shape into another. For this reason warping is often likened to stretching a sheet of rubber with an image

printed on it. Control can usually be applied to individual points or to all of them, so as to slow down or hasten their actions during morphing.

Cross-fading (or dissolving) between selected frames of the morphing series facilitates the smooth transition from one warped image to the next, a process which cannot be performed by warping alone. For extra control it is usually possible to specify just how much cross-fading takes place in each frame of the series.

This warp-dissolve process can also be applied to sequences of moving images, enabling one object to be turned into another while both

are in motion. The example I have provided simply morphs a rotating cow into a rotating car. The original sequences were produced with *Imagine 2* and I made sure that both car and cow were in similar positions throughout each sequence so as to ease the morphing process.

"With some imagination, morphing can also be used to do special effects...."

It isn't necessary to manipulate the vectors for every single frame in a sequence, as a series of 'key' frames can be defined and the intermediate frames (the 'twens') will be generated automatically.

This system presents no real obstacles when warping similar images, such as faces, but can produce big problems when attempting a reasonably complex warp, such as the cow-to-car sequence I used as a test. Because *CineMorph* restricts how points move

in relation to each other – with no mesh overlapping allowed – a lot of fiddling is required to set up the warping points correctly, something which is difficult enough when working on a dual-image morph, but a real headache when a sequence morph is desired. The problems are further compounded by the visually simple, but rather inflexible, split-screen display and *CineMorph*'s unfortunate lack of both decent magnification and an 'onion-skin' facility.

CineMorph uses two levels of complexity when defining warps – lines and splines. Lines warp faster but splines produce smoother results. Splines are also rather more difficult to manipulate, but not overly so. If more or less points are

saving a large amount of time. The result – in my case – was a 10-frame animation of Bossy the cow morphing anti-clockwise into a Camaro car.

Morphing can be very flexible. Cross-fading is perhaps its simplest form, dissolving between two images while keeping all the vectors static, but with some imagination morphing can also be used to do special effects such as warping from one screen to another. Simple warps can be carried out with relatively few vectors, while complex warps may require hundreds – or sometimes thousands – to achieve the required degree of accuracy.

SLOW TIME

It should go some way to illustrating the learning curve involved in morphing when I tell you that it took me the best part of two days to achieve my little animation. Two days in which I was continually frustrated by the rubbish appearing on my Amiga screen. Two days of hard slog to produce a few images. I'm just

You won't believe your eyes when you see some of the crazy things which morphing can do!

required in the mesh, extra columns and rows can be added or deleted at will and multiple points can easily be selected for bulk movement.

Unlike *Morph*, *CineMorph* can load images directly, having no need for a separate load/save program. It

glad that I've got a pretty quick Amiga with plenty of memory and storage space, because otherwise I'd probably still be experimenting while you wonder what happened to the *Video* column in this month's *Amiga Shopper*.


Serious morphing isn't for the faint-hearted or the shallow-pocketed. To achieve any kind of sensible throughput, especially at 24-bit quality, the host Amiga really has to be stacked with memory, storage, graphics hardware and a fast processor. Even then morphing only a few seconds of broadcast quality images could take several days to set up and produce. Lower quality and lower resolutions obviously render faster and save space, so if quality isn't of paramount concern it is possible increase output, but there is little

'Morphing' one object into another is the latest craze in video special effects – and now you can do it at home. Gary Whiteley sees how two new transformation packages shape up


handled all the IFF formats I tried, including 24-bit, 8-bit and JPEG files, without complaint, except for the new HAM-8 mode, which wasn't supported in the version I had for review (version 1.01). As with other morphing products, the images are displayed as grey-scales to reduce memory overheads, and *CineMorph*'s scalable image windows also help when memory is tight.

NOT ALL THERE

I found *CineMorph* to be much more awkward to use than *Morph* because the interface lacks the flexibility required for quickly comparing start and end points and accurately placing them on detailed images. The lack of any simple way of test-animating the points is also irritating, as the only way to test the warping structure is to render it as a mesh



As you can see, the user interfaces of *Morph Plus* (left) and *CineMorph* (right) are markedly different. *Morph Plus* adopts an all-in-one approach which is flexible enough to allow fast and accurate setting of the warping points, while *CineMorph* adopts a simpler, less memory-intensive, but somewhat less responsive format



benefit in skimping on either memory or speed.

In any case, by morphing on an Amiga the cost savings are substantial. The equivalent of last year's £30,000 hardware and

software is now available for under £5000 – including a very high-specification Amiga – which serious video producers should recognise as a bargain, even if it is a little beyond the budgets of most home users.

overlaid on the output images. This works, but isn't ideal.

I was also very disappointed with the file requesters – trying to select a file before a listing was complete inevitably resulted in a terminal visit to the Guru, usually with disastrous consequences. This is blamed on faults in Commodore's DOS requesters and should be resolved in later versions of the *CineMorph* software.

But the worst problems occurred during sequence morphing. All seemed to be going smoothly until I began checking the auto-tweened frames between my designated key frames. Then the surprises started. The most regular problem was that the mesh had mysteriously elongated, so that much of it had disappeared from view and was no longer available for manipulation, as well as bearing little resemblance to either of its key frame parents. Try as I might, I found no adequate solution and, after just one too many crashes, I abandoned trying to sequence-morph with *CineMorph* altogether.

Obviously, this is a poor situation for such a program to be in and when I contacted the programmers in the USA they candidly (and bravely) admitted that they were aware of all the problems I described and had already fixed most of them, as well

as working on new features for later release. However, enquiries with the UK distributor, Silica Systems, drew a blank as to when (and under what conditions) any upgrades would be forthcoming in the UK.

CHECKOUT CINEMORPH

Manual

Adequate but could be more lucid.

Features

OK, but I would have liked 'onion-skinning' and magnification included.

Quality

Dependent on chosen output, of course, but can be excellent in 24-bit.

Ease of use

CineMorph could be more user-friendly – although it is very easy to get started with.

Speed

Quick when rendering but setting up the morph can be excruciatingly slow.

Price

Fair, though I would be happier if it was more rounded and less buggy.

Overall rating

Though it has many excellent ideas and features, my impression was that it wasn't quite finished. For budget morphing this could be the program but not until the next version (at least) has been released.

has an ARExx interface it is possible to write a script which can automate the whole process, rather than having to tediously convert and compile each frame by hand. Since all aspects of *Morph Plus* can be addressed it is possible to do some very complex image manipulations and animate the results. But you shouldn't expect too much help from the manual beyond descriptions of the ARExx commands and a few cursory examples.

All this is in addition to scaling, dithering, colour balancing, cropping and a number of other indispensable tricks and treats, many of which have their own user interfaces. *Morph Plus* isn't as comprehensive in some areas as *ADPro*, though it complements it well without too much duplication. By the way, image quality produced from *Morph Plus* is on the whole excellent, especially if 24-bit is the name of your game.

THE GREAT MORPHO

Well, we've finally arrived at the reason we're here – the *Morph* program itself. It isn't completely independent, as it needs *Morph Plus* to be running to do the actual image manipulation, but otherwise it works as if it were a separate program.

The first time you use *Morph* you'll probably hate the default colour scheme which, coupled with the hi-res interlace, doesn't make for a comforting visual experience. But not to worry, the colours can be changed to suit your taste.

From then on it's simply a matter of choosing your operation – from moving morph, still morph, moving warp and still warp – and telling *Morph* what images it is to use, what size to output them at, how many frames are required, and which of the many options to use. These options are difficult to explain in such a short article but give *Morph* a lot of flexibility.

The fun part is the vectoring. 'Hot keys' make it quite easy to add vectors at the click of a mouse and then you just drag their start and end points around the images as required. It is also possible to add points which won't move, effectively 'pinning down' parts of the image and preventing unwanted distortion. And to make life even easier it isn't strictly necessary to use loads of vectors or points, as joining them together with the Edge command adds 'invisible' points between existing ones. These help to smooth out any potential problems.

If you are working on a morph involving two source images, *Morph* makes it quite simple to see both images simultaneously. Using the 'onion-skin' facility you can see a fully-adjustable mix of the two pictures, which makes vector

placement very easy.

When the vectors and points are to your liking, it is possible to do a quick preview of just the vectors to ensure that all is well. The resulting wireframe animation can be played in a variety of speeds and directions to make accurate checking easier.

The next thing to do is to render the frames, which can be time- and memory-consuming depending upon the size chosen for the output. So take a break, have a cup of tea or forty winks and then return to check out your handiwork. All that remains to be done is to put the frames together and see how you did. But that's another story for another day...

SHOPPING LIST

Morph Plus £179.99
by ASDG

From: Micro-PACE UK Ltd, Unit 10,
Perth Trading Estate, Perth Avenue,
Slough, Berkshire SL1 4XX
☎ 0753 551888

Cinemorph £99.95
by GVP


Distributed by: Silica Systems,
1-4 The Mews, Hatherley Road,
Sidcup, Kent DA14 4DX
☎ 081 309 1111

MORPH PLUS

Morph Plus is an apt name for ASDG's offering, as morphing is just part of the far more comprehensive suite of programs provided.

Morph Plus is very closely related to ASDG's Art Department Professional. So closely related, in fact, that owners of *ADPro* v2.1 (or later) can add the new *Morph Plus* loaders, savers and operators to *ADPro* and use them from there, effectively discarding the *Morph Plus* user interface. What's more, *Morph Plus* also has two additional programs: *Morph*, which is the actual morphing program, and *FRED*, a tool for compositing sequences of images together – which is very useful if you can't write ARExx scripts.

First, an overview of how *Morph Plus* works. Generally speaking, an image is loaded into memory (using a Loader module) as a 24-bit file, regardless of its initial format. Then it can be manipulated, composited with other images, tweaked, altered, processed or otherwise doctored by



Many of the *Morph Plus* operators have their own interfaces where images are manipulated. This is the one for the Perspective operator

using one or more of the *Morph Plus* Operator modules, then finally saved through the services of a *Morph Plus* Saver module. However, *Morph Plus* is far more flexible, though sometimes it can be a tough nut to crack.

For instance, with the new ANIM functions it is possible to compress a sequence of frames into an animation file or, conversely, extract frames from an existing animation. But before you can construct an animation it might be necessary to force all the frames into the same image format. Because *Morph Plus*

CHECKOUT MORPH PLUS

Manual

Well presented and full of information, but lacks clear instructions on ARExx usage, full details on the use of *FRED* and so on.

Features

Contains excellent and wide-ranging features.

Ease of use

Some aspects of *Morph Plus* are very easy to use whilst others are very difficult.

Quality

High quality output and effects throughout.

Speed

Not quite as nippy as *CineMorph*, but still very good, everything considered.

Price


Expensive if you already have *ADPro* 2.1, but compared with the cost of the Amiga-video system you need to get the best from this type of package, the price seems rather inconsequential.

Overall rating

A flexible, and usable package with valuable functions in addition to its excellent morphing features, though marred by the manual.

All things considered, the only real choice of this pair has to be *Morph Plus*. *CineMorph* tries hard but hasn't quite made the grade – yet.

ASPECTS OF MORPH



1. You can easily add life-like rippling to an image, or animate a sequence 2. ...or make it look like it is actually underwater 3. This is a composite of the effects of Negative, Twirl and Perspective operations

Although we are mainly comparing morphing facilities this month, *Morph Plus* has many more strings to its picture-processing bow. The following images should give you a taster of some of its other attractions. Don't forget that all these effects can be controlled with ARexx and animated too!



Fish-eye and other spherical effects are simple with the Sphere operator

Here's a quick preview of a brand new piece of RocTec kit – the PIP View. For around £100, RocTec has just launched a sleek black box which operates as a remote-controlled TV tuner which can also do picture-in-picture tricks. Why? Well, obviously RocTec thinks it will sell to folks who don't have a TV with remote channel selection or who want to use one TV to watch two pictures at once.

INSIDE INFORMATION

For instance, say you have an Amiga with a 1084 monitor and you want to keep an eye on the big match while you blast some meanies – but the telly is downstairs and your other half is watching *Coronation Street* anyway. Enter PIP View. By plugging in an RF aerial feed and a composite output from your Amiga you can have the footie in a shrunken screen about one-ninth full size inserted over your normal Amiga screen.

Simply by hitting a button on the nifty infra-red remote control provided, the pictures can be reversed – if you wish to see that own goal in its full hair-wrenching glory. With three input sources to choose from you could also be monitoring *Baby Jane* while she dozes under the nursery surveillance camera – and still convince yourself that you love Big Brother.

A CLEAN IMAGE

The picture quality of the PIP View's tuner is extremely good – at least equal to what my domestic VCR can manage. Colour is good and the remote control and tuning operations are no more difficult to operate than a normal TV or video controller, though the layout of its buttons could be rearranged to make it less prone



PIP View can show two video signals on the same screen at the same time – all under remote control

to accidental reprogramming. There is also a volume/muting control for the main sound and a mini-jack socket on the rear of the unit for monitoring the 'sub-picture' sound – the sound from the miniature image. The sub-picture itself can be placed in any of the four corners of the screen and, while small, it is certainly watchable.

LOGIC PROBLEMS

PIP View has a few quirks. There's no on/off switch – which means the unit is either on standby or just on – and a two-pin, American-style, mains plug on the transformer. And there's no pass-through for the aerial input, so the PIP View had better be the last item in your chain.

Then there are the Phono connectors – twelve of them in fact.

Window on the World

With PIP View you can watch TV on your Amiga screen. Gary Whiteley puts you in the picture

Three for composite video inputs, six for audio inputs, and three more for video and audio outputs. The lack of RF output and, indeed, SCART sockets, means that the TV or monitor you are using with PIP View must have a composite input – either SCART or dedicated – a situation which is not all that common on many domestic TVs, especially older ones. So, I think RocTec's logic that people will buy PIP View as a means to upgrade their old manual TV sets to remote control doesn't hold water.


COMPOSE YOURSELF

However, if the PIP View could also work between the various TV channels as well as external inputs, if a Teletext decoder was included

and if there was a full PIP View RF (aerial socket) output then I think RocTec would be on to a winner.

If you want to use an Amiga with PIP View then it will need a colour composite output. This is fine if you have an Amiga 600 or 1200, but other models will require an RGB to composite converter, such as a modulator or genlock. And don't forget that if you are used to crisp RGB output you'll be disappointed by the PIP View's composite-only output.

PIP View is an interesting approach to solving a specific problem, but I really wouldn't like to say how well it will sell in its present form. It is available from any of the usual RocTec dealers. **AS**



If you've just received **AMOS for Christmas**, or if you bought the **Christmas issue of Amiga Format**, then **AMOS Action** is for you. Every month it's packed full of news, tips and techniques about the Amiga's greatest ever programming language

AMOS

>> ACTION >>

Jason Holborn continues his five-year mission to explore the wild world of AMOS. This month: a new book, hidden secret messages, and much, much more!

At the time of writing this column, the latest issue of *Amiga Format* has hit the streets – complete with *AMOS* on its front cover. As many of you also read this very good publication, I'm sure that many of you have also started reading *AMOS Action* for the first time. Together with those of you who were lucky enough to find an *Amiga* and *AMOS* lurking at the bottom of your Christmas stocking (all I found in mine was a pair of socks and some aftershave!), I'm very pleased to say that more and more *Amiga* users are now discovering the joys of *AMOS* programming.

It's also good to see that many of our regular readers have upgraded to *AMOS Professional*, the latest and greatest release of *AMOS*. If you haven't already moved up, then why not spend some of that Christmas cash that you received from your

long-lost Auntie Gertie on the upgrade? As anyone who owns *AMOS Pro* will tell you, you certainly won't be wasting your money. *AMOS Pro* is a considerably friendlier and more powerful release of *AMOS* that truly pushes the *Amiga* to its limits. And when Europress finally gets around to releasing an AGA-compatible version of *AMOS* (to take advantage of the new A1200 chip set – see last month's issue for details), *AMOS* will finally establish itself as the programming language for the *Amiga*.

It's surprising that many *Amiga* programmers still look on *AMOS* with a certain amount of scorn. I guess it's probably got something to do with the fact that *AMOS* is based around BASIC, but this doesn't actually affect the power of *AMOS*. In the corporate computing market, BASIC is still regarded as a very good programming language, so the rather

snobbish attitude that many programmers have towards *AMOS* is totally unfounded. I have to admit that I shared this opinion when Europress originally launched *AMOS* – having become more accustomed to the likes of C and assembler, the idea of going back to BASIC programming didn't really appeal to me at all. But, after little more than a few weeks playing with *AMOS*, I became a convert. Now that *AMOS Pro* has been released onto the market, *AMOS* is without doubt a truly professional programming environment.

READ ALL ABOUT IT

Those very nice people at Bruce Smith Books have finally turned their attention to *AMOS* with the launch of

"after little more than a few weeks playing with AMOS, I became a convert"

Mastering Amiga AMOS, the latest volume in their successful *Mastering Amiga* series of reference books. Written by my old friend Phil South, a fellow *AMOS* enthusiast, the book is designed with beginners in mind.

The book starts with a general overview of the history of the system and then moves on to *AMOS* itself, with a fairly comprehensive and very readable chapter on the *AMOS* editor. It explains how the editor works in quite some detail, with individual sections on most of

the more powerful functions. It then expands the subject matter still further with a look at the extensions that can be added to *AMOS*, including the usual *AMOS Compiler* and 3D extensions.

Quite a sizable chunk of the book is dedicated to *AMOS Basic*, where the principles behind good programming are explained. All this is pretty generic stuff though, so even the greenest *AMOS* programmers will probably find the subject matter somewhat obvious. Phil then moves onto the rather dull subject of the *AMOS Math* functions, which rapidly sent me off to sleep.

With all this theory behind us, the book then moves on to *AMOS'* own particular talents, with a look at

AMOS

ANSWERS

If AMOS is giving you grief, then Jason Holborn is the man to put you out of your misery

PARALLEL PROCESSING

Is there a way of reading the parallel port from within *AMOS*? I want to be able to use a four-way adaptor, allowing up to four players to play against each other within a game that I'm writing.

Ian Norris
Newcastle

I have to admit that I've never tried to address a four-play adaptor from within *AMOS*, so I don't know how

the *Amiga* communicates with this particular device. I guess the best way to find this out is to write a little program that monitors any information received through the parallel port. *AMOS* does provide the commands you need in the shape of the 'Parallel Open', 'Parallel Send' and 'Parallel Input\$' commands.

COMPILER QUERY

I have recently upgraded from *AMOS 1.34* to *AMOS Professional* directly

Phil South

Far more space should have been dedicated to the basics of AMOS programming, rather than covering extensions such as CText, AMOS Tome and the SpriteX editor.

I'd love to give Phil's book a rave review, simply because I consider him a friend and fellow journalist, but I'm afraid that my conscience could never take the strain. Past Amiga releases from both Phil and Bruce Smith Books have been very good indeed, but *Mastering Amiga AMOS* is just too sketchy to be of any great use. It's a great shame – I still feel that the ultimate AMOS book still hasn't been written. When it does arrive, I'm sure that it will literally clean up.

Applicable to all Amigas

Easy and Powerful Programming

Hands-on Tutorial and Guide

BSB
Bruce Smith Books

Mastering Amiga AMOS from Bruce Smith Books – could this be the guide that AMOS programmers have been waiting for?

screens, sprites, bobs and AMAL. Although all three of these sections start well, I have to admit that I think that the book is rather brief in its descriptions. The chapter on screens, for example, describes the task of opening screens, but doesn't even show you how to open HAM screens, while the options that are discussed aren't covered in enough detail. Considering that the book is aimed at complete beginners, this sort of lack of detail is inexcusable.

PUDSIE'S HELP SCANDAL

It's amazing what sort of things you can find when flicking through a program's system files. As well as a few interesting routines, you can also find more frivolous items, such as secret messages embedded by the programmers as an 'in-joke'. Probably the best-known examples of this are the secret messages that were

"recent Amiga users won't have come across these infamous surprises"

embedded into Workbench 1.2. More recent Amiga users won't have come across these infamous 'surprises' – there were even a couple of messages in there (from the developers of the Amiga's systems software) that didn't exactly compliment Commodore on its handling of the early Amigas.

Secret messages are still popular amongst programmers and the creators of AMOS Pro are certainly no exception. Only the other day I was poking my nose into areas of AMOS Pro that Europress would probably prefer us users to stay well clear of, only to find secret messages embedded in AMOS Pro. Although none of them could be

You too can discover the secret lives of Richard Vanner and the rest of the Europress team. It's all to be found in AMOS Pro's Help menus

called scandalous, they do give you an insight into the sort of people that brought us the world's greatest programming language.

The messages in question are embedded into AMOS Pro's On-line Help system. To access them, load up AMOS Pro and enter one of the following names into the AMOS Pro editor, enclosing each one within speech marks. Then move the cursor over the first character of each name and press the [Help] key to see the text. Try these for size: VANNER, LIONET, PUDSIE, DAISY, CARRINE, MEL, STEPHEN and DITHEL.

from Europress Software. I most sincerely think that it is worth the praise that you heap upon it. However, I am interested in knowing the following things:

a) In the help menu there is a 'Latest News' section that mentions the AMOS Pro compiler. According to this help menu, the compiler should be available by the end of October. Then in the AMOS column in *Amiga Shopper* Issue 20, Charlotte

Hemmings said "Europress have assured me that a compiler for AMOS Pro will be released during February of next year". Which is more accurate?

b) I also have the AMOS Tome extension (the compiler version). Will this extension ever be upgraded for AMOS Pro?

Jason Redway
Basildon, Essex

a) Europress had originally hoped to have both AMOS Pro and the AMOS Pro Compiler finished in time for Christmas, but unfortunately only AMOS Pro actually made it. In this respect, Charlotte's comments are indeed true. Europress is

still hoping that the compiler will hit the streets some time in February. Rest assured that I'll be bringing you a full review as soon as I get my hands on it.

b) Aaron Fothergill (the author of Tome) has recently released Tome

version 4, which I am assured is fully compatible with AMOS Professional. Contact the AMOS Club to obtain your upgrade.

WHERE'S RAMOS?

I've recently upgraded to AMOS Professional which, on the whole, I'm very, very pleased with. However, try as I might, I cannot find an AMOS Pro version of the AMOS RAMOS Runtime system. Considering that Europress still haven't launched an AMOS Pro compiler, how can I distribute my AMOS Pro programs without infringing Europress copyright?

J Jones
Dundee

You're right, AMOS Pro doesn't have its own version of RAMOS. Instead, Europress opted for a far more elegant solution to the task of running programs independently of the main interpreter.

AMOS Pro is structured so that the editor actually consists of three entirely separate elements – the editor program, the interpreter and the monitor. When you load the interpreter, it automatically loads up both the editor and the monitor.

However, it is possible to run AMOS Pro programs independently of the main AMOS package simply by copying the entire AMOS Pro System disk and then deleting the following files from the APSYSTEM drawer:

AMOSPro.Editor
AMOSPro.Editor_Config
AMOSPro.Monitor
AMOSPro.Monitor_Config

You can then install your program on the stripped AMOS Pro system disk and run it by typing AMOSPro <Filename.AMOS> from the CLI. As the editor and monitor program files don't exist, the interpreter will simply load and run your program. If your CLI knowledge isn't too hot, simply copy your program onto the disk under the name 'Autoexec.AMOS' and AMOS Pro will automatically load and run it.

If you plan to distribute your programs, do always ensure that the four files listed above are deleted before you hand out copies of your AMOS Pro program. If you distribute a disk that has these files intact, you will essentially be handing out pirated versions of AMOS Pro. And if you do this, expect a visit from the local constabulary.



Europress hopes to have an AMOS Professional Compiler on the market some time in February

Protext is Unbeatable Value!

Protext 5.5

*"If you need a professional word processor
Protext is perfect"* AMIGA COMPUTING

Amiga Format and ST Format Gold Awards

1Mb required (Amiga or ST). Free demo disk available.
Upgrade from any earlier version on same computer just £40.

previously £152.75

now just £80

previously £99.88

now just £40

Prodata

"... reliable, easy to use and excellent value"
AMIGA COMPUTING

Database manager. 1Mb required (Amiga or ST).

Exfile

The magazine for Protext users. Packed with information to help you make the most of Protext including mail merge and macros, printing solutions and tutorials.

6 Issues for £15

Announcing Lapcat ...

a new easy-to-use transfer solution for sending files between different types of computer.

Lapcat was designed for the NC100, Amstrad's new Notepad Computer. To make file transfer easy something new was needed; the difficulties in sending files via the serial port are well known - the problems of different connectors, different types of leads, baud rates and the software at the other end. **Lapcat** is a combined software/hardware package that transfers files quickly via the parallel port.

The **Lapcat** software is built into the Amstrad NC100. The standard package consists of the **Lapcat** lead plus software on disk for the computer of your choice. This will enable you to transfer files between an NC100 and your chosen computer. **Lapcat** is not just for NC100 owners because you can buy software to transfer between any two of the supported computers. No technical knowledge is needed.

Lapcat prices: (Please state clearly the type of computer you are using - PC, Atari, Amiga).

With software for one computer **£40** Software for extra computers **£10 EACH**



ARNOR

GAMES PROGRAMMING


ADVENTURE GAMES – PART 2

Last month we took a brief look at how movement is controlled around the various locations within an adventure game. Obviously this is the most important aspect of the game. After all, it would hardly be much of an 'adventure' if the player's alter ego were to stand in the same place. Even on an unexpanded 512K Amiga 500, it's possible to create some really quite substantial game maps that the player can wander around and explore.

But before you sit down and start coding your latest Infocom-killer, it's well worth taking time out to design the game map. This is very important indeed, as you need some form of reference material to feed in all the information that the movement routine will use. The size of the game map is entirely up to you, but bear in mind that each and every location needs its own textual description which must be fed in by hand, along with all the various movement attributes that will be needed.

So, what do you need to get started? First of all you'll need to draw up a map, similar to the one shown on this page. Every single square within the map is a location that the player can move to via one or more of six different directions – north, south, east, west, up and down. To make things somewhat more complicated, you can also control the movement by making certain paths (a path is the imaginary line that joins two locations) either one way or 'restricted entry', in which case the player must have a certain key or object to travel along that particular path. The paths themselves will be completely transparent to the player – they're

Ye olde Game Map



Movement around our adventure map (shown above) is controlled via a two-dimensional array

simply there to serve as a reference when keying in all the location data.

DIMMING SWITCH

Now that we have our path, we need to key all the map data into the computer. You'll need to create a dimensional array that holds all the map's path data using a command such as DIM Paths(100,6). This will create a 100 by 6 two-dimensional array. The first part of the array definition dictates how many locations are in the game – in this case, we've opted for 100. The second part of the array definition holds the six movement attributes that will be assigned to each location – one for north, one for south, one for east, and so on.

Each of these movement attributes acts as a sort of pointer, telling the adventure game parser which location the player would move to if they opted to move in a particular direction. Say, for example, the player was currently at location 10 and a movement to the north would take them to location 12. The movement attribute that holds the north direction for location 10 would therefore hold a value of 12. Similarly, the opposite would also be true – the attribute that holds the

AMOS FOR BEGINNERS

COMPRESSING YOUR SCREENS

When you're writing programs in AMOS, it's often handy to be able to store all the graphics that the program needs as part of the program itself. This removes the need to load in graphics from disk each and every time the program is run. Say, for example, you were writing a game in AMOS. If you were to load in the game's title screen every time the player finished a game, this would not only be rather tiresome, but it would also allow others to gain access to your graphics. If you've been slaving over DPaint for hours to produce a beautiful title screen, you might not want this at all.

However, there's only one small problem – graphics require large amounts of memory. Even a low resolution screen with just 16 colours will eat up over 20K. So, maybe a single picture is hardly going to cause problems, but imagine what would happen if you only had a 512K machine and you tried to store 20 different pictures – this would use over 400K! Once again, though, AMOS has the answer with its very clever built-in screen compaction routines that can crunch any screen down to a fraction of its original size. The crunched images are then placed into a permanent memory bank. You can then display them on your Amiga's monitor using the AMOS decompression routines.

CODE CORNER

So how do you go about pulling graphics into your program in the first place? Well, this is very easy indeed. The first thing that you need to do is to open a screen that can be used to display the image, like this:

```
Screen Open ↵
0,320,256,32,Lowres
Flash Off
```

The **Screen Open** command above opens up a low resolution

screen with 32 colours. At this point, nothing will be displayed, simply because all that AMOS has done is to create a screen for you to work with. Note the **Flash Off** command too – this is used to turn off AMOS' automatic colour cycling facility. If we were to leave colour cycling on, we'd get a rather strange effect when the image was loaded in. Next, we load in the image that we want to display using the **Load IFF** command:

```
Load IFF "PICS:MyPicture"
```

This very powerful command is used to load in and display the image **MyPicture** stored on a disk (or logical device) called **PICS**. Obviously the filename used will have to be changed when you use this command so that it correctly finds and loads a picture file that you have on disk. I use the logical assignment **PICS** simply because that's where I store pictures on my hard disk. If you wanted to load a picture called 'Harold' that was stored on a disk in the internal drive, you would therefore change this to **Load IFF "DF0:Harold"**.

LEADER OF THE PACK

Now that we have the picture loaded in, we need to pack it and store it in a permanent memory bank. Under AMOS 1.34, 16 of these banks can be used, but there's no limit under AMOS Professional (well, you are limited to 65,536 different banks, but I doubt that you'll ever use them all!). What we need to do next is tell AMOS that the image displayed in a specified screen is to be packed and stored into a memory bank. Because the image has been loaded into screen 0, we therefore add the following line:

```
Spack 0 to 1
```

When we run the program, a screen will appear and, after a

south direction for location 12 would contain a value of 10. It's important to remember which movement attribute holds the information for a particular direction – reading the value for the north attribute when the player actually wants to move south could be disastrous!

If you're not too sure about two-dimensional arrays, then it may be worth splitting the array up into six individual arrays named 'North',

MOVE procedure. The procedure starts by converting the string into the appropriate path attribute – 0 for north, 1 for south, and so forth. If the direction of movement is not understood (for instance, if the player entered something like 'GO WABBLE'), then the error message 'Go where?' is displayed. Once this has been done, the routine then checks the **PATHS** array to see if movement in the direction that the

HELP! I NEED A HOLBORN!

Every month our resident AMOS genius (who, me? – Jason) answers your AMOS-related problematic prose within these very pages. If there's an aspect of AMOS that is troubling you, then send your letters to Jason Holborn, Amiga Shopper, 30 Monmouth Street, Bath, Avon BA1 2BW.

'South', 'East', and so on. However, this will make the movement code somewhat more complicated, simply because you'll have to write six separate routines to handle movement in the six different directions. By using a single array that holds all the movement data, a single routine can be used instead.

Anyway, let's take a look at the movement routine. It's a little primitive, but it does the job. The routine itself is called after the command that the user enters has been parsed. (This is done using the **SCANF()** routine published last month.) You must then interpret the string array returned by that routine and – if the player wants to move – the direction of movement (north, n, south, or whatever) is passed to the

player has requested is allowed. If it is, then the **LOCATION** variable (which holds the player's current position within the game map) is updated by copying the pointer held in the **PATHS** array into the **LOCATION** variable.

A general purpose routine called **DISPLAYTEXT** is then passed the value held within the **LOCATION** variable. This routine simply displays the location text that is associated with the new location. How you do this is entirely up to you. I personally prefer to hold the location text on disk as a random access file which is accessed using the **LOCATION** variable as an index pointer. But you could simply build up a huge string array that holds all the map text as a series of strings. **AS**

LISTING • LISTING • LISTING • LISTING

```

*** _MOVE - General Purpose Movement Routine
***
*** Variables: DRCTION = Holds direction as a value
*** DRCT$ = Direction as a string
*** DR$ = Direction as a string
*** LOCATION = Current Location number
*** PATHS{} = Path data
    
```

```

Procedure _MOVE[DRCT$]
DRCTION=-1
For C=0 To 5
Read DR$
If DR$=Upper$(Left$(DRCT$,1))
DRCTION=C
End If
Next C
If DRCTION<>-1
If PATHS(LOCATION,DRCTION)<>-1
LOCATION=PATHS(LOCATION,DRCTION)
_DISPLAYTEXT[LOCATION]
Else
Print "Sorry. You cannot move in that direction"
End If
Else
Print "Move where?"
End If
Data "N","S","E","W","U","D"
End Proc
    
```

second or so, the program will have finished, AMOS will drop out to direct mode, and we'll be left with our image displayed on the screen. However, a lot more has happened here than you may actually realise. Instead of simply displaying a picture on the screen, AMOS has taken the image that is currently being displayed on screen 0, packed it down to a more manageable size and then stored it in memory bank 1. We now have the image stored in a memory bank. If you don't believe me, go into direct mode and enter the following command (ignore the 'AMOS>' bit, it's just there to show that we're in direct mode):

AMOS> List Bank

In the direct mode window, you should see something like the following (though don't worry if it's not exactly the same):

```
1 - Pac.Pic. S: $003FBAA8 L: 37192
```

This is AMOS' way of telling us that a packed picture (hence the **Pac.Pic.** bit) is stored in memory bank 1. The **S:** and **L:** extensions tell you where in memory the bank can be found (just ignore this unless you're an advanced programmer!) and the total size of the bank in bytes, respectively. However, it's worth noting that the **L:** value doesn't always denote the bank's length – if you have loaded in any sprites or icons, the **L:** value will tell you how many sprites or icons are in the bank. OK, it's rather confusing, but just bear this in mind and you won't go far wrong.

BRINGING IT BACK

Right, so we now have our image safely stored in memory. Now we just need to extract it when the program is run. This is very simple indeed. All you need to do is to open up the screen using **Screen Open** and then just issue the following command:

Unpack 1 to 0

The **Unpack** command needs two arguments – the number of the memory bank that holds the packed image data and the number of the screen that the image data is to be displayed in. In the case of the example above, image data stored in memory bank 1 is to be extracted, decompacted and then displayed in screen 0. Note that screen 0 must have been opened first. However, it's not necessary to set up the palette for the image

before extracting it using **Unpack** – AMOS automatically stores all the palette, image and even screen position and size information as part of the bank. You don't even need to issue the **Flash Off** command if the original image had this turned off when it was packed the first time.

Because the image data is not being loaded from disk, we obviously no longer need to use the **Load IFF** command. Even when you save your program off to disk and then load it up a few days later, the image bank will still be there simply because AMOS saves all its permanent banks as part of the program code. You'll notice a large increase in the size of your

programs when you start using memory banks for this very reason. For example, I'm currently working on a project that uses a lot of packed screens. Although the source code itself is no larger than 30K, the actual program file is around 200K – that extra 170K is taken up by packed images!

Anyway, here's two versions of the same program – one that uses screen compaction and another that uses the standard **Load IFF** command. Note that the screen compaction program won't work as it stands unless you first load in an image and pack it into memory using **Spack**. You can use these programs as templates showing how to load in images stored in memory banks:

```

Rem *** Example 1 ***
'
Screen Open J
0,320,256,32,Lowres
Flash Off
Load IFF "PICS:MyPicture"
    
```

```

Rem *** Example 2 ***
'
Screen Open J
0,320,256,32,Lowres
Unpack 1 to 0
    
```

COMING NEXT MONTH

Would-be games programmers should definitely tune into the next issue of **AMOS Action**. Over the past few weeks, I've been playing around with dual playfield displays and next issue I'll be showing you how you can use this powerful facility to add parallax scrolling effects to your games. It's all in next month's **Amiga Shopper** – can you wait that long?

Discover the world of music

FUTURE MUSIC

MAKING MUSIC WITH MODERN TECHNOLOGY

COMPACT DYNAMITE!

JAM PACKED!
230
TOP SOUNDS!

- ◆ Over 200 superb samples
- ◆ Eight instrument demos
- ◆ The cream of reader demos



How does he do it?



The Prodigy's
Liam Howlett tells a.

£2.95
WIN!
A FOSTEX AUTOMATED
MIXER WORTH NEARLY **£750**

**FUTURE
MUSIC**

Don't just
listen - play!



We rank and
rate the
best budget
effects
processors

**Colour
your sound**

Creativity
plus technology

Amazing sound-
packed CD

ENSONIQ KS-32 REVIEW

Is this weighted-action
workstation the biz?
Discover all as we
hammer its ivories and
pound its parameters



YAMAHA QY20 Walkstation workout



ISSUE 4
FEBRUARY
1993

future
PUBLISHING
Your guarantee
of value



future
PUBLISHING

Your guarantee of value

**Don't miss issue four of *Future Music*,
in all good newsagents NOW!**

It's not only the best TV soaps and lagers that come from down under – there's a thriving Amiga music scene there too. In fact, this month's *Music* pages have a distinctly Australian flavour because, courtesy of BlitSoft Products, I've been able to get my hands on the first batch of Black Knight Peripherals music products to arrive in the UK.

There are two items on this month's agenda: a sound sampler and a more specialised SMPTE synchronisation box.

THE CRYSTAL SOUND SAMPLER

8-bit Amiga sound sampling has attracted a great deal of interest, especially since it's an area which anyone can get into. You can get hold of perfectly adequate sampling hardware from £20 upwards, while for around £40 a complete 'hardware plus sample-editing software' package can be obtained.

However, the units available at the low end of the market tend to cut costs by not having things like gain controls and printer pass-through facilities. This can make a big

These extra goodies, coupled with more sophisticated sample-editing software, are the types of features provided by more up-market sampling packages. The acknowledged 'top of the range' 8-bit sampling unit is of course the package now known as *Audio Engineer Plus*, which has stood virtually unchallenged since the day it arrived on the Amiga scene.

Nowadays we regularly see additional budget sampler units appearing on the scene, but recently a product has arrived which has set its sights on the very top end of the sound sampling marketplace. This product is Black Knight Peripherals' *Crystal Sound* sampler, and (as you probably gathered from last month's issue) I've spent the last few weeks putting it through its paces.



The *Crystal Sound* sampler – poised to attack the top end of the 8-bit sampler marketplace!

difference – although it has been proved time and time again that it is possible to get good results with many of the cheaper sampling units around, you do need to provide decent quality input signals at the proper sound level. You'll find that those who do get excellent results with budget samplers tend (at the very least) to have access to a reasonable quality audio mixer for level control.

Of course, many Amiga users haven't got banks of audio equipment lying around, and in these cases it's worth spending a bit more on a sampler that allows you to adjust the level of the input signal. On top of this, it's also convenient to have a printer pass-through socket. This means that you can keep the sampler connected to the Amiga's parallel port all the time and switch between using the sampler and printer without having to keep unplugging and swapping leads.

THE HARDWARE

The thing that immediately strikes you about the *Crystal Sound* sampler is that the construction quality is extremely good. The back panel contains two standard DB25 connectors: one of these is used to link the *Crystal Sound* hardware to the Amiga's parallel port, while the other is a pass-through port which can be used to connect your printer. A standard DB25 male/female cable is needed to make the Amiga-to-*Crystal Sound* connection, but the bad news here is that a suitable connecting lead is not supplied with the package. So, the first thing most users will have to do is go out and buy one.

Internally *Crystal Sound* uses twin, ultra-fast low-noise A/D (analogue to digital) converters which can sample at over 70KHz in stereo on

an A3000, and at just under 40KHz in stereo on an unaccelerated A500 (which rises to about 44KHz when mono sampling). The 'techies' among you might also like to know that conversions are 'crystal locked' and that there are 'double pole active audio filters' on all inputs!

The main *Crystal Sound* controls appear on the front panel. There are two rotary gain controls (for left and right channels), two RCA phono socket line-level inputs (270mV sensitivity peak-to-peak), and two 6.5mm standard jack microphone-level inputs (microphone gain 40dB). On the far right of the front panel lies a toggle switch which allows you to bypass the sampling circuitry and use a printer without having to unplug anything.

THE SOFTWARE

Crystal Sound's main claim to fame is its hardware – unlike most such units, it does not come with a sample editing program. However, a 'Sampler Tool' is provided for collecting samples. The Sampler Tool display is rather basic but nevertheless it does provide all the usual rate, sample size, trigger level, monitor, save and play facilities you might need. It actually performs

extremely well and will happily co-exist with all of the

popular sample editing packages that are available. The *Crystal Sound* hardware has been designed to be compatible with any software that can use *Perfect Sound* modes 1 and 2 – for instance, the software provided with *Audio Engineer* works extremely well with *Crystal Sound*. More to the point, there are a number of other sample-editor programs that will be particularly suitable because they can be

Wizar

purchased individually (in other words, without hardware), *AudioMaster IV* being perhaps the most obvious example.

The *Crystal Sound* disk also provides some other 'support' software as well. Firstly, here are some details of the programs:

TimeCode: controls Black Knight's SAM, SMPTE, and MIDI interface, allowing you to 'stripe' audio and video tape with time codes.

RexxTime: lets you synchronise AREXX scripts to MIDI time code. Potentially this has all sorts of uses, including exciting multi-media stuff involving more than one computer,



PLAY IT AGAIN, SAM

SAM is another product from the Black Knight Peripherals company that has recently hit our shores. It's slightly larger than the *Crystal Sound* unit (measuring 14cm by 15cm by 6cm), but the construction

quality and general appearance is similar – save for the fact that the front panel is flat because touch controls are used. It combines a five-port MIDI interface (one MIDI IN and four MIDI OUTs) with a time code converter unit which can generate and convert time code signals. The back panel contains two DB25 connectors (one for the Amiga and one for printer pass-through), the five MIDI connectors and, of course, the two 6.5mm jack SMPTE in/out terminals.

The unit is typical of the sync units that you'll find discussed over the page in this month's introduction to SMPTE and MTC. Basically *SAM* will convert SMPTE time code audio signals to MIDI time code and then merge those messages with



SAM – the combined SMPTE and MIDI interface from Black Knight

but it does of course require a MIDI time code source.

AnimBeat: plays IFF animations in time with MIDI time code – in other words, this will synchronise animations to music on tape.

BurnOSDMO, EpromDMO, and **HWConfig:** the first two of these programs control Black Knight EPROM burners and the third the

anything to do with sampling at all. In fact they are actually for use with SAM – the other Black Knight product I'm looking at this month.

However, in addition to the above offerings, you do get a number of public domain programs. These include: a voice-controlled CLI/Shell interface (which is really only of experimental interest), a frequency-to-colour spectrogram plotter, a Mac-file to raw converter, and a


the more noticeable by the absence of a decent sample editor.

THE BOTTOM LINE

The *Crystal Sound* unit costs £94.95 and the hardware is absolutely brilliant. The package is let down badly by the software on offer, but given a decent editor, *Crystal Sound* is head and shoulders above all other Amiga samplers on the market bar one – *Audio Engineer Plus*. Both hardware units have specs that far exceed the Amiga's own sampling capabilities. In fact using them with an Amiga it has proved virtually impossible to tell the units apart.

If you already own editing software that you are happy with and are just looking to upgrade your sampling hardware, then *Crystal Sound* looks to be an extremely attractive offering. If, however, you are looking towards building a complete sampling package based on *Crystal Sound* from scratch, then the scenario is rather different. From a practical viewpoint let's assume you spend £94.95 on a *Crystal Sound* unit. To that you'll need to add another £10 for a lead, and say £70 for *AudioMaster IV* (there's no point in having good hardware if you don't go for a good editor as well). That total, if I've done my sums correctly, is five pence short of one

hundred and seventy five quid! That's certainly not cheap and, although the complete *Audio Engineer Plus* package is even more expensive (it



Crystal Sound's Sampling Tool is primitive, but has most of the basic operations you might require

currently costs just over £200), I suspect that, given *Audio Engineer's* established reputation and software support record, that it still has the edge over this latest competition – but only just. Especially considering the current economic climate, if the Black Knight *Crystal Sound* package could be offered at a slightly lower price it would almost certainly tip the scales in favour of this new offering!

ds from OZ

A high quality sampler and a MIDI synchronisation unit are two new products from Australian company Black Knight Peripherals. Paul Overaa puts them to the test

company's 'No More Switches Card', which in turn controls the KickMagic and TopChip 2Mb Chip RAM boards.

This is all very interesting but you may have noticed one minor snag: none of these programs have

couple of direct record-to-disk and play-from-disk programs. I've got to be honest here – taken together, the programs on the disk come across more as a 'public domain hotchpotch' rather than a commercial offering. This is made all

whatever else is passing through the unit's MIDI IN terminal. It can read and write SMPTE code in both forward and reverse directions, and, providing you are using it with suitable software, will enable you to lock your Amiga and any MIDI gear to a multi-track tape or video unit.

SERIAL KILLER

SAM needs access to the Amiga's serial port and so it is quite possible that compatibility problems may occur with some types of MIDI sequencing software, depending on the particular sequencer you are using. If, for instance, your sequencer takes over the Amiga's serial port for exclusive use, then the *SAM* software is not going to be able to function. *Bars & Pipes* users have apparently had difficulties with *SAM*, and Black Knight now provides an updated MTC tool which has solved these initial problems.

Software-wise *SAM* fares much better than the *Crystal Sound* sampler. In fact most of the items supplied with *Crystal Sound* are actually *SAM*-orientated, and were clearly designed to work with the SMPTE/MTC sync box! Among the

software provided there is the TimeCode tool which allows *SAM* to be remotely controlled from the Amiga (making it possible to switch modes, change time code formats, do time reversals, and activate the MIDI/echo option). It is also possible to remotely switch the sync mode so that the Amiga's video frame rate is used instead of *SAM*'s own internal crystal-locked time (which is actually much more stable than the Amiga's video timebase). Other utilities include *RexxTime* which allows SMPTE-style (hour, minute, second and frame) time messages to be sent to other programs.

TIMING IS MONEY

SAM costs £149.95 and, relative to other units, this is quite a competitive price. For instance, the excellent Dr T's *Phantom* SMPTE interface, which is supported by heavyweight sequencers like Blue Ribbon Soundwork's *Bars & Pipes Professional* and Dr T's own *KCS*, costs £249 (the *Phantom* unit actually provides direct sequencer-SMPTE links).

As with the *Crystal Sound* sampler, *SAM* is an extremely well-

made unit and it could certainly win friends among the Amiga musicians who need this type of SMPTE/MTC time syncing facilities.

CHECKOUT SAM

Ease of Use ●●●●○

Simple enough to use if you are into SMPTE/MTC applications. But you will need to check that your sequencing software supports MIDI time code!

Features ●●●●○

This is another Black Knight unit which, hardware-wise, scores very highly indeed. But, on this occasion, a lot of useful software is provided.

Documentation ●●●●○
Again the manual is relatively slim but it is still quite adequate!

Price Value ●●●●○
Incidentally, you do have to supply your own lead to connect the *SAM* unit to the Amiga's serial port.

Overall rating ●●●●○

Another well-constructed piece of Black Knight kit!

CHECKOUT CRYSTAL SOUND

Ease of Use ●●●●○

Learning how to use *Crystal Sound* couldn't be easier.

Features ●●●●○

Hardware-wise *Crystal Sound* scores very highly indeed. But as a complete package the lack of a sample editor is a major concern – it's a pity that *Crystal Sound* isn't bundled with an editor like *AudioMaster IV*.

Documentation ●●●●○

Slim but perfectly adequate!

Price Value ●●●●○

You have to supply your own lead to connect the *Crystal Sound* hardware to the Amiga's parallel port and you'll need a decent sample editor.

Overall rating ●●●●○

Not cheap, but there's no doubt at all that this well-constructed and reliable piece of sampling kit could well end up giving *Audio Engineer* a good run for its money!

SHOPPING LIST

Crystal Sound Sampler..... £94.95

SAM..... £149.95


Available from:

BlitSoft

☎ 0908 666265

THAT SYNC'ING FEELING

To get your instruments playing in time, you'll need synchronisation. Paul Overaa reveals the SMPTE-MIDI time code connection



SMPTE is the Sound Motion Picture and Television Engineers standard for an audio signal used to encode timing information. Time stamps are represented in terms of a time of day (hours, minutes, seconds and 'frames') which can be recorded onto an audio or video tape and then used to synchronise other devices, or, in other words, to 'lock' them to that same time frame. SMPTE can keep other units in sync with tape devices even if there are minor fluctuations in tape speed, and, since it can be read both forwards and backwards, it is an ideal way of synchronising computer MIDI sequencing equipment to tape.

"an ideal way of synchronising computer MIDI.... to tape"

Units which write SMPTE data produce an audio-type signal which can be recorded on one track of a multi-track tape recording machine. During playback, fast forward or rewind operations the track containing the 'SMPTE stripe' will be read by the SMPTE sync unit, enabling the tape position to be identified either during or after any amount of tape movement.

So far, this is all well and good.

You have the SMPTE unit sitting between your MIDI/computer gear and the tape-recorder generating and reading the appropriate SMPTE info

Value of 'nnn':	Message type:	
0	Frame count	least significant four bits
1	Frame count	most significant four bits
2	Seconds count	least significant four bits
3	Seconds count	most significant four bits
4	Minutes count	least significant four bits
5	Minutes count	most significant four bits
6	Hours count	least significant four bits
7	Hours count	most significant four bits

Figure 2: The value of 'nnn' shows what sort of time data is being sent

but this will only provide the tape-to-sync box communications connection. The sequencer (or whatever package is running) needs

to be given that same time stamp information. There are two basic approaches to this. One is to provide direct computer-to-sync box hardware links (this is done with units like Dr T's *Phantom* interface). Another way to lock computerised MIDI gear into this SMPTE time frame is to use MIDI time code (MTC).

QUARTER TIME

MIDI time code is the MIDI message equivalent of the SMPTE time frame standard. There are actually three message variants, but the one that is most important from the real-time SMPTE user's viewpoint is called the 'quarter frame message'. This is a 2-byte System Common MIDI message which adopts the format shown here on the left in Figure 1.

The quarter frame message can hold eight different types of time information. As you can see, the seven bits of data held in a quarter frame MTC message are split into two parts. The first three bits identify the type of time data contained in the message, using the encoding scheme shown directly below in Figure 2.

To send a complete SMPTE time data description all eight of these message subtypes need to be transmitted, and so these MTC

messages should really be thought of as occurring in groups of eight. When a SMPTE sync box is reading time code data and generating MTC messages at normal playing speed it will be transmitting this type of information continuously. However, during fast-forward or rewind what usually happens is that the sync unit will wait until the tape stops and then transmit a message giving the final SMPTE position.

The computer-tape connection is therefore built up of two parts, both of which rely on the SMPTE time

stamp standard.

Real SMPTE code handles the tape-to-SMPTE sync unit part of the story. MIDI time code handles the SMPTE sync unit to computer link, and nowadays it usually all fits together quite well. There

are four variants of SMPTE code but even the fastest real-time data (which time stamps at 30 frames per second) is easily handled – in fact MTC requires less than 8% of the MIDI bandwidth for its data. In other words, its use produces a loading of less than 8% of the full capacity of a MIDI line when sending messages at the maximum rate possible.

Having said that, I'd be less than honest if I said that MTC-related MIDI problems do not exist. There is actually an awful lot more to the SMPTE/MTC story and programming-wise it becomes quite complicated. Variations in interpretations of the MIDI standard, and in the extent (or the lack) of MTC support will obviously directly affect the success of such applications program SMPTE/MTC links. To be frank it is usually best to see any SMPTE/MTC unit actually running with your chosen MIDI software before buying!

OTHER MESSAGES

Although the quarter frame messages handle the bulk of the real-time work they are not always suitable. In cases where a lot of fast-forwarding, rewinding and cueing operations are being carried out, the MIDI standard provides a special 'Full time code' message that can be sandwiched inside a conventional system-exclusive message.

Another sysex-orientated MTC message, which is intended mainly for professional users, allows for special 'User Bit' information. User Bit data consists of 32 bits of application-specific data. The SMPTE standard enables this additional information to be used for encoding things like tape-reel numbers and other hardware- or device-specific header data. **AS**




Figure 3: The SMPTE-MTC time frame communication scheme

The change from AmigaDOS 1.3 to 2.04 was a giant leap forward – and the unexpected release of version 3 came as quite a shock, with more new features, subtly updated commands and plenty more besides. In this feature I'm concentrating on the startup-sequence, a classic source of confusion, and letting you into two secret commands that crept in with this release.

If you're lucky enough to own an Amiga 1200, or are one of the chosen few to have an A4000, your startup-sequence will look something like the one shown in Listing 1. (The version number and release date – line 1 – will give you a better clue.) This startup-sequence is similar whether your machine is hard or floppy disk based – the changes are noted in the text. Here's how it works:

1. This is the script's version string. The ';' at the start of the line tells the AmigaDOS script interpreter to ignore the line: programmers would call this a 'remark' or 'comment'

line. In AmigaDOS 3, however, there is more to this than meets the eye: the VERSION command has been updated (again) and can now read a version string directly from a script! If you haven't tried this command before, then now is a good time to start. Here are a couple of examples to get you going:

```
VERSION S:Startup-Sequence ␣
FULL
SPAT VERSION S:#?
```

The command looks for a special four-part string in the first line of the text file, like this:

```
$VER: ScriptName
Version Date
```

The first three parts must be present for the

version string to be valid, and the date will only be printed when the FULL switch is present on the command line.

2. Patches late-breaking bugs in the system software. (Since I was using a beta-release ROM, it is not possible to say exactly what the latest fixes are.) The QUIET switch is a new option and replaces

"two secret commands... crept in with this release"

BY POPULAR REQUEST

There was a time when the only way to get a confirmation in a script file was to use the ASK command. But this is both tedious and limited. Now, wouldn't it have been much nicer if you could just pop up a little alert requester which asked the user to click on the right button?

With AmigaDOS 3, this has finally been made possible, with the inclusion of REQUESTCHOICE. All you have to do is give the window a title, some text and some gadget text and AmigaDOS does the rest. Here's what the command looks like in full:

Synopsis: REQUESTCHOICE:
<TITLE> <BODY> <GADGETS...>
[PUBSCREEN=Screen]
Template:
TITLE/A, BODY/A, GADGETS/M,
PUBSCREEN/K

This command is a breeze to use, as this fragment demonstrates:

```
REQUESTCHOICE >ENV:Answer ␣
"Subs" "Want to Subscribe?" ␣
"YES" "NO" "CANCEL"
IF $Answer EQ "0"
echo "Why didn't you ␣
```

```
answer my question?"
ENDIF
IF $Answer EQ "1"
echo "What a good idea"
ENDIF
IF $Answer EQ "2"
echo "Better reserve a ␣
copy at your newsagent then"
ENDIF
```

There is no need to enclose all the arguments in quotes as shown here, but this does make the meaning clearer and avoids some embarrassing requesters where part of the question becomes the gadgets. The number of buttons is limited by the width of the screen, so unless you are working on a known public screen, it is best to keep the width to the minimum. The buttons are numbered from 1 upwards from left-to-right, with the exception of the extreme right-hand button: this always returns 0 and should be kept as a CANCEL (take no action) gadget.

FINDING A FILE

Another new command added to AmigaDOS 3 is REQUESTFILE. This produces a file requester which can




CRACKING the shell

In the second part of this AmigaDOS 3 special, Mark Smiddy explains the mysteries of the new startup-sequence

redirection to NIL: as found in earlier versions. It is important to note that Commodore has realised AmigaDOS reads commands faster if the path is specified rather than implied – so all external commands, like SETPATCH in this case, begin with 'C:'. In

earlier releases of the software the startup-sequence relied on the default path setting and searched the current directory first. The speed increase, while not vast, is apparent.

3. This reads the current system variables for Workbench and Kickstart and stores them in two



1. As you can see, REQUESTFILE is an incredibly handy command that offers full control of the Amiga's standard file requester
2. This is a simple, two-button REQUESTCHOICE – taken from the REQUESTFILE example
3. A more complex requester using REQUESTFILE. Note that the CANCEL button should always be the extreme right-hand selection

be used to select files – just as you might from an application program. Such things, though possible in earlier versions, have never been so easy. A quick look at this command is all space allows this month (just check out its synopsis!) but I will give it more coverage at a later date. The example script fragment provided here should get you started:

Synopsis: [DRAWER]
[FILE=name] [PATTERN=pat]
[TITLE=title] [POSITIVE=pos]
[NEGATIVE=neg]
[ACCEPTPATTERN=pat]

[REJECTPATTERN=pat]
[SAVEMODE] [MULTISELECT]
[DRAWERONLY] [NOICONS]
[PUBSCREEN=screen]

EXAMPLE SCRIPT

```
LAB start
REQUESTFILE >ENV:FileName ␣
TITLE="Testing 1-2-3"
ECHO You chose $Filename
REQUESTCHOICE >ENV:YesNo "" ␣
"Do it again?" "YES" "NO"
IF $YesNo EQ "1"
SKIP start BACK
ENDIF
```


local environmental variables: WORKBENCH and KICKSTART. This command does not have a QUIET switch so re-direction to NIL: is used to suppress the output. Screen display at any point during startup will force Intuition to open a default screen and window – this is something we don't want, as it should be handled by IPREFS.

4. Allocates about 7K of cache buffer to the internal drive. Re-direction to NIL: prevents the command from generating output. If you have sufficient memory, this value can be increased to between 20 and 25. Second external drives can also be buffered here.

5. Raises the failure level to 21, above the fatal error stage. This

prevents commands such as COPY and MAKEDIR from bringing the script to an unexpected (and undesirable) halt before the screen becomes visible in Step 36.

6. Creates the following directories using MAKEDIR's new multiple argument parser (present in versions from 2.04 onwards):

RAM:T (for temporary files)
RAM:Clipboards (clipboard unit files)
RAM:ENV (global environmental variables)
RAM:ENV/Sys (System-wide environmental – Prefs – settings)

7. Copies the contents of the environmental variable archive (ENVARC:) to the RAM disk. ENVARC: is an automatic assignment created

when the machine is booted – a feature introduced for 2.04.

8-9. Make ASSIGN and EXECUTE resident. The PURE switch is used in case the flag has been cleared for some reason. Redirection to NIL: is used to suppress error output ("PURE bit not set", for instance) if this does occur.

10. Creates the ENV: assignment (logical directory). This directory is automatically temporary since it's held in RAM and is used for a variety of user and system variables.

11. Re-assigns the temporary directory to the RAM disk (T directory) for speed.

12. Creates the CLIPS: assignment and points it to the RAM disk's Clipboards directory. Large clipboards such as IFF files are stored here.

13. Creates the REXX: program assignment and points it to the scripts directory, S:. The S: assignment is made automatically when the machine is booted with a Workbench disk. REXX: can be assigned anywhere – you may even wish to create a separate directory for AREXX programs.

14. Makes the long-awaited PRINTERS: assignment. This logical directory, which for downward compatibility should remain where it is, makes access to printer drivers much simpler. For instance, you can check which printers are installed by entering:

DIR PRINTERS:

as opposed to:

DIR DEVS:Printers

15. Does for keymap drivers what PRINTERS: did for printer drivers. Once again, for downward compatibility this assignment must be left alone.

16. Be careful! This line may not appear or may be different on floppy disk installations. Locale (the country localisation drivers and translators) are housed on a separate volume for floppy systems and in a directory on

hard disk systems. This tells the system software where to look.

17. This line may not appear or may be different on floppy disk installations. This ADDs classes to the available libraries. Classes are translations for a variety of software interpreters – as we discussed in more detail last month.

18. Creates a late-binding assignment (HELP:) to LOCALE:Help. This is hidden in the system assignment list until something tries to access it – for instance, a command like:

DIR HELP:

At this point, AmigaDOS will search the LOCALE: assignment (a separate disk on a floppy-based installation) and lock 'help' to the help sub-directory it finds there. This is primarily used by developers and the system and so is actually of little consequence to end users.

19-21. Be careful! These lines may not appear or may be different on floppy disk installations.

19. Tests if a Fonts directory exists on the current system (boot) disk. If the directory is found then control jumps down to Step 21, otherwise it simply continues at Step 20.

20. Removes the automatic FONTS: assignment. This prevents the machine asking for a volume called FONTS whenever fonts are accessed.

21. Closes the IF...ENDIF construct opened at Step 19.

22. Attaches any software expansion drivers to the system. This, I suspect, has been retained for ancient compatibility.

23. This one is a real surprise... MOUNT has been given pattern matching! This means there is no longer any need to explicitly mount devices such as RAD and PIPE – instead these are copied from the Storage disk into the Devs/DosDrivers drawer (using Workbench if you prefer) and mounted automatically during startup. Each device driver has an accompanying '.info' file which explains the need for the '~(#?.info)'

LISTING 1: THE AMIGADOS 3.0 STARTUP-SEQUENCE

```
1. ; $VER: Startup-sequence 39.9 (9.8.92)
2. C:SetPatch QUIET
3. C:Version >NIL:
4. C:AddBuffers >NIL: DF0: 15
5. FailAt 21
6. C:MakeDir RAM:T RAM:Clipboards RAM:ENV RAM:ENV/Sys
7. C:Copy >NIL: ENVARC: RAM:ENV ALL NOREQ
8. Resident >NIL: C:Assign PURE
9. Resident >NIL: C:Execute PURE
10. Assign >NIL: ENV: RAM:ENV
11. Assign >NIL: T: RAM:T
12. Assign >NIL: CLIPS: RAM:Clipboards
13. Assign >NIL: REXX: S:
14. Assign >NIL: PRINTERS: DEVS:Printers
15. Assign >NIL: KEYMAPS: DEVS:Keymaps
16. Assign >NIL: LOCALE: SYS:Locale
17. Assign >NIL: LIBS: SYS:Classes ADD
18. Assign >NIL: HELP: LOCALE:Help DEFER
19. IF NOT EXISTS SYS:Fonts
20. Assign FONTS:
21. EndIF
22. BindDrivers
23. C:Mount >NIL: DEVS:DOSDrivers/~(#?.info)
24. IF EXISTS DEVS:Monitors
25. IF EXISTS DEVS:Monitors/VGAOnly
26. DEVS:Monitors/VGAOnly
27. EndIF
28. C:List >NIL: DEVS:Monitors/~(#?.info|VGAOnly) TO T:M J
LFORMAT "DEVS:Monitors/%s"
29. Execute T:M
30. C>Delete >NIL: T:M
31. EndIF
32. SetEnv Workbench $Workbench
33. SetEnv Kickstart $Kickstart
34. UnSet Workbench
35. UnSet Kickstart
36. C:IPrefs
37. C:ConClip
38. Path >NIL: RAM: C: SYS:Utilities SYS:Rexxc SYS:System J
S: SYS:Prefs SYS:WBStartup SYS:Tools SYS:Tools/Commodities
39. IF EXISTS S:User-Startup
40. Execute S:User-Startup
41. EndIF
42. Resident Execute REMOVE
43. Resident Assign REMOVE
44. C:LoadWB
45. EndCLI >NIL:
```


**"a real surprise...
MOUNT has been
given pattern
matching!"**

ARTWORKS CLIP ART

Each disk contains between 115 and 270 original, high quality, images for use with Amiga Art and DTP programs - Deluxe Paint, Pagesetter, Pro Page, Pagestream, Wordworth, Penpal etc.

1. Pets 2. Castles, cottages and churches 3. Trees
4. Signs & symbols 5. Wild animals 6. Prehistoric life
7. Signs & symbols II 8. Weddings & family occasions

£6.99 each - Buy 3 or more for only £6 each - Over 1400 images for only £48 inclusive of 1st class P&P.



AMIGA COMPUTING - "Best Buy"
CU AMIGA awarded ★★★★★ - AMIGA FORMAT 85 %
Please make cheques/PO's payable to ARTWORKS
(Dept ASH) 1, Pond View, Wootton, Ulceby, S.Humberside. DN39 6SF ☎ 0469 588138

GRAPHICS ASSEMBLY LIMITED

11 AMHURST TERRACE LONDON E8 2BT.

Amiga DTP Bureau

- 800 Dpi Scanning from our Scanner
- We can accept disks to run out from all Major Amiga Desktop Publishing & Paint Programmes.
- Documents can be output at high resolution to Film or Bromide from our Linotronics

Tel: 071 275 7134 Fax: 071 275 7535

SELECTAFONT COMPANY

UNIQUE 24HR CUSTOMER HELP LINE

WE CAN:
WE CAN
STARBURST
SHRAPNEL
UltraBlack
MIAMI
ORBIT

Over 650 Scaleable Fonts available for the Amiga in both Compugraphic Style and Adobe Types. Each Disk ordered will be made up individually to your requirements. Fonts are also available on "ready made" Disks at 20% Discount.

PICnMIX
CG Fonts 30p each
Adobe Fonts 25p each

Please send a large S.A.E. with 36p Postage for a Print-Out of all Fonts. Also state which Programs you will be using.

UNIQUE PICnMIX SERVICE

DISPOSITIONS
Black Forest
BLOO LASER
Fremont
NERVOUS
EXPORT
HOT-DOG
Frontier

ProPage/Pro-Draw
Pagestream/PPai
Final Word/WWorth
GD Office/ProCalc

(DEPT AS), 84 Thorpe Road,
Hawkeley,
Nr Hockley, Essex. SS5 4JT

WB2.04/DPaint 4.1
TV-Text Pro
Scala/ProWrite
Pagesetter3 etc

CCE

ENTERPRISES

ELECTRONIC SERVICES

PROFESSIONAL AMIGA REPAIRS

Got problems that no one else can sort out?
Send them to us.
Motherboard "beyond economical repair"?
Don't believe them.
Broken add-ons, monitors etc?
Just call us.

We specialise in repairs that other companies will not even attempt.
Ocean Yard, Suffling Road, Great Yarmouth, Norfolk, NR30 3QP
Phone/Fax: 0493 332462

Price Busters!!

Graphics & General

AmigaVision.....	44.99
AntiA.....	24.99
Art Department Pro 2.....	129.99
Big Alternative Scroller.....	34.99
Big Alternative Scroller 2.....	54.99
Broadcast Titler 2.....	149.99
Charts & Graphs.....	59.99
Expert Draw.....	49.99
Expert 4D Jr.....	9.99
Font Grabber.....	19.99
Gallery - NEW!.....	39.99
Hotlinks.....	49.99
Imagine 2.0.....	169.99
Maxiplan 4.0.....	39.99
Morph Plus - NEW!.....	129.99
Personal Finance Manager Plus.....	19.99
Personal Font Maker.....	29.99
Presentation Master.....	149.99
Real Things - Dogs.....	19.99
Scala 500.....	64.99
Take 2.....	34.99
Vidi Amiga 12.....	84.99
Vista Pro 2.....	49.99
XCAD 2000.....	89.99
XCAD 3000.....	279.99
Deluxe Paint 4 AGA Version.....	69.99
Video Master.....	49.99

Educational

Compendium 6.....	24.99
Distant Suns 4.1.....	39.99
Fun School 4 Series.....	15.99
GB Route Plus.....	29.99
Micro Series.....	16.99
Tekno Amiga.....	59.99
Noddy's Playtime.....	16.99

Development & Utilities

AMOS 3D.....	22.99
AMOS Compiler.....	19.99
Easy AMOS.....	22.99
Amos Professional.....	44.99
Cross DOS Plus 5.0.....	24.99
Blitz Basic.....	39.99
Can Do V1.6.....	64.99
Can Do V2 - NEW!.....	99.99
Dev Pac 3.0.....	49.99
Directory Opus V4.....	49.99
Hi Speed Pascal.....	64.99
Home Accounts 2.....	36.99
Quarterback 5.0.....	39.99
SAS C V6.....	199.99
Turbo Print Pro 2.0.....	39.99
AMAX 2 + Emulator.....	249.99

Hardware

Data Switch.....	19.99
Kick Back with 1.3 ROM.....	39.99
Colourburst.....	249.99
1.5Mb RAM with Clock.....	82.99
Invision Plus/Live.....	399.99
Flicker Fixer 2 A500.....	199.99
Optical Mouse.....	29.99
IBM Bus. Mouse Adaptor.....	13.99
Analogue Joystick Interface.....	13.99
Rendale 8802 inc Ext Cable.....	149.99
RocGen Genlock.....	84.99
RocGen Plus.....	129.99
RocLite Drive.....	54.99
RocKey.....	249.99
RocTec P.I.P.....	99.99
Podscat Graphics Tablet.....	179.99
Touch Screen for Amiga.....	229.99
3 Button Track Ball.....	34.99
Zydec Trackball.....	29.99
Zydec Amiga Drive.....	49.99
Zydec A500 1Mb RAM Card.....	44.99
Zydec A600 1Mb RAM Card.....	44.99
Sharp JX100 Mono Scanner.....	349.99
JX735 Colour Printer.....	1066.00
Epson GT6500.....	799.99
PIP VIEW.....	114.99

Music & Sound

AD1012/Studio 16 Card.....	399.99
Aegis Sound Master.....	89.99
Audio Engineer Plus 2.....	149.99
Music X 1.1.....	49.99
Pro Midi Interface.....	19.99
Stereo Master.....	29.99
Techno Sound Turbo.....	29.99
Clarity 16.....	99.99
AD516 Sampler.....	1080.00

DTP & Wordprocessing

Excellence 3.0.....	39.99
Final Copy 2 - NEW!.....	64.99
Kindwords 3.0.....	34.99
Mini Office.....	39.99
Page Stream 2.2.....	129.99
Pen Pal.....	34.99
The Publisher - NEW!.....	39.99
Protext V5.5.....	99.99
Wordworth 2.0 - NEW!.....	79.99
Works Platinum.....	34.99

Post & Packing £1.50 - Securicor £5.00

48 hour despatch - Cheques 7 days

Access and Visa accepted

(Cheques should be made payable to Softstore)

SOFTSTORE, PO Box 1720,
Slough SL3 0YX

0753 683336

pattern – meaning everything but 'info'. This has the side-effect that there is no longer a single mountlist for all devices, but in the event that is probably a good thing. Third-party mountlists can be placed in this DosDrivers drawer/directory to make the device active on startup; alternatively you may alter the User-Startup file.

24. Tests for the existence of the Monitors directory in DEVS:. If one is found, execution continues at Step 25, otherwise it skips to Step 31.

25. Checks for the file 'VGAOnly' in the DEVS:Monitors directory. If found, execution continues at Step 26, otherwise it jumps to Step 27.

26. Runs the VGAOnly monitor driver – there seems to be little rhyme or reason to this strategy, and I have been unable to test for its purpose.

27. Terminates the IF...ENDIF construct opened at 26.

28. Creates a script file in RAM: T containing a list of available monitors, like this:

```
DEVS:2024
DEVS:Multiscan
```

The actual contents of the file will vary depending on the contents of the DEVS:Monitors directory. You will find extra monitor drivers on your storage disk. A3000 owners with Multiscan monitors (for instance the CBM 1950) can use this feature to access the Productivity mode easily.

29. Runs the script file created in Step 28 and makes the monitors available. The main change here is that each monitor file is an executable module in its own right, thus rendering the 2.04 system commands ADDMONITOR and BINDMONITOR redundant.

30. Removes the temporary script created in Step 28 and cleans up the T: assignment.

31. Closes the IF...ENDIF construct opened at 24.

32. Sets the global environmental variable Workbench to the contents of the variable Workbench – the version number. These version numbers are generated by VERSION in Step 3.

33. As Step 32, but for Kickstart.

34. Clears the local environmental variable Workbench...

"there is no longer a single mountlist for all devices"

35. ...and does exactly the same again for Kickstart.

36. Runs IPREFS – which in turn sets the user preferences for the machine. The screen appears at this point, and not before – unless something has reported an error to screen. This will not normally happen since all commands capable of reporting something have their output sunk to the NIL: device.

37. Makes the clipboard active.

38. Sets the paths for Workbench. These allow you to access any part of the Workbench from the shell without needing to know where the actual command is – FORMAT is a good example of this.

39. Tests for the presence of a User-Startup script. If one is found execution continues at Step 40, otherwise it resumes at Step 41.

40. Runs the User-Startup sequence. This is the only bit you should touch until you really know your way around the machine.

41. Closes the IF...ENDIF construct opened at 39.

42-43. Remove EXECUTE and ASSIGN from the resident list and free some extra memory.

44. Activates the Workbench. Remember, this command only

launches Workbench – it is not the complete Workbench program.

45. Closes the initial shell window and allows you to get started with the machine.

In spite of the apparent length of this startup-sequence, the whole thing executes in a few seconds – well, far less time than the original 1.3 startup took. Next month, we'll be taking a look at some fun scripts including one to time hard-boiled eggs to perfection. Who was it who said computers were boring? **AS**

As a special treat, this month's Amiga Shopper cover disk features AmigaDOS scripts from this and previous editions of Cracking the Shell – including Compress, Error, Fail, Hexify, Istoo, Uncompress and Warn. Turn to page 22 straight away for more details.

MANY HAPPY RETURNS

Because of the width of the columns in Amiga Shopper, we occasionally have to break a command across two lines. Where this has happened, we use the ↵ symbol to indicate that you should not press the [Return] key at the end of the first line – just continue typing the second.

I'M WARNING YOU

Many AmigaDOS programs can return a status message to indicate when something has gone wrong. If the error condition is higher than a certain level (nine by default) AmigaDOS will stop a script. Now, the AmigaDOS command IF can be used to test for these conditions in scripts, but debugging a complex script with lots of tests can be a nightmare. It would therefore be easier if it were possible to trigger an error condition at any particular point when required and the force AmigaDOS to follow these routes.

Take this contrived script fragment as an example:

```
IF WARN
  echo "Something went wrong"
ELSE
  echo "Everything went to ↵
plan"
ENDIF
```

The whole meaning of this test can be negated by adding the NOT

switch. This would then give you a script looking something like this:

```
IF NOT WARN
  echo "Everything was OK"
...
```

Debugging this can be a bind if you are not sure what return code a command is generating in any given situation. Just such a problem gave rise to these four little programs which force the following specific return codes:

```
OK      0  Exit with no problem.
WARN    5  Non-fatal error/warning.
ERROR   10 Serious error.
FAIL    20 Very serious error.
```

So when would these be useful? Let's say that you have a script which looks like this:

```
SEARCH RAM:Test "Internal"
IF WARN
...
```

Both instances can be tested using these programs, like this:

Check what happens after WARN...

```
SEARCH RAM:Test "Internal"
WARN
IF WARN
...
```

Check what happens after an all-clear...

```
SEARCH RAM:Test "Internal"
OK
IF WARN
...
```

HOW THEY WORK

AmigaDOS commands pass their return in the 68000 data register D0, so, as an example, here is the assembly code source for WARN:

```
err    EQ    5
MOVEQ  #err,D0
RTS
```

Three lines – that's it! In fact this tiny program generates quite a large piece of code because of the

required header information. Assembler programmers have an easy time of it here because they only have to change the value for the error EQUate to 0, 10 or 20 and assemble to disk with the appropriate name. If you don't have an assembler, the four programs are listed below ready to be processed by a program like UnHex or Hex2Bin (see Amiga Shopper issue 20). Since only one byte (two characters) and the checksum change, only 'OK' has been listed in full – you can just replace line three with the appropriate version and re-compile.

```
'OK'
1. 000003F3 00000000 ↵
00000001 00000000 07B4
2. 00000000 00000001 ↵
000003E9 00000001 10FA
3. 70004E75 000003F2 1FED

'WARN'
3. 70054E75 000003F2 2001

'ERROR'
3. 700A4E75 000003F2 2015

'FAIL'
3. 70144E75 000003F2 203D
```




AMIGA REPAIRS

JUST £44.95 inc.



- ★ Commodore registered.
- ★ Over 10 years experience with Commodore computers.
- ★ Up to 20 qualified technician engineers at your disposal.
- ★ We will undertake to repair your Amiga 500 computer for just £44.95 including parts, labour, VAT and post & packing.
- ★ Some computers should be repaired within 24 hours of booking in.
- ★ Prices include full service check, overhaul, soak-test and replacement of power supply unit if necessary.
- ★ Repairs to keyboard and disk drive also included (£25 extra if these units are unrepairable and require complete replacements).
- ★ All repairs covered by a 90 day warranty.



Upgrade your Amiga from 512K to 1Mb of memory for just £16.00

SPECIAL EXCLUSIVE OFFER:

If you submit your computer to ourselves for repair, enclosing this advert along with just an additional £16.00, we will supply and fit a 512K memory expansion at no extra cost.

How to take advantage of this exceptional offer: simply send or hand deliver your machine to the workshop address detailed right, enclosing payment and this advert and we will do the rest. (If possible please include a daytime telephone number and fault description).

* If you require 24 hour courier to your door, please add £5 else your computer will be sent back by contract parcel post.

WTS ELECTRONICS LTD

STUDIO MASTER HOUSE

CHAUL END LANE

LUTON, BEDS, LU4 8EZ

Telephone (0582) 491949 - (6 lines)

WTS reserve the right to refuse machines that in our opinion are beyond reasonable repair. Normal charge applies.

WE ARE OPEN ALL HOURS

9am-10pm Mon-Sat
10am-6pm Sun

HARDWARE

A600 + Joystick + Mouse Mat	£294.00
A600	£289.00
A1500 & Software	£565.00
1084S Monitor	£199.00
GVP series 2, Hard drive 52 Meg	£350.00
1 Meg sims	£24.00

Phone for 2000 & 3000 prices.

ACCESSORIES

Amiga Int drive	£49.00
Cumana Ext drive	£54.00
Zydec Ext drive	£51.00
512K upgrade with clock	£23.50
512K upgrade no clock	£17.00
1.5 Meg upgrade with clock	£79.00
1 Meg Amiga plus upgrade	£37.00
8 Meg fast ram, 4 Meg populated	£169.00

PRINTERS

Star LC-20	£133.00
Star LC 24-10	£199.00
STAR LC100 Colour "NEW"	£169.00
Star LC200 Colour	£194.00
Star LC-24-200 Colour	£274.00

JOYSTICKS

Quickshot II	£6.50
Python Micro Switched	£8.00
Speedking Autofire	£10.50
Competition Pro Extra	£12.50
Mini Competition Pro	£13.50
Maverick Autofire	£12.95
Zipstick Autofire	£12.95
Intruder	£21.50
Aviator Flight Sim	£23.50
Jet Fighter	£12.99

DISKS with labels

Unbranded Bulk 100% Certified

3.5" DSDD	37p each
3.5" Rainbow	44p each
3.5" DSHD	55p each
5.25" DSDD	28p each

Branded Disks

3.5" DSDD	50p each
3.5" Labels per roll of 1,000	£6.50
3.5" Tractor feed per 1,000	£8.50

Please phone for bulk purchase discounts

STORAGE BOXES

10 capacity	£0.95
NEW 200 Cap box stackable/lockable	£16.50
50 capacity lockable	£3.95
100 capacity lockable	£4.50
80 cap Barix stackable/lockable	£8.99
150 cap Posso stackable/lockable	£15.00
250 cap stackable/lockable	£18.99

Most of the above available in 3.5" and 5.25"

LOOK! LOOK! LOOK!

TRACTOR FEED DISK LABELS

500 plain white labels & software to print your own professional labels

Only £9.95

SPECIAL OFFER

1000 labels with software £13.50

MISCELLANEOUS

Mousehouse	£1.60
Mouse Mat	£2.50
Disk Drive Cleaner	£1.80
Amiga Dust Cover	£3.50
Monitor Dust Cover	£3.50
Mouse/Joystick Auto Shift	£12.50
Amiga Light Pen & Software	£32.00
Optical Mouse	£32.00
Squik Mouse	£12.99
Naksha Mouse & Accessories	£22.00
Zy-Fi Amplifier & Speakers	£37.95
Thumb & Finger Trackerball	£19.99
Crystal Trackerball	£32.00
Action Replay Mark III	£57.00
Techno Sound Turbo Sampler	£32.00
2 Piece Printer Stand with tray	£5.70
Midi Master	£26.00
Wordworth 1.1	£77.50
Tilt/Turn Monitor Stand	£8.50

Orders by phone or post to:
DIRECT COMPUTER SUPPLIES

0782 - 311471 Anytime
0782 - 642497 9am - 5.30pm week
0630 - 653193 Evening/Weekend

54 Spring Road,
Longton,
Stoke-on-Trent,
Staffs ST3 2PX

Prices include VAT
Postage please add £3.30
We accept cheques/
P.O.'s/Visa/Access

The story so far: in last month's issue of *Amiga Shopper*, we saw how interesting and versatile the Mandelbrot set can be. However, after years of publicity (both good and bad), the Mandelbrot set has gone somewhat out of fashion in the eyes of jaded chaos enthusiasts. And in its place, observers of mathematical trends have identified a suite of similar fractals, known as Julia sets, now steadily taking over the Mandelbrot's role as the 'fractal for the masses'.

Remarkably, Julia sets are plotted using exactly the same equations as the Mandelbrot set – the difference between them lies in the way the equations are applied. This close link between the two fractals means that Julia sets provide just as much scope for experimentation as their more famous counterpart. Zooming in, adding internal structure and rendering in three dimensions are all possible. Furthermore, while the Mandelbrot is a single fractal, there are an infinite number of Julia sets to explore.

4 INTO 2 WON'T GO

Earlier in this series we met the Lorenz attractor, which was based on three equations containing three variables: x , y and z . At the time, we noticed that the system could be treated as being three dimensional, because it had three variables. In the first article about the Mandelbrot set we found that the Mandelbrot equations involved the four variables a , b , p and q . Following the theory of the Lorenz equations we now see

displaying a four-dimensional object is practically impossible. To overcome this problem only two variables from the Mandelbrot equation are used to plot the set. These are a and b which are used to position each point – p and q are used in the calculations but are later

to 2. Apart from this small difference the process in the circle works in exactly the same way as for the Mandelbrot set.

It is easy to write an Amiga BASIC program to plot the path of the point in the circle, based on the Mandelbrot circle program given

regularly spaced samples to get an approximation of the Julia set.

INTO INFINITY

Note that the initial position (a, b) is kept constant throughout the drawing of the set. It is this constant which determines which Julia set is drawn. And because there are an infinite number of possible values for a and b within the range -2 to 2 there are an infinite variety of sets which can be produced using the Julia process, each with a unique initial position constant (a, b). In most chaos literature this constant is expressed in the form $a+bi$, because of links between the original Julia process and complex numbers.

The Amiga BASIC program in Listing 1 draws the Julia set with constants $a=0.32$ and $b=0.04$ (which would be '0.32+0.04i' when expressed in 'complex' form). To produce a different set, just change the lines which set the values of a and b . Some interesting values are shown below:

a	b
-1.16	-0.25
0.32	0.04
-1.25	-0.01
0.00	-1.00

In many respects this program is similar to the equivalent Mandelbrot example given earlier in the series. Because the Julia plane extends from -2 to 2 in both directions, as in the Mandelbrot set, even the scaling is the same. The main differences are that a and b are set as constants at the start of the program and p and q , instead of being set to zero at the start of the circle process, are given

LISTING 1 • LISTING 1 • LISTING 1

```
DEFDBL a,b,p,q,x,y,pnew,qnew
DEFINT iteration
'
REM Set constants (easily editable for any set)
a=0.32
b=0.04
'
REM Plot set
FOR x=-2 TO 2 STEP .01
  FOR y=-2 TO 2 STEP .02
    p=x
    q=y
    iteration=0
    WHILE (p*p+q*q<4) AND (iteration<32)
      pnew=p*p-q*q+a
      qnew=2*p*q+b
      p=pnew
      q=qnew
      iteration=iteration+1
    WEND
    IF iteration<32 THEN
      PSET(320+x*100,100-y*50)
    END IF
  NEXT y
NEXT x
```

discarded. By concentrating on the (p, q) variable pair instead of the (a, b) pair we can produce Julia sets.

THE JULIA PROCESS

The first part of the process is almost identical to the Mandelbrot process, and even takes place in the same old Mandelbrot circle (shown on the left). Inside the circle there is a single point which starts off at the position (a, b) – that is, a in the horizontal direction and b in the vertical direction. The Mandelbrot equations (shown below) are then repeatedly applied to make the point move around in the circle.

```
pnew = p*p - q*q + a
qnew = 2*p*q + b
p = pnew
q = qnew
```

In the Mandelbrot process, both p and q were set to zero before the first iteration was performed. In the Julia process any initial values of p and q can be used, in the range -2


earlier in this series. We can still use the Pythagoras theorem to detect when the point breaches the circle – so, if $p*p+q*q>4$ then we know that the point has left the circle.

The key to generating a Julia set is to determine the behaviour of all possible sets of initial values of p and q and put them into one of the following categories:

1. Those whose paths accelerate to infinity
2. Those whose paths never leave the circle

The assumption that if a point breaches the boundary of the Mandelbrot circle it will eventually reach infinity is employed to categorise the 'category one' points. As in the Mandelbrot process, we assume that the point is of 'category two' if it has not left the circle after a given number of iterations (known as the 'iteration ceiling'). A typical Julia iteration ceiling is 32.

By plotting all the category one points on the screen at their relevant positions we get a Julia set similar to the lower one shown on the facing page. Of course we don't check every possible pair of initial values for p and q , as there are an infinite number of them. Instead we take



The familiar Mandelbrot circle, with initial point (a, b). For Julia sets, (a, b) is chosen at the start of the program and then stays constant throughout the process

that the Mandelbrot set can be treated as a four-dimensional object.

While it is challenging enough to represent three-dimensional objects on the Amiga's flat screen,

Fractal

The programs given in this series have been designed to be as short and easy-to-understand as possible. However, this has been at the cost of speed and user-friendliness. If you want to really experiment with fractals such as the Mandelbrot and Julia sets, then you need to get hold of a 'fractal explorer' program.

Many of these are public domain, so they shouldn't cost you the earth. They are usually written in optimised C or assembler code, and so allow you to plot and manipulate fractals very quickly. Although there is no need for any mathematical or programming skills, many explorers include source code and detailed documentation, so if you want you can learn about the optimisation techniques used and even incorporate your own routines into the program.

values (x and y) derived from the nested FOR...NEXT loops.

ADDING CONTOURS

Contours can be added to Julia sets via the same method which we used for the Mandelbrot set. The contours are created by colouring points depending on the ease with which they left the circle. The relevant 16-colour replacement lines for the IF...END IF section of the program are as follows:

```
COLOR iteration MOD 16 ↵
'Set colour
PSET(320+x*100,100-y*50) ↵
'Plot point
```

In order for this replacement to work, it is necessary to open a 16-colour window by inserting the following lines at the start of Listing 1:

```
SCREEN 1,640,200,4,2
WINDOW 2,"Colour Julia ↵
Set", (0,0) - ↵
(617,180),15,1
```

ZOOMING IN

As with the Mandelbrot set, there is a lot to be gained by zooming into Julia sets and examining them in more detail. The zooming method is very similar to that used for the Mandelbrot set last month. As a reminder, the steps are:

- Choose an area to enlarge.
- Work out the range of p and q associated with this region – make sure that both ranges are reduced

by the same proportion to preserve the aspect ratio (the ratio of width to height).

- Alter the x and y FOR...NEXT lines to incorporate the new ranges of p and q.
- Reduce the STEP sizes of the FOR...NEXT lines by an amount corresponding to the change in the ranges of p and q.
- Edit the multiplication factors and offsets in the PSET line to make the region fill as much of the screen as possible – again, be sure to preserve the aspect ratio.



Listing 1 produces this Julia set


You may have to increase the iteration ceiling (in the WHILE line) from 32 to show more detail, so the set may take longer to be drawn.

INTERNAL STRUCTURE

The inside of Julia sets are traditionally coloured black. However, it is possible to add

internal contours to the set, just as we did last month with the Mandelbrot set. A suggested replacement for the colour setting section is given below, but you can really try any method you like.

```
IF iteration<32 THEN ↵
'If outside set...
COLOR iteration MOD 16 ↵
'select colour normally
```



A Julia set with internal structure

The Mandelbrot set may well be infinite – but most of it looks the same! Conrad Bessant puts the variety back into your fractals by introducing the versatile (and far more fashionable) Julia sets

Explorers

The most common type of fractal explorer is the Mandelbrot generator. Examples include *Quick Mandelbrot* (QMan), *Turbo Mandel*, *Mandel Mountains*, *SMan*, *MandAnim*, *Mandelbrot Adventure Kit* (MAK), *Slicer*, *Fracgen* and *MandelPAUG*. All of these include Intuition interfaces, disk filing facilities, and a selection of other features such as three-dimensional plotting, colour cycling and animation. These programs are all very fast, often using optimised assembler or C code. By way of example, *MandelPAUG* will plot the whole Mandelbrot set in a couple of minutes on a standard Amiga 500.

In order to make their Mandelbrot generators stand out from the crowd programmers have been adding more and more features. For example *MandelPAUG* and *Slicer* can both be

used to plot Julia sets. In addition, *Slicer* calculates and stores the whole set in memory, allowing it to be rendered in a number of ways without the need for time-consuming recalculation. *SMan*'s gimmick is support for a maths co-processor, which allows it to handle magnification factors of 1019.

Other programs which are relevant to this series of articles include *Fractal Construction Set* (FCS) which can plot, among other things, the Sierpinski triangle. Another program, *FractalLab*, allows you to investigate self-similar curves (which we touch on next month).

Fractal landscapes (which we will also meet later in the series) are quite well supported, although *Fracscape* is the only noteworthy PD offering. Commercial programs like

Vista and *Genesis* make it easy to render high quality landscapes with trees, lakes and snow. A demonstration version of *Genesis* is available in the public domain.

WRITING YOUR OWN

Writing a fractal explorer program, whether for yourself or for distribution in the public domain, is interesting, educational and rewarding. It's best to write the bulk of the program in a high-level compiled language such as GFA BASIC or C and, if you can, write the actual fractal plotting routine in assembler for speed.

If you want your program to be a success in the public domain then you should make it stand out from the crowd – add extra features such as quasi-Mandelbrot and internal structure options, or forget the Mandelbrot set altogether and concentrate on another type of fractal. Remember that an Intuition interface, zooming in, changing colours and load/save options are now considered standard features.

```
ELSE 'Otherwise...
COLOR INT(5*ABS(LOG ↵
(p*p+q*q))) MOD 16 ↵
'use internal method
END IF
```

Julia sets provide by far the largest scope for further experimentation out of all the fractals which we will meet in this series. With an almost infinite number of Julia sets to explore, and so many variations, the possibilities are virtually boundless.

NATURAL INGREDIENTS

So far, we've used the Amiga to generate a host of popular, but abstract, fractals which demonstrate the basics of chaos theory. In the next couple of installments we'll move on to the role of chaos theory in imitating nature, kicking off next month with an introduction to the principles of fractal plant generation.

The Chaos listing is on this month's cover disk – see page 22!

WTS ELECTRONICS LTD, CHAUL END LANE, LUTON



- UK specification
- 1MB system RAM
- Mouse
- Full workbench disks, manuals & leads
- Free game included in pack
- Deluxe Paint III or Photon Paint III
- Two Python joysticks
- 100 capacity lockable disk box **£295**

- Plus internal 20MB hard drive **£395**
- Plus internal 40MB hard drive **£475**



- 1MB System RAM
- Workbench 2.04
- Twin Floppy
- Mouse
- Works (Platinum addition)
- Deluxe Paint III
- Home Accounts
- Elf game • Toki game • Puzznic game
- Two Python joysticks
- 100 capacity lockable disk box

- Amiga 1500/2000 Pack **£489**
- A1500/2000 with 52MB HD **£759**
- With 2MB Chip Memory add **£129**

- Game players paradise
- Push Over game
- Formula 1 Grand Prix game
- Putty Game
- Extra free game
- Deluxe Paint III
- 2 Python joysticks
- 100 Capacity disk box

- A600 Pack **£329**
- A600 Pack & 20MB hard drive **£429**
- A600 Pack & 40MB hard drive **£509**

A collection of vintage computer peripherals is displayed against a light blue background. In the foreground, a white keyboard with beige keys is positioned diagonally. To its left are two black joysticks with red buttons. Behind the keyboard, a black mouse is visible. In the upper left corner, there is a clear plastic case containing various small electronic components or modules.

- 32-bit 68020 Full power
- Super Hi-Res graphics
- 2MB Chip memory
- PCMCIA Technology
- Alpha numerical keypad
- Two Python joysticks
- Free game
- 100 Capacity disk box

- A1200 Pack **£385**
- A1200 with 20MB hard drive **£485**
- A1200 with 40MB hard drive **£585**

- 14 inch high resolution colour display
- High clarity stereo sound output
- Full RGB and composite inputs
- Free 1.5 metre long RGB cable
- Full UK warranty
- 3 Free games

- Philips 8833 MKII Monitor **£199**
- When purchased with an Amiga **£189**

- 180 characters per second, NLQ mode, multi Font, 9 pin head **£139**

- 225 characters per second, NLQ mode, multi font, 9 pin head **£199**

- 204 characters per second, LQ mode, 10 fonts, 24 pin head **£194**

- 222 characters per second, LQ mode, 10 fonts, 24 pin head **£284**

- Quality comparable with a laser printer, very quiet and portable. Mains and battery powered, adaptor supplied **£224**

- Ergonomically sound
- Facilitates up to three external floppy drives
- Made in the UK
- Strong and robust
- Aesthetically pleasing
- Keep your desk neat and tidy
- Supplied complete and assembled with free mouse mat

• A500 Workstation	£36
• A600 Workstation	£36
• Swivel and tilt monitor stand for the above	£5

- 100 Capacity lockable disk box **£4.99**
- Squick mouse **£13.99**
- Mouse mat **£1.99**
- TDK high quality DSD (10) disks **£9.99**
- 1000 colour disk labels **£12**
- LC20 printer ribbon **£3.49**
- Jet Fighter joystick **£13.99**
- Apache joystick **£6.99**
- Python joystick **£9.99**
- Z joystick joystick **£14.99**

- Vast range of leads for many applications - **Please call**

- Allows image processing in a useful and unique fashion
- Comes complete with operation manual and the latest version of processing software
- One of the fastest growing applications for home and professional users
- High specification coupled with cost effective pricing

- 64 greyscales 100-400 DPI
- Thru'port to printer
- Fully compatible with Delux Paint 4, etc.
- Power Hand Scanner **£93.99**

- Highest quality stereo sound sampling
- Compatible with A500, A1500/2000, A3000

- GVP Digital Sound Studio **£49**
- Screen Beat Speaker System **£25**
(Adds amplified stereo sound to the Amiga)
- Megamix Master **£37**
- Stereo Master **£34**

LITTLE Helpers

To get into comms, you need a modem, some suitable software – and what else? Smiling Dave Winder recommends some handy utilities to make life on-line easier

Everyone has a favourite comms utility program, and I am no exception. This month, I'm going to be looking at just a few that I have found invaluable at one time or another over the years. All the following programs are either PD or shareware, and one of them is provided for you on this month's cover disk. You should be able to download the rest from your local bulletin board's file area – if it keeps things up to date. They are also available from the Amiga conference on CIX.

If you have a comms utility that you could not live without, or if you have written one of your own, why not let me (and thousands of readers) know about it? Contact me at *Amiga Shopper* or via CIX, and perhaps your favourite will find its way into print. But, for the meantime, here's my personal 'fab four'!

THE BAUD BANDIT

This program is really aimed at those of you who have a very high speed modem. It is a replacement for the standard 'serial.device' that comes with your Amiga. When the serial.device was written, Commodore did not know of the advances that would come with high speed modems. As a result, your system can slow down significantly when transferring a file at a high speed. *Baud Bandit* solves that problem, claiming to provide a speed increase of some 500% over the standard serial.device – a claim that I am certainly not going to refute. What this means in real terms is that I can now let my Amiga get on with doing other things while it is downloading a 1Mb file at a speed of 14,400 bps, without the system slowing down to a halt.

Baud Bandit will allow you to drive your serial port at baud rates up to 115,200 on a standard 68000 Amiga with full multitasking. It is simple to install – all you have to do is copy it to the Devs directory and then reconfigure your terminal software so that it uses the new 'BaudBandit.device' instead of the usual serial.device.

Earlier versions of *Baud Bandit* were public domain programs, but the latest release (version 1.4c) has become shareware. This means that

***BillCalc* works out the costs of your calls – to within an accuracy of 5p**

if you use it you have to pay for it, and, as it is from a German author, you will need to send him 20 Deutsche Marks. Many people worry



READ ALL ABOUT IT

I am often asked what the best way is to find out a little about the exciting world of comms, before actually taking the plunge and buying that modem. Well, apart from recommending this column (of course), the answer I give is to get a copy of Hugo Cornwall's *New Hacker's Handbook*.

Don't be fooled by the title into thinking it is only of interest to those wishing to do illegal things via a modem, because it isn't. The information contained within is written in such a way as to be useful to anyone who is already a committed comms enthusiast, or is just dipping their toes in the water and thinking of buying a modem.

about sending foreign money to what is just a name in a '.doc' file, but my experiences with this sort of arrangement have been very good. I have always received a registered (and usually considerably improved) version of the program within a few weeks of sending the cash.

BILLCALC

BillCalc is a very simple program indeed, but incredibly useful none the less. All it does is calculate the cost of your phone calls. You just type the answer to a series of questions regarding your call and *BillCalc* will respond with the total charge incurred.

The results are accurate to within 5p, which is good enough for most people, and, believe me, it is handy to see how much all those long

(-: WHEN YOU'RE SMILING :-)

The small and simple text messages that you'll see on most bulletin boards or conferencing systems are ideal for exchanging factual information. But if you give it a bit of thought, you will soon realise that it can be very hard to get any indication of emotion across using them. For example, the message "Get outta here!" could be interpreted as a sign of disbelief, or as marching orders.

It is precisely this sort of misunderstanding that leads to most of the abusive messages (also known as 'flames') that get sent on these text-based systems. So how can you make your message that bit clearer? I'll tell you how – using 'smileys' (or 'Emote Icons', as our friends across the big pond call them).

FACING THE TRUTH

In its simplest form, the smiley looks like this :-) (you will need to turn the page sideways to see it in all its

glory). It is a very simple text-formed graphic, which you add to your writing to express emotion. These smileys have become so popular in the last few years that it is now almost impossible to find a bulletin board message that doesn't have a smiley of one sort or another attached to it.

I like them so much that I have even started including them on written letters I send to people. Once the recipient realises what they mean, I find that they too start replying using liberal doses of 'emote icons' (sometimes shortened to 'emoticons'). Maybe 1993 will be the year of the smiley? What do you think? Anyway, to help you along, I've put together a small guide to some of the most popular smileys being used at the moment, which you'll find in the box on the facing page. And, if you are a real smiley fan, you'll be pleased to hear that you can talk to like-minded folk in the 'smiley' conference on CIX.

HISTORY TODAY

The history of computer-to-computer communications is covered in some depth in Chapter Two of the handbook. As well as being a fascinating read, this also introduces the beginner to the whole spectrum of comms terminology in an accessible way. Other chapters cover the equipment you need, networks, and the like.

The chapters that are aimed squarely at the 'hacker' have titles such as 'Targets' and 'Intelligence', and are also full of little gems of information for the enthusiast or beginner. They are useful for knowing what sort of information is out there, where to find it, how to navigate around different computer systems, and so on.

There are also some fascinating anecdotes and reports on the history of hacking, and while I cannot condone such illegal

activities, they do make incredibly interesting reading.

However, there is one criticism I feel I should make: I found it a little annoying that many of the examples are illustrated by simulated screenshots, so the text looks the same as it would appear on a cheap printer or terminal screen. While this does, I assume, attempt to make the reader feel that they are participating in the on-line experience, it also makes the text very difficult on the eye and therefore does not aid the reading process at all.

Some of the best parts of the *New Hacker's Handbook*, however, are the appendices at the back. These cover modem problems, trouble shooting, a comms glossary, explanations of those ubiquitous 'V' numbers, and file transfer protocols – there's even a section on viruses. I use the glossary myself quite

regularly, as it is amazing how often a new or unfamiliar term crops up and you realise you don't know exactly what it means.

A SOUND FOUNDATION

Although the last reprint of this book that I know of was in 1990, don't let that put you off. Even allowing for the fact that the technology has advanced a long way in those few years, this book still covers the groundwork in a way that no other can match. If you are a comms enthusiast, thinking about becoming one, or even just fancy a darned good read, I would recommend this book without hesitation.

However, I should also give you a brief word of warning. The *New Hacker's Handbook* isn't aimed at the computer novice – you need to have a basic understanding of computers to make the best sense of it all, although, as I have already

said, the glossary is very good. It must also be pointed out that the book is all about comms and is not machine specific, which means that you will find nothing about the Amiga here. However, the Amiga isn't really the important part of your comms system, so don't worry too much about that – most of the information contained in this book will be of as much use to an Amiga user as to anyone else. Pester your local library to order it for you, or try around specialist bookshops.

SHOPPING LIST

The New Hacker's Handbook...£9.99

By Hugo Cornwall
Published by Steve Gold

ISBN 0-7126-3454-1

THE AMIGA SHOPPER SMILEY GUIDE

:-) Happy. Denotes humorous intent.	:-I Seriously miffed smiley.	:-@ Another sticking tongue out smiley.
:-(Unhappy. Denotes displeasure.	B-) Smiley wearing glasses.	:-I Denotes indifference.
;-) Winking smiley. Denotes message not to be taken seriously.	:-)))) A very happy smiley.	:-I Denotes foot in mouth.
:(Denotes nose out of joint (can be happy or sad).	:-(((A very unhappy smiley.	:-D Laughing out loud smiley.
:-* Kissing smiley.	:'(A crying smiley. Denotes extreme sadness.	:-X My lips are sealed smiley.
%-) Drunken smiley. Denotes condition of writer.	:-& Tongue-tied smiley. Denotes "I know what I mean".	O:-) Saint Smiley. Denotes total innocence.
:-P Tongue sticking out (or tongue in cheek).	8-) Boggle-eyed smiley. Denotes shock.	:-) Keeping an eye out for something.
:-O Shocked smiley.	:-Q Cigarette- smoking smiley.	(:-) Bald smiley.
	:-# Gagged smiley – trying not to say something.	(-: Left handed smiley.
		:-/ Sceptical smiley.
		I-) Very tired smiley.

distance calls are costing you!


The author of the program, James McCarthy, is British and readily admits that this is his first machine code project. *BillCalc* isn't perfect, but it is useful and, since it is freeware, it won't cost you a penny.

SHOWSTD

Out of all the little comms programs, this is one of my real favourites. Quite often when you are on-line, you will see a reference to an interesting-sounding bulletin board, with no mention of where in the UK it is



Track down that elusive BBS, with the handy *ShowSTD* utility



Regular use of a good anti-virus program will keep your files infection-free

based. This is where *ShowSTD* comes in. You just type in the STD code of the bulletin board, and *ShowSTD* not only tells you the corresponding area of the country but also shows you where it is on a small map of the UK.

OK, so there are other programs that give STD code areas, but this one is so nice and twee that it has to be included here. *ShowSTD* is freeware, and has a British author, Andrew Harrison. Andrew wrote the program because, as a newcomer to the comms scene, he found the lists of BBS numbers quite daunting – another example of how the comms community benefits from the work of its members. Well done Andrew.

VIRUS CHECKER

Finally, always remember to have a virus checker active. This is especially true when downloading files from bulletin boards. Now, the

SysOp will do his or her best to ensure that all files on the Board are free from viruses – for example, I always download and check all files before making them available to members of the Amiga conference on CIX. However, it is always possible that one may slip through at some time. Indeed, it has been known for a fake version of a virus checker to be a virus spreading device itself, so always be alert.

The best of the current virus checkers was included on the cover disk of *Amiga Shopper* Issue 21. *Virus Checker* by John Veldhuis is not only comprehensive and secure, but is updated very often as well. Indeed, in the short space of time since we brought you the cover disk in December, *Virus Checker* has been updated to version 6.20. So, where can you get hold of this very latest version? Why, on this month's cover disk, of course! **AS**



the latest

AMIGA technology

acknowledged experts

STOP PRESS

AMIGA A500+ PACKS
AVAILABLE IN LIMITED
QUANTITIES
Phone us for details

AMIGA FLOPPY
DISK DRIVE VERSION

Available as either...

Pack with **Deluxe Paint III**
and a **MYSTERY** game

But only whilst stocks last

at just... **£279⁹⁵**

AMIGA FLOPPY
DISK DRIVE VERSION

WITH A NEW...

WICKED SOFTWARE

PUSHOVER

SILLY PUTTY

PROSE GRAND PRIX

DELUXE PAINT III

at only... **£319⁹⁵**

AMIGA 20MB HARD
HARD DRIVE VERSION

WITH A NEW...

EPIC SOFTWARE

EPIC MYTH ROME

DELUXE PAINT III

TRIVIAL PURSUIT

MULTI LANGUAGE

DICTIONARY

**AMIGATEXT WORD
PROCESSOR**

If you want a
DIFFERENT SIZE
hard drive simply
ask for the price!

at only... **£459⁹⁵**

COMPARE OUR TOTAL PRICES

WHAT DO WE MEAN BY THIS?

We'll never try to disguise the total you'll pay by advertising low hardware prices and then when you call, try to add essentials such as cables, delivery and a proper after sales service... all at EXTRA COST! When deciding where to buy, compare our service, check out what the "Extras" really add to those attractive looking prices elsewhere... You'll soon see the REAL COST!



Harwoods new A600's are United Kingdom specification and include the following features... 1Mb. Disk Drive, 1Mb. RAM, 4096 Colours, Integral TV Modulator, Mouse, Workbench Disks, Manuals, PLUS all Leads - AND...

FREE 1 YEARS IN HOME SERVICE

...Harwoods...
EXCLUSIVE!



POWERPLAY

THE GOLD PLUS

SPECIAL EDITION

**ADD our great GOLD PLUS
POWERPLAY PACK to
your order for only...**

you get: A Superb High Quality Microswitched Competition Pro 5000 Joystick • 10 Essential 3.5" Blank Disks • Disk Storage Box • Tailored A600 Dust Cover and a High Quality Mat to enhance accuracy & protect your mouse
PLUS THE NEW MEGA-RELEASE GAME...ZOO! and a FANTASTIC selection of TWENTY more great games: THESE TITLES ARE NOT PD BUT FULL PROFESSIONAL GAMES WHICH ORIGINALLY SOLD FOR PRICES OF BETWEEN £20 TO £30!!!
Xenon 2 Megablast • Pinball Dreams • TV Sports Football • Hostages • Jumping Jackson • Striker • Bubble Plus • TinTin on the Moon • Bloodwych • Stir Crazy • Krypton Egg • Skychase • Eliminator • Purple Saturn Day • Safari Guns • Lombard RAC Rally • Captain Blood • Strike Force Harrier • Lancaster • Sky Fox II
AND...Transwrite - Word Processor for the Amiga

With ALL THIS you won't need to buy anything more for ages!

£49⁹⁵

21 GAMES & WORD-PRO PACK

**why not buy your Amiga A600 with
a FULL 2Mb. for just £39.95 extra**

AMIGA 1200
32 BIT-2Mb
68020 PROCESSOR

the latest AMIGA...

**FIRST NEW
AMIGA FOR 5 YEARS
AVAILABLE NOW!**

The new A1200
is the Amiga of the
90's and the first true
advancement to the already
powerful Amiga range

Operating at 14MHz this is
a revolution in power for the
home market. With the new
AGA Graphics chip set you
have a truly remarkable colour
palette of some 16.8 million
colours allowing up to
256000 colours at any one
time and... it runs the
majority of existing
software! JUST THINK
OF THE IMMENSE
POSSIBILITIES!

The A1200
is supplied with
2Mb RAM and has
a full one years on
site maintenance
warranty FREE!

Available at Harwoods
with an optional hard
disk drive of 80Mb!

Floppy Drive Version
ONLY...

£379⁹⁵

OR

80Mb Hard Drive
Version ONLY...

£679⁹⁵

If you need a
DIFFERENT
CAPACITY Hard
Drive simply call
for our LATEST
prices! Choose from
20/40/60Mb Sizes!

TRUE 32 BIT POWER FOR EXCELLENT GRAPHICS.

0773 836781

*Finance Facilities Available,
please contact us for your personal information pack.

from the

GOLD
SERVICE
SEE PAGE 4 FOR FULL DETAILS

AMIGA 1500
TWIN FLOPPY DRIVES

THE LATEST
workbench
VERSION
2 OPERATING

But more than an ordinary 1500...

THE SPECIFICATION:

Fitted with a 120Mb.
GVP Hard Drive

Twin 3.5" Floppies

3Mb RAM INSTALLED

PLUS SOME GREAT SOFTWARE...

•Toki• •Elf• •Puzznic•
•Home Accounts•
•Deluxe Paint III•

•The Works•
and the book
**GET THE MOST
OUT OF YOUR
AMIGA 1992**

£999.95
INC VAT

Phone for prices on
other spec. A1500's

If you want the **POWER**, then
look no further...

Harwoods have put together some great top of the range Amigas that will fit the bill for even the most demanding Amiga user. We've taken the powerful A1500 and tuned it into something extra special with a massive 120Mb. Hard Drive and 3Mb. of RAM, but if that's not powerful enough just look at the spec. of our Amiga A3000 & A4000 packs... and note the price. **WE'VE GOT THE POWER!**

15" Monitor/Television

Superb definition Philips Monitor TV!
Ideal for Amiga/CDTV Users giving for the first time true 80 column text Monitor Quality from a fully featured Teletext television set at a really **AFFORDABLE** price!

Just look at the extensive features...

- ★ 2000 Character High Definition FST Tube for Superb Text Quality & Graphics Displays
- ★ Direct SCART connector for Amiga/CDTV/VCR or Satellite
- ★ RGB/AD, Composite Video and direct Audio Input sockets
- ★ Full FastText Teletext Facilities [using external aerial socket]
- ★ Headphone Jack Socket
- ★ Infra-Red Remote Controller
- ★ Supplied complete with integral Loop Aerial for indoor use
- ★ Free SCART cable for direct audio and RGB connections

philips PRO 2000 only...
GREAT VALUE **£239.95**
Includes a FREE cable to your AMIGA

philips
Monitors
CM8833/II
14" stereo COLOUR
with a FREE cable & and dust cover + In-Home Service

LOTUS TURBO challenge 2
NOW with a FREE game: **£219.95**
Add a CM 8833/II monitor or Monitor/TV when buying your Amiga and pay the low PHILIPS GOLD DISCOUNT prices to save even more!
(*only when purchased with an Amiga*)

philips
Monitors
GOLD
monitor TV's
DISCOUNT
CM8833/II
£214.95*
MONITOR/TV
£229.95*

AMIGA 3000
2Mb

Latest Workbench 2
25MHz. - 2Mb. RAM
52Mb. Hard Drive
3.5" Floppy Drive
Including...

FINAL COPY II
and AMIGA VISION

ONLY £1349.95
52 Mb.
ONLY £1529.95
105 Mb.

free on site maintenance

AMIGA 3000 14" COLOUR SVGA
CBM1935 **£265.95**
.28" dot pitch
CBM1960 **£429.95**
Multiscan
.28" dot pitch

AMIGA 4000
NEW

Latest 25MHz 68040 CPU,
32 Bit architecture,
Built-in Maths Co-Processor,
2Mb Chip RAM, 4Mb Fast RAM,
Amiga DOS Version 3,
New AGA Graphics chip set,
40 or 120Mb Hard Drives.
Including FREE...

FINAL COPY II
and 1 Years on site warranty

ONLY £2099.95
40 Mb.
ONLY £2129.95
120 Mb.

EXTRA RAM UPGRADES

AMIGAS
A500 1/2Mb £29.95 A500+ 1Mb £39.95
A600 1Mb £44.95

All RAM expansions inc. Battery Backed Real Time Clock

SIMMS FOR GVP'S

HC8 & HD8 Drives add RAM in 2Mb. increments
1Mb Simm £27.95 4Mb Simm £99.95
32-Bit SIMM for GVP Accelerators [min. 2Mb. increments]
1Mb x 32Bit £52.95 4Mb x 32Bit £152.95

AMIGA
THE CDTV


MULTIMEDIA AT HOME
THE NEW AMIGA
CDTV MULTIMEDIA
PACKAGE HAS THE LOT
CDTV Player, Keyboard, Infrared Mouse, 3.5" Disk Drive, Workbench Disks, Welcome CD, & Remote
£479.95
INC VAT

ENTRY CDTV SYSTEM
CDTV player with Welcome Disk, Remote Controller, Hutchinsons Encyclopaedia & the great game Lemmings
£379.95

CD ROM A570
DRIVE for A500+
use music cd's & CDTV Plus titles on your A500 Plus
Only... **£329.95**

ALL PRICES ARE INCLUSIVE OF
VAT AT 17.5%

GORDON HARWOOD
Computers



the extensive range of peripherals and software

EXPAND your system...

and get MORE from your AMIGA

If you've got an Amiga why not get THE MOST from it....

because it's so easy to attach our add-ons and use some great software, you can quickly get to grips with anything. From Graphic Design, Desk Top Publishing, Video Mixing and Music Composition to many useful business programs such as Word Processors, Accounts, Spreadsheets, Databases etc. You can add advanced technology such as fast Hard Disk Drives for quick access to data, Genlocks & Video Digitisers to import and manipulate images, Sound Samplers to help you with your musical talents and Printers to enable output of your 'your creations'. With a whole lot more available, you too can...

EXPAND YOUR AMIGA - EASILY!

AMIGA PRINTERS

DOT MATRIX
INKJETS AND
LASERS

All our printers are supplied for immediate use including a cable, paper and labels FREE OF CHARGE.

Dot matrix models come with a tailored dust cover. We also include our specific Amiga driver disks for Citizens, Stars and Canons.

ALL Citizens have a 2Year Warranty
Please call for prices on any models not listed

9 PRINTERS

STAR LC 20 MONO £134.95
NEW STAR LC 100 COLOUR £164.95
STAR LC 200 COLOUR £194.95
CITIZEN 120D+ MONO £124.95
CITIZEN SWIFT 9 COLOUR £179.95

24 PRINTERS

STAR
LC 24/200 COLOUR £269.95
XB 24/200 COLOUR £369.95
CITIZEN
SWIFT 200 MONO £209.95
SWIFT 200 COLOUR £239.95
SWIFT 240 MONO £249.95
SWIFT 240 COLOUR £269.95

HIGH RES PRINTERS

STAR SJ48 INKJET £209.95
CANON BJ10ex INKJET £224.95
CANON BJ20ex INKJET including automatic sheet feeder £319.95
HP DESKJET
500 MONO £369.95
HP DESKJET
550 COLOUR...NEW £649.95
HP PAINTJET COLOUR £679.95
STAR LASERS FROM... £749.95

GENUINE PRINTER ACCESSORIES CONSUMABLES AND UPGRADES

PRINTER	PRINTER TYPE	BLACK RIBBON	BLACK RIBBON 'SIX PACK'	COLOUR RIBBON	COLOUR RIBBON 'SIX PACK'
CITIZEN 120D+	BLACK ONLY	£4.75	£22.95	N/A	N/A
CITIZEN 124	BLACK ONLY	£4.75	£22.95	N/A	N/A
CITIZEN SWIFT 9	BLACK/COLOUR	£4.75	£22.95	£16.45	£94.95
SWIFT 24/24E/224	BLACK/COLOUR	£4.75	£22.95	£16.45	£94.95
STAR LC10/20/100	BLACK/COLOUR	£4.45	£23.95	£5.95	£34.95
STAR LC200	BLACK/COLOUR	£5.95 2X9	£32.95 2X9	£12.45 2X36CL	£64.95 2X36CL
STAR LC24/200	BLACK/COLOUR	£6.95 224	£39.95 224	£12.95 2X24CL	£69.95 2X24CL
STAR XB RANGE	BLACK/COLOUR	£8.95 224	£49.95 224	£14.95 2X24CL	£74.95 2X24CL
STAR SJ48 INK CARTRIDGE	BLACK ONLY	Also compatible with Apple Stylewriter and Canon BJ10ex Bubblejet			£15.95ea.

Hewlett Packard Original Consumables

DESKJET 500...
Black Ink Cartridge £21.95
[Double Life]
Colour Ink Cartridge [Std] £25.95
PAINTJET...
Black Ink Cartridge £22.95
Colour Ink Cartridge £24.95
Single Sheet Paper £20.95
Z-Fold Paper £18.95
Transparency Film: £52.95
[Pack of 50 Sheets]

Please phone for items not listed

Citizen Accessories:

80 Column 9/24 Pin £37.95
Printer Colour Kit [ALL models except the Citizen 124 model] £13.95
32K RAM Expansion [24Pin Citizens except 200/240] £19.95
32K RAM Expansion [Citizen 200/240] £32.95
128K RAM Expansion [Citizen 200/240]

AUTOMATIC SHEET FEEDERS:

ALL Star & Citizen 80Column models
Only...£69.95

[please state model when ordering]

HARD DISK DRIVES

with 2yrs warranty
A500 and PLUS
Simply plug in to the Amiga sideport

HD8 Hard Drives

RAM	80Mb.	120Mb.
0Mb.	£369.95	£429.95
2Mb.	£419.95	£479.95
4Mb.	£469.95	£529.95
8Mb.	£569.95	£629.95

A530 Combined Hard Drive and 68030 Accelerator

RAM	80Mb.	120Mb.
1Mb.	£649.95	£719.95
2Mb.	£699.95	£779.95
4Mb.	£799.95	£879.95
8Mb.	£949.95	£1009.95

68882 Maths floating point unit for A530's £219.95

AMIGA internal 1500 2000 HARD DISK DRIVE

HC8 Hard Drives

RAM	80Mb.	120Mb.
0Mb.	£329.95	£399.95
2Mb.	£379.95	£449.95
4Mb.	£429.95	£499.95
8Mb.	£529.95	£599.95

NB!!! Hard drives fitted with memory may fluctuate in price due to the \$/£ exchange rates. Please confirm prices when ordering.

AMIGA HARD DRIVES

20Mb. Only... £199.95
60Mb. Only... £299.95
80Mb. Only... £349.95
Prices include courier collection & return of your Amiga, installation & a full 12month Gold Warranty for both your drive and Amiga.

600HD Owners, trade up your 20Mb. Hard Drive! Phone for details.

CUMANA 3.5" floppy drive

with free disk head cleaner
-LONG CONNECTING-
CABLE - THROUGHPORT -
£54.95

0773 836781

*Finance Facilities Available,
please contact us for your personal information pack.

AMIGA

AMIGA software

Listed below is a sample from our vast range of software at competitive prices. If you need a product not listed simply phone us and we will be delighted to quote for your requirements.

word processors/publishing

Pen Pal V1.4	£49.95
Final Copy II V2.0	£99.95
Kindwords 3	£39.95
Wordworth V1.1	£109.95
Transwrite	£29.95
Prowrite 3.3	£79.95
Pagestream V2.2	£129.95
Professional PageV3.0	£129.95
Pagesetter II	£44.95
SoftClips Clip Art...	
Classic Clip Art	£29.95
People Clip Art	£29.95
Collectors Clip Art	£29.95
Animal Clip Art	£29.95
Electric Thesaurus	£29.95

integrated titles

Mini Office	£39.95
Gold Disk Office	£59.95

databases

Homebase	£19.95
Superbase 2 Personal	£29.95
Gallery Pictorial Slide Show/DB	£39.95

CAD & structured drawing

Intro CAD Plus	£79.95
X-CAD 3000	£269.95
Professional Draw 3	£89.95

video

Scala 500	£79.95
Scala Professional	£199.95
Broadcast Titler 2	£179.95
Pro Video Post	£169.95
Video Studio V3	£119.95

animation and graphics

Deluxe Paint 4	£64.95
Real 3D Professional Turbo	£249.95
Art Department Professional V2	£144.95
DCTV Composite Video	
24-Bit Graphics System (PAL)	£379.95
Imagine 2.0	£189.95

utilities & development

Disk Master V2	£44.95
Quarterback V5	£44.95
Quarterback Tools	£54.95
Dos-2-Dos	£29.95
Easy Amos	£24.95
Amos The Creator	£36.95
Amos Compiler	£23.95
Amos 3D	£25.95
Amos Professional	£49.95
New SAS Lattice C V6	£219.95
Devpac 3	£54.95
Directory Opus	£27.95

miscellaneous

GB Route Plus	£39.95
Professional Calc	£124.95

games & entertainment

Phone for access to our massive competitively priced range now!

AMIGA + - x ÷ a b c

software easy learning

FOR EDUCATION

micro maths - to GCSE standards	£18.95	ADI titles 11to12: english	£18.95
micro english - to GCSE standards	£18.95	maths	£18.95
micro french - to GCSE standards	£18.95	french	£18.95
micro german - to GCSE standards	£18.95	ADI titles 12to13: english	£18.95
primary maths - 3to12's	£18.95	maths	£18.95
mega maths - A level	£19.95	french	£18.95
reading and writing		first shapes - 3to8	£12.95
course - over 3's	£18.95	puzzle story book - 3to8	£19.95
compendium six	£29.95	dinosaur discovery kit - 3to8	£19.95
fun school 4 software:		first letters and words - 3to8	£12.95
choose - under 5's, 5to7's		NEW...Childs Play Activity Centre	£24.95
or 7to11's, only...£19.95 each		& Word Processor with SPEECH, 2to12yrs	

AMIGA shop

Amiga for Beginners	£12.95
Getting the most from your Amiga	£13.95
Amiga Machine Language	£14.95
Amiga DOS inside and out	£21.95
Amiga Hardware reference manual	£21.95
Amiga C for beginners	£13.95
Other Books: ...call us with your requirements	

AMIGA accessories

Digiview Media Station	£134.95
Colour Pic Plus	£679.95
Super Pic	£579.95
Rombo Vidi 12	£89.95
Amas 2 Sound Sampler & Midi Interface inc. Microphone	£79.95
Audio Engineer Plus	
Sound Sampler	£179.95
Technosound Turbo	
Sound Sampler	£29.95
Miracle keyboard music teaching system for the Amiga	£299.95
Music X full version 1.1	£24.95
Midi interface 5 port complete with cable	£24.95
Super JAM	£84.95
Bars & Pipes Professional	£219.95
ZYFI Stereo Speakers with a separate power supply	£39.95
Power Mono Hand	
Held Scanner	£98.95
Power Colour Hand	
Held Scanner	£239.95
Sharp JX 100 Colour	
Flatbed [A6 Paper size]	£549.95
ProGen - Perfect high quality entry level true video signal genlock	£64.95
Rocgen Plus	£119.95
Multi connection cable kit for all genlocks	£14.95
Naksha Microswitched mouse with Mat & Holder	£21.95
THE SUPERB ALFA DATA RANGE...	
HQ Microswitched mouse	£13.95
HQ Microswitched mouse inc. Mouse Mat & Holder	£19.95
Optical mouse	£28.95
HQ Microswitched Trackball	£29.95
Automatic Mouse and Joystick Switcher	£17.95
KCS Powerboard Plus 512K RAM	

(Please state A500 or plus when ordering - not A600 compatible)

Now supports most hard drives! supplied without DOS £184.95

supplied with DOS 4.01 £214.95

1500/2000/3000 adaptor £69.95

GVP 286 PC emulator card for A500 HD8/530 (no DOS). Simply plugs into your GVP drive £189.95

Premier Control Centre & Monitor Plinth with shelf:

For Amiga A500	£39.95
For Amiga A600	£34.95

Zipstick autofire £11.95

Competition Pro-Star autofire, burstfire & slow motion £13.95

Full range of Quickjoy and other makes stocked - call for prices

10 Sony 3.5" DS DD £8.95

50 Sony 3.5" DS DD £34.95

Certified Bulk Disks with labels: 10 with library case £6.95

50 Disks - only... £24.95

250 Disks - only... £89.95

3.5" Disk Head Cleaner essential for reliable loading £2.95

COMPAKE OUR GOLD SERVICE

Before you choose from whom to purchase, please phone us. We are always happy to discuss your requirements and answer any queries you may have. And... remember Harwoods have always provided THE BEST service in the industry...

FREE GOLD SERVICE: Any computer, monitor or printer requires service in the first year is collected FREE OF CHARGE (Mainland only). Remember at Harwoods we charge no more for GOLD service. The fastest turnaround possible is GUARANTEED. **OWN SERVICE ENGINEERS:** Many items have In-Home Warrant. **TECHNICAL SUPPORT:** You will be given our Exclusive Tech Support Phone Number to call should you require any help or advice on any aspect of the system you have purchased.

MINIMUM 12 MONTH HARDWARE WARRANTY: Items purchased on any aspect of the system you have purchased. **YOUR SYSTEM READY TO GO:** All main hardware products with mains plugs and leads - just connect up and use straight away.

How to contact us...

BY PHONE: Phone our Order Hotline with your Amiga, Visa, Mastercard Switch or Lombard Creditcharge quoting number & expiry date (Most Dixons, C. NASCR and other 'store' cards are Lombard Creditcharge and are happily accepted by us).

BY POST: Make cheques, bankers building society draft postal orders payable to GORDON HARWOOD COMPUTERS. (Personal/business cheques take 7 days clear from day of receipt whereupon your order will be despatched). Please send Name, Address, and, if possible, a Daytime Telephone Number with your order requirements. Please check you are ordering from our latest advertisement before purchase (phone if you require confirmation). Please remember for example many September publications appear in August, etc., therefore prices you see may have changed (either up or down!).

EXPORT: Most items are available at TAX FREE PRICES for non UK residents and service personnel. Please contact us for confirmation of export prices before ordering.


FREE DELIVERY: by Parcel Force, UK Mainland only. **SPEEDY NEXT WORKING DAY COURIER SERVICE:** just £6.95 per major item for guaranteed delivery (except for Saturday delivery), UK Mainland most regions (Despatch normally on day of order or payment received).

All listed prices are what YOU PAY, and there are NO HIDDEN EXTRA'S. VAT and postage are included, and prices are correct at time of going to press (Pack details may vary from time to time). Offers and Services subject to availability and to being the latest advertised products, pack prices. Please note goods are not supplied on a trial basis.

VISIT OUR SPACIOUS SHOWROOM

Why not take a trip out to visit us and see our full advertised range and more, available at the SAME COMPETITIVE PRICES. (If you see opening times) There's plenty of FREE parking nearby too!

How to find us...



OPENING TIMES
9.00 until 5.00 Monday to Saturday
Wednesdays - 9.00 until 1.00

GORDON HARWOOD Computers

Enquiries & Order Line:

0773 836781

Finance Facilities Available*

*Please phone us for information, your personal application pack and full written details.



GORDON HARWOOD COMPUTER DEPARTMENT, H4, NEW STREET, ALFRETON, DERBYSHIRE. DE5 7

TEL: 0773 836781 FAX: 0773 8310

The Closer you look, The Better we look

ALL PRICES ARE INCLUSIVE OF VAT AT 17.5%

BEGINNERS

New to the world of databases and data storage? Don't worry – all the most common questions are answered below!

Question: What's a database?

Answer: Quite simply, it is a collection of related information. In most texts, a database is analogous to a list of items – the names and addresses in a telephone book, for instance. In fact, the entire UK telephone directory is nothing more than a huge database!

Question: So, how do records and fields fit into this?

Answer: Records are just subdivisions of the database – the collection point where a set of related data is collected together.

For instance, in the phone directory, a person's name, address and telephone number constitute one record. Each item is stored in a single field.

Question: I've also heard of indexes – what do they do?

Answer: Most modern databases (including some flat-file ones) recognise the need to index data in some fashion. Indexes work like the index in a book – each record has an entry in the index which points to its position in the database. Indexes serve two purposes: to maintain the data in a pre-determined order, and to increase the data access speed. The original approach was to sort the entire database record-by-record, but in today's world that is much too processor- and storage-intensive. Relational databases use indexes to link common (related) records in two or more database files. A record's index number is also referred to as a 'key'.

Question: Could you explain the difference between unique and non-unique indexes?

Answer: Generally speaking, an index is a code number generated by the contents of one or more fields. Simple indexes are (usually) calculated from the contents of a single field, while complex ones are generated from several fields. Unique indexes are only useful in relational databases where a record must occur just once in the data. If a unique index is generated on one field – as will usually be the case – then that field's contents must be unique to every record in the database. Many applications use the record number to generate the

BEGINNERS

contents of such a field.

Non-unique (or common) indexes are generated from any field or group of fields where the data may be the same. A typical example of this might be an index based on a person's surname or forename and surname together. There may well not be more than one Mark Smiddy in the database, but there are certainly plenty of John Smiths around.

Question: What are complex indexes for?

Answer: Some systems provide what is called a 'key search'. This allows you to locate data according to its index key. For instance, the name Smith generates a different key value to Ramshaw. However, since Smith is a very common name, the simple index will only point to the first Smith in the key list. However, if a complex index is used it is possible to generate keys based on a person's full name (for instance). Therefore, "Alan Smith" could be tracked down as easily as "Zena Smith", merely by entering their name.

Question: And finally, what's the difference between a flat-file and a relational database?

Answer: Relational databases are just extensions of the original flat-file concept; therefore, a relational application can be used for flat-file (or 'simple') databases but not vice-versa. In a flat-file database every record is a single entry in its own right, unattached to anything else. This is directly analogous to a conventional filing system using a Rolodex, file cards and so on – which explains why folk find flat-files easy to follow. Relational databases on the other hand, group and collate records like people do in the real world. For instance:

- The accounts department handle customers by a reference number. (In database terms, this is one 'data file'.)

- Credit control hold a file of customer's names, addresses and their account number. (This is a second data file.)

At the end of any month, the overdue account numbers are sent to credit control and the addresses of guilty parties can be retrieved by locating the appropriate account numbers in the customer file. One flat-file has been related to another – and that's all there is to it!


As far as the Amiga is concerned, database applications are rare beasts and the relational variants are about as common as flying pigs. There is a good reason for this: *Superbase*. The *Superbase* series of programs are so good, most developers have erred on the side of caution rather than attempt to re-invent the wheel. In designing *Superbase Amiga*, the folks at Precision did not just adapt the proverbial wheel, they added pneumatic tyres and a self-lubricating hub into the bargain.

suggested it was not remotely good enough to waste editorial space on.

The latest version promised a lot more at a lower cost, so here at last I can report on the only readily available relational database for the Amiga – with the notable exception of *Superbase*, of course.

STARTING ORDER

The first thing that becomes apparent when *Order* is first started, is its refusal to conform to accepted standards. *Order* opens on an NTSC (200-line) custom screen with one of the most unreadable palettes I have



A scroll format screen is limited to just 80 characters wide...

But *Superbase* is past history: a classic in its own era, now wholly owned by Oxi-Aegis.

South Hams walked where others feared to tread by releasing *Order*, a new relational database targeted directly at a market already dominated by another product. If size were to be taken into account this is the equivalent of Morgan cars taking on the might of Ford or General Motors. Nevertheless, encouraged by David's success in giving Goliath a serious headache, South Hams has prepared to take on the big guns. But the real problem with legend is things tend to get somewhat far-fetched or at least a little exaggerated. In

the real world David wouldn't even have achieved his Scouts badge in knot-tying, never mind made a sling out of an old bit of cloth and knocked out a giant with one measly stone. No, things don't happen like that in the real world.

Nor do they in the computer industry, where an unknown name and no track record isn't going to get you anywhere – unless you have a lot of luck and an exceptionally good piece of software. Let the truth be told: when the first version of *Order* arrived at *Amiga Shopper*, five minutes of mucking around with it

used – though you should see the box on the next page for details of how to change this.

Similarly, the manual supplied is home-grown and distinctly amateurish – I have seen better attempts describing more complex applications from shareware authors. The author seems incapable of grasping the rudiments of limited capitalisation as an aid to readability. "FOR MORE

INFORMATION," it bellows in one memorable section, "LOOK UP 'KEY FIELDS' AND 'RELATIONSHIPS – ONE TOO MANY' IN THE INDEX AND TURN TO THE RELEVANT SECTION". Reading a tutorial structured like this brought back memories of

an old English teacher pointing out "My eyes aren't deaf, boy!"

First impressions last – and it was some time before I could face up to the arduous task of giving *Order* a grilling that would be thorough and accurate enough to report upon in these pages.

Order breaks the rules because its design is based on a PC application, *Omnis 5* – admittedly, not a system I am intimately familiar with. (This ancestry could also explain – but not forgive – the choice of screen colours.)

Unlike *Superbase*, *Order*

"...an unknown name and no track record isn't going to get you anywhere."

considers a database application to be a 'project'. That is to say, where *Superbase* can act upon any one or more database files at any time, *Order* gathers all those files together under one 'project' banner. Where *Superbase* allows unlimited access to many databases at once, *Order* considers each project file to be a receptacle containing one or more database files.

In the hierarchical scheme of things this places *Order* one level higher than *Superbase*, and so makes it easier for beginners to manage. There are pros and cons to

SETTING UP

As I have already outlined, *Order* considers a database project to be constructed from many data files. Once the project has been created and named, each database has to be similarly defined. Assuming they can overcome the manual's shortcomings, beginners will love this. Very little has been catered for: only 14 fields and three field types are possible: Character, Numeric and Date. There are no facilities for case alteration, input validation, external files, currency, time, mathematical functions or anything like that. Even

alter the displayed field width and it doesn't scroll vertically. 'Fixed' format (one record to a page) is better – but not by much. In either case, it is quite possible to paint one field over another without *Order* batting a computerised eyelid. There's something else worth mentioning here too: although it is possible to alter the field names, it is not possible to add text to the form, save a short header.

CLOSE RELATIONS

If there's one thing you need in any relational

definition so that remains constant and unchangeable.

To make all this a little clearer, let's consider the following (somewhat contrived) example:


Take three databases for a project on video. The first (parent) database contains the main video data: title, running time, classification categories, and so on. The second database – level two – contains a short explanation of the

02-JUN-93 THIS IS A SCROLL FORMAT REPORT Page 1

Category	Video Number	Title	Year
PG	V0001	Teenage Mutant Ninja Turtles 2	1991
PG	V0006	Mr Destiny	1988
18	V0002	The Running Man	1989
18	V0003	Total Recall	1988
15	V0004	Gremlins 2 - the new Batch	1988
12	V0005	Batman 2	1991

6 record(s) retrieved. [Press Any Key]

Reports can break a defined number of lines according to the sort key



Requesters have a very 'PC-like' look and feel to them – but can you see the CANCEL gadget? There's one in there somewhere!

either method, but where ease of use is most important, *Order* does have the edge.

BASIC INSTINCTS

That sadly, is where things start to fall apart at the seams, and *Order's* initially promising approach yet unprofessional nature shows through. Perhaps the major failing of the first release – and a main reason why the earlier version did not get featured – was the way even trivial operations required disk access. This, thankfully, has been fixed. Even so, *Order* is still a little slow on the uptake. This could be because it has been written in, dare I say it, BASIC.

There's nothing wrong with *HiSoft BASIC* – as compilers go it's one of the better ones and at least it doesn't fall apart under Workbench 3! But, I wonder, could this be the reason *Order* doesn't like to multi-task? Unlike any well-behaved Amiga application, *Order* grabs the system for itself and the custom screen sits there steadfastly refusing to be either depth-arranged or moved.

A simple keypress is all that's required to get Workbench back again, but even while *Order* is idle, things slow to a crawl. This would suggest that *Order* is running a processor-hungry main loop waiting for something to happen – but, whatever the reason is, it is still not good enough. Even my trusty Workbench 3 screen blander couldn't get a look-in long enough to display some pretty patterns.

the numeric fields are restricted to signed integers and dates to a simplistic DD-MM-YY!

At this stage I was left wondering, what can *Order* actually do with such a limited choice? Very basic database applications can get away with such a minimal choice of field types – but surely these could easily be satisfied with a 'flat-file' system? Well, this isn't entirely true, as South Hams points out in the tutorial which contained one of the few applications where relationality could be of use: a video database, in which relational links join common data – classification and leading roles, for instance.

THE ART OF MAKING AN ENTRANCE

So what about that most arduous of tasks – getting the data in. I assumed that *Order* would have at least a default input screen. There is nothing of the sort. If you want to put something into *Order* you have to create a data entry screen first.

There's a choice between Fixed or Scroll format, but the 'Scroll' (one record to a line) option is limited to 80 characters stretched across the page. This is therefore unsuitable for most applications, since you can't

Relative values

Mark Smiddy tests Order 2.03, a budget-priced relational database aimed at the home and semi-professional market

database system, it's indexes. It doesn't really matter for most jobs whether the indexes are 'unique' or 'common', but they are essential to the workings of the thing. *Order* does not provide facilities to generate indexes – instead it does the work internally (or at least it appears to). This is limiting, as it removes the option to perform a key search on a field: something I consider essential in any professional database.

So how does South Hams get away with describing *Order* as a relational database? It works like this: every form you create can have up to three 'levels', organised as a top-down tree. Records in the form on the second level can be relationally-linked (or 'related') to the records on the first; records in the third level can be related to records in the second. The key (or 'linked') field is determined in the form

classification letters (U: Universal) and the third – level three – a longhand description (Universal: Suitable for all). All three levels are linked by this common field – a film classification letter.

This is called a 'Many-to-One' relationship, in which many records (films, in this case) access one record in the detailed database. Reversing this gives you a 'One-to-Many' relationship. By arranging the form so that level one is the film classification, level two could list all the films with that classification. So, you could select all the films in a collection that are certified 'PG'. (Of course, these examples would work as well with two levels, as the data in levels two and three is constant.)

In this area *Order* does score a point over *Superbase Personal*,

continued on page 102

Evesham Micros

JOINT WINNER OF
COMPUTER SHOPPER'S

'Best Customer
Service'

AWARD FOR 1991



PRICES INC. DELIVERY & VAT @ 17.5%

HERE TODAY ~ HERE TO STAY

Evesham Micros First. First for choice, prices and service. Established for over nine years, with a strong financial status and secure future. Our Computerised Telesales Order Processing investment means fast, efficient service. Well appointed Retail Showrooms with large product range on display. Our huge Customer database, high percentage of repeat custom and personal referrals underlines our popularity. REMEMBER - when you need us, we will still be here. Our extensive expansion program means we could eventually be there as well...

HOW TO ORDER....



Call us now on

0386 765500



TELESALES OPENING TIMES :

9am - 7pm Monday-Friday

9am - 5.30pm Saturday



Send Cheque, Postal Order or
ACCESS/VISA card details to:

Evesham Micros Ltd.

Unit 9, St Richards Road

Evesham, Worcs. WR11 6XJ

ACCESS / SWITCH / VISA
Cards Welcome



Government, Education & PLC orders welcome

Same day despatch whenever possible

Express Courier delivery (UK Mainland only) £8.50 extra

Please note that 5 banking days must be allowed for cheque clearance.

Immediate clearance on Bank Drafts.

Credit card orders: We do not charge the card until the goods are despatched

Mail Order Fax: 0386-765354

RETAIL SHOWROOMS

Normal Opening times: Monday-Saturday, 9.00-5.30

Late Night Opening Until 7pm Wednesday-Friday

EVESHAM	BIRMINGHAM
Unit 9 St Richards Rd, Evesham Worcs WR11 6XJ ☎ 0386-765180 fax: 0386 765354	251-255 Moseley Rd, Highgate Birmingham B12 0EA ☎ 021-446 5050 fax: 021 446 5010

CAMBRIDGE	MILTON KEYNES
5 Glisson Road, Cambridge CB1 2HA ☎ 0223-323898 fax: 0223 322883	320 Witan Gate, Milton Keynes MK9 2HP ☎ 0908-230898 fax: 0908 230865

TECHNICAL SUPPORT ☎ 0386-40303
Monday to Friday, 10.00 - 5.00

1 YEAR WARRANTY ON ALL GOODS

Details correct at time of going to press • All goods subject to availability

AMIGA SOFTWARE	Digital Wordworth.....£ 99.00	MR Backup.....£ 29.95
	Kind Words 3.....£ 49.95	AMOS.....£ 37.50
	Protext V5.5.....£ 120.00	HiSoft Lattice G.....£ 199.00
	Home Accounts V2.....£ 49.00	GFA BASIC Compiler.....£ 24.95
	Deluxe Paint 4.....£ 79.90	Devpac 2.15.....£ 44.95
	Deluxe Video 3.....£ 84.95	Workbench Management.....£ 9.95

A500 HARD DISKS

PRICE
BREAKTHROUGH!

AT LAST... the chance to buy Quality,
High Capacity Hard Disk Systems for the
Amiga 500 at realistically low prices!

- ☆ SCSI HARD DISK MECHANISMS for optimum performance, fast Access Time & Autoparking
- ☆ Includes its own DEDICATED PSU. CBM recommends against use of Hard Disks without independent power supply.
- ☆ Option for up to 4MB additional easy RAM EXPANSION, using 'SIMMS'
- ☆ COOL... by popular demand, we have fitted a Cooling Fan!
- ☆ GAME SWITCH allows Games to be loaded without disconnection
- ☆ Includes SCSI THROUGHPORT at rear for further expansion
- ☆ High quality metal casing, colour and style matched to the Amiga 500
- ☆ Includes 'MRBACKUP PRO' as well as Configuration/Format software



40Mb MODEL ONLY £229
100Mb MODEL ONLY £329

2Mb RAM Version: ADD £60 • 4Mb RAM Version: ADD £120

AMIGA 500 SOLDERLESS RAM UPGRADES

A500 512K
RAM/CLOCK
UPGRADE

ONLY £19.99
INC. VAT AND DELIVERY

ALSO WITHOUT CLOCK
FOR ONLY :
£16.99


- ☆ CONVENIENT ON / OFF MEMORY SWITCH ☆ AUTO-RECHARGING BATTERY BACKED REAL-TIME CLOCK ☆ COMPACT, ULTRA-NEAT DESIGN

'A500 PLUS'
1MB RAM
UPGRADE

THE FASTEST AND EASIEST WAY TO
UPGRADE YOUR A500+ TO 2MB RAM!

- Simply Plugs into trapdoor expansion area
- Increases total RAM capacity to 2Mb 'ChipRAM'
- ☆ RAM On/Off Switch ☆ Compact unit size ☆
- Only 8 low power RAM IC's ☆ High reliability

ONLY £37.95



UPGRADE
TO 2MB FOR
ONLY £62.99!


1.5MB RAM BOARD

- Fully populated board increases total RAM in A500 to 2Mb! ☆ Plugs into trapdoor area, & connects to 'GARY' chip ☆ Includes Battery-Backed Real-Time Clock ☆ Socketed RAM ICs on 512K / 1Mb Versions

Unpopulated RAM board with clock£ 34.95

With 15Mb FASTRAM installed.....£ 62.99

N.B.: The expansion board requires Kickstart 1.3 to operate - Kickstart 1.3 upgrade available from us for £29.95



'MEGABOARD'
With our MEGABOARD, you can further
expand your A500's memory to a total of
2MB without disposing of your existing
512K upgrade (must be 4 x RAM-chip type,
or not exceeding 9cm in length).


ONLY £42.99

CONNECTS TO YOUR
512K RAM UPGRADE
TO GIVE 1.5MB

MEGABOARD needs Kickstart 1.3 to operate (Kickstart 1.3 upgrade available from us for £29.95). Installation requires connection to the GARY chip. Easy to follow instructions provided.

A500 EXTERNAL RAM UNIT

- ☆ Throughport for further expansion
- ☆ Very low power consumption
- ☆ Style matched to the A500
- ☆ RAM access LED
- ☆ RAM test/run switch
- ☆ Available fitted with 2Mb, 4Mb, or fully populated with 8Mb
- ☆ Optional PSU (allows Amiga to power other devices)




Incorporating the latest 'ZIP' DRAM technology, our new External Memory Upgrade allows the A500 / A500+ to be upgraded by up to a further 8Mb of auto-configuring FASTRAM.

With 2MB fitted...£112.99 with 4MB...£159.99 with 8MB...£259.99

PARTIALLY POPULATED UNITS EXPAND TO 8MB WITH 2MB MODULES, AVAILABLE SEPARATELY AT ONLY £89.99 PER 2MB • OPTIONAL POWER SUPPLY £14.95

N.B. Any memory fitted to this unit is in addition to that on your machine already, to a maximum of 8Mb on the external unit.



As you can see, *Order's* field types and options are very limited

CHANGING THOSE COLOURS



If you don't like the palette provided, you can change it using **COLORS**

Many applications have a feature which allows users to change the screen colours (or 'palette') to suit their own needs.

For applications like *Order*, Commodore provides a simple utility (called 'Colors') so you can change the palette on the front-most screen.

With most applications, all you need to do is drag the application window out of the way, double click 'Colors' and pull the screen back into view. Colors opens a small window to set the current display colours, although these cannot be saved.

WHERE THERE'S A WILL

Order makes things harder than usual, because it prevents normal WIMP access to the Workbench screen. However, where there's a will, there's a way. There are two ways around this problem. The more permanent method is to create a script which can be executed from an icon, and I'll cover that in a minute. The quick and dirty method is to use AmigaDOS, like this:

```
1>RUN WAIT 2 SECS +
COLORS
```

You will need to open a Shell window first, and you may need to adjust the delay time slightly too – this gives you just over two seconds to move *Order's* screen back to the front of the current display. Fast typists can reduce the delay, beginners may need to lengthen it. A more permanent method is to save the command as a 'script' file.

To do this, just enter the two lines above into your favourite text editor and save it on your Workbench disk. If your preferred application can create icons, make sure this option is turned 'on' – otherwise you will need to create an icon for the file yourself. Note that the icon's type must be PROJECT. Change the icon's DEFAULT TOOL to C:ICONX and save it. All you have to do now is double-click the icon and, hey presto, you get a short delay before Colors starts – giving you more than enough time to arrange the screens to your satisfaction.

continued from page 99

because relationships can be accessed at edit-time and not just during reporting. Also, as far as beginners are concerned, it is a lot simpler to get to grips with. This, however, is not enough to give *Order* a big advantage over its competitor.

The question remains: how do you recover data? *Order* has limited reporting facilities, but the search system is primitive – with only limited pattern matching. It appears that South Hams either did not know about input key searching or did not bother to implement it. The nearest *Order* gets to a key search is when a query is requested from an input screen attached at a lower level. In this case the Key Field is automatically selected – in practice though, this is far too constraining.

However, I want to be able to create my own indexes – and set them up the way I want to. If *Order* does index files then it's very shy to say how – although tests prove that the program does not support either unique or complex indexes. Anyway, why isn't it possible to have some basic mathematics functions or to paint extra text on report screens – things I would expect to find in all but the most basic of databases? My wish list for *Order* is extensive – but I am not here to tell South Hams how to do its job, but instead to tell you what it got right and, more importantly, what it didn't.

Reporting facilities are important in any database – even if you can't get the odd record up on screen, it is important to be able to design a report where some or all of the records are output according to a set of criteria. *Order* supplies a basic reporting facility similar to the rather cludgy Form editor. Some useful additions have been made here: for instance it is possible to break on sort fields. This is similar to the GROUP function in *Superbase* Personal queries, but here too, *Order* has the edge on ease of use.


CONCLUSION

Order is a nice idea, poorly implemented. Perhaps my opinion is tarnished by a mind spoiled by *Superbase* – but like it or not, *Superbase* remains the only reliable, graphical relational database for the Amiga. No application should place unnecessary restraints on the user, and *Order's* true 14-field limit is a serious limitation – such things are programmed hindrances that never

should see a public release.

The manufacturer promises more, but in its present form, *Order* is far too limited.

In summing up I should add that I hate to make adverse comments, and writing a review such as this brings me little pleasure. I am not some sadistic theatre critic who would like to see the West End demolished to make way for a new shopping mall – but I have to be honest.



Order's summary screen. It's nice, but what exactly does it do?

A lot could be done to improve *Order*, although much of that would require a ground-level re-write and I doubt that South Hams Software has the manpower to do it. Go on guys, prove me wrong. **AS**

SHOPPING LIST

Order 2.03£29.95
By: South Hams Software, Rose Cottage,
Ford Road, Torre,
Yealmpton
Plymouth
South Hams PL8 2NA
☎ 0752 880906

CHECKOUT ORDER 2.03

Flexibility ●○○○○
A foot-thick steel girder comes to mind...

Power ●●○○○
Records only limited by disk space but little else.

Ease of use ●●○○○
But it isn't powerful enough to be complicated!

Value ●○○○○
It's just not good enough to justify the outlay.

Overall rating ●○○○○

South Hams Software must try harder.

AMIGA SHOPPER SPECIAL OFFER


AMIGA SHOPPER

**SAVE
£££s**

**Now's your chance
to take advantage
of all the bargains
we've lined up for
you at special
prices, a chance you
can't afford to miss**

MAIL ORDER

Order direct from Amiga Shopper



DIGITA WORDWORTH

Digita's acclaimed *Wordworth* word processing package was first reviewed in issue 4, when Jeff Walker said: "Heavens, there's so much to the package." Since then it has been further improved. It comes with a spell checker, a thesaurus, an on-line help facility, and one of the best manuals we've ever seen. It also has a whole load of attractive fonts and, of course, excellent facilities for incorporating graphics into documents.

**ONLY
£89.95**

DESCRIPTION	PRICE	ORDER
Digita Wordworth	£89.95	SHWORD

**Order using
the form on
page 106 or
use our credit
card hotline on
0458 74011**

SAVE SAVE SAVE

PLUS FREE HOME ACCOUNTS

when you order Digita Wordworth

GASTEINER OPTICAL MOUSE



SAVE £6

This mouse solves all of those sticking trackball problems - it doesn't have one. Instead it uses solid state technology for trouble-free operation.

DESCRIPTION	PRICE	ORDER
Gasteiner Optical Mouse	£29.95	MOUSE

DESCRIPTION	PRICE	ORDER
WTS RAM Upgrade	£24.99	SHRAM

SAVE £6

This excellent expansion for the A500 will take your computer up to 1Mb. It has a battery backed-up clock and follows Commodore's guidelines.



RAM UPGRADE WITH CLOCK

HYUNDAI MODEM

The Hyundai modem is an excellent item for the beginner in comms. It has data transfer rates of up to 2,400 bits per second and supports the V21, V22 and V22bis protocols. You'll also need serial cable and comms software to get started.



DESCRIPTION	PRICE	ORDER
Hyundai HMD2401 modem	£99.95	HYUNDAI

HOME ACCOUNTS 2

SAVE £10

Keep complete track of your accounts with your Amiga and *Home Accounts 2*. With Digita's unique Human Interface Protocol, finance control couldn't be easier.



DESCRIPTION	PRICE	ORDER
Digita Home Accounts	£44.99	SHACCOU

DESCRIPTION	PRICE	ORDER
Connections Interdial M5024 modem	£299.95	CONN INT

This handy little modem will get you into the world of comms with a whizz. With MNP4 error corrections and MNP5 data compression, it will provide data transfer speeds of up to 4,800 bits per second.




INTERDIAL M5024 MODEM

DESCRIPTION	PRICE	ORDER
Technosound Turbo	£29.95	SHTECH

SAVE £10

Yo - sample the action! *Technosound Turbo* provides everything you need to sample the delights of Amiga audio. Plug it into your printer port, grab sounds, edit them and add amazing effects.



TECHNOSOUND TURBO

AMIGA SHOPPER SPECIAL OFFER




MIDI INTERFACE

Unleash the full power of computer music with Microdeal's **Pro MIDI Interface**. With it you can connect your Amiga to a wide variety of synthesisers, drum machines and effects units. The result is absolute control over sound, enabling you to produce the music you want to hear, without any special skills. The **Pro MIDI Interface** comes with a MIDHIN and a MIDI-THRU port, and two MIDI-OUT ports. A complete user manual is also included.

DESCRIPTION	PRICE	ORDER
MIDI INTERFACE	£22.95	SHOP 26

CLARITY 16



Clarity 16 produces incredible CD quality sound on your Amiga. Microdeal's hardware/software package enables you to sample and play back sounds at an incredible 16-bit resolution. Frequencies of up to 44.1KHz can be sampled. Full editing facilities, including special effects, are provided with **Clarity 16's** software.

DESCRIPTION	PRICE	ORDER
CLARITY 16	£129.95	SHOP 25

**SAVE
£££s**

ORDER BY CREDIT CARD – RING 0458 74011



MASTERING AMIGADOS 2 VOLUME 1 BY MARK SMIDDY AND BRUCE SMITH – BRUCE SMITH BOOKS

This is the essential book for the beginner to AmigaDOS. It explains step by step everything from the rudiments of opening a Shell and copying a disk to the advanced use of scripts.

MASTERING AMIGADOS 2 VOLUME 2 BY MARK SMIDDY – BRUCE SMITH BOOKS
The second volume in the **Mastering AmigaDOS** range will rapidly become one of your most valuable reference works. It contains an explanation of every single AmigaDOS command, from version 1.2 right up to the new version 2.04.

MASTERING AMIGA SYSTEM BY PAUL OVERAA – BRUCE SMITH BOOKS
Paul Overaa, programming expert and computer journalist, explains in detail how to make use of the Amiga's operating system in your own programs. Learn how to create efficient, operating system-legal code and to utilise the full power of Intuition.

MASTERING AMIGA PRINTERS BY ROBIN BURTON – BRUCE SMITH BOOKS
Just about everyone has problems with printers and the Amiga. But now, no matter what your set-up – dot matrix, bubble jet or laser – you'll learn how to get the hardcopy results you want with **Mastering Amiga Printers**.

DESCRIPTION	PRICE	ORDER
MASTERING AMIGADOS 2 VOLUME 1	£19.95	SHMAD 1
MASTERING AMIGADOS 2 VOLUME 2	£17.95	SHMAD 2
MASTERING AMIGA SYSTEM	£27.95	SHSYST
MASTERING AMIGA PRINTERS	£17.95	SHPRINT

SAVE £2 PLUS FREE DISK



ALL PRICES INCLUDE VAT, POSTAGE AND PACKING

MINI OFFICE


SAVE £10



Get your accounts in order with Europress Software's Mini Office – a unique all-in-one package for the small business person

Mini Office has everything the up and coming entrepreneur needs to keep ahead in the busy world of business. It includes a word processor, spreadsheet, database, graph plotting facilities and a collection of disk utilities, all presented with an attractive, easy to use interface.

DESCRIPTION	PRICE	ORDER
MINI OFFICE	£49.99	ASMINOF



VIDEO MASTER

Make your own movies with VideoMaster. It's a package that incorporates both video and sound digitising at an incredible price. In addition, frame by frame editing facilities are included, giving you full control over your multimedia productions. **VideoMaster** will record monochrome quarter screen images in real time at up to 30 frames/second.

DESCRIPTION	PRICE	ORDER
VIDEO MASTER	£64.95	SHOP24

AMIGA SHOPPER SPECIAL OFFER

AMOS BUNDLE

AMOS, AMOS COMPILER AND AMOS 3D

Everything you need to create stunning programs – games or applications – is included in this amazing bundle.

AMOS is one of the best implementations of Basic available for the Amiga. With its incredible visual and audio effects are achievable. And when used in conjunction with the Compiler and AMOS 3D the possibilities are limitless!

DESCRIPTION	PRICE	ORDER
AMOS BUNDLE	£89.95	AMOSBUND




EASY AMOS

DESCRIPTION	PRICE	ORDER
EASY AMOS	£29.99	SHEASYAM

Easy Amos retains all the features that have made AMOS so popular – easy support for graphics, sound and so on – but makes the task of programming so much easier for the beginner with on-line help, tutorials plus much more.


Delve with confidence into the world of programming with Europress' Easy Amos.



ORDER EASY AMOS AND SAVE £5 NOW

TURN YOUR AMIGA INTO A PC!

WITH THE KCS POWERBOARD



The KCS emulator is available as a trapdoor expansion for the A500 and A500 Plus, or with a plug-in card for the A1500/A2000/A3000 series. It comes with 1Mb of extra memory, too

Take advantage of the wealth of business software for the PC, without changing your computer! The KCS Power PC Board plugs into the Amiga to provide almost 100% PC XT compatibility

DESCRIPTION	PRICE	ORDER
KCS POWERBOARD PC	£179.95 EXCLUDING DOS	SHPCONLY
	£199.95 INCLUDING DOS	SHPCDOS

SLOTS INTO ANY A500 FOR COMPLETE PC COMPATIBILITY

POWER PC BOARD ADAPTOR FOR 1500/2000

You need this adaptor to plug a Power PC Board into your A1500/A2000. Look with envy no longer at A500 owners – now you too can explore the benefits of the IBM PC compatible world.

DESCRIPTION	PRICE	ORDER
Power PC Board adaptor for 1500/2000	£65.00	SHPCADAP

DESCRIPTION	PRICE	ORDER
HISOFT PASCAL	£89.95	HISOFT P

SAVE £50!
OFF PREVIOUS SILICA PRICE OF £299

Commodore CARTOON CLASSICS

DPaint III

A500
'PLUS'
MODEL

FREE!

ZOOL SOFTWARE PACK

ZOOL STRIKER
TRANSWRITE
PLUS! PINBALL DREAMS
GFA BASIC AND PHOTON PAINT 2.0

TOTAL VALUE: **£267.87**
WITH THE AMIGA 500



INCLUDES
BUILT-IN 18-KEY
NUMERIC KEYPAD

AMIGA 500 CARTOON CLASSICS SALE!

PACK INCLUDES:

- 1Mb AMIGA 500 PLUS..... £399.99
- BUILT-IN 1Mb DRIVE..... FREE
- A520 TV MODULATOR..... FREE
- THE SIMPSONS..... £24.99
- CAPTAIN PLANET & THE PLANETEERS..... £25.99
- LEMMINGS..... £25.99
- DELUXE PAINT II..... £79.99

PLUS! FREE FROM SILICA:

- ZOOL PACK..... £127.92
- PHOTON PAINT v2.0..... £89.95
- GFA BASIC v3.5..... £50.00

PACK VALUE: **£844.82**

PACK SAVING: **£575.82**

SILICA PRICE: **£249.00**

We are pleased to offer the original 1Mb Amiga 500 Plus (Kickstart/Workbench v2.04), including a built-in 18-key numeric keypad and Cartoon Classics software at a new low sale price of only £249. The Amiga 500 Plus can be upgraded, using any of the hundreds of peripherals that are now available, which include the award winning GVP range. In addition to the 1Mb version of the Cartoon Classics pack at only £249, we are pleased to offer a specially upgraded version with 2Mb RAM for only £279. And, when you buy an Amiga 500 Cartoon Classics Pack from Silica (1Mb or 2Mb version), we will give you a ZOOL PACK plus GFA BASIC and PHOTON PAINT II worth over £267, absolutely FREE!

1Mb A500 PLUS CARTOON CLASSICS

£249

INC VAT - Ref: AMC 0592

2Mb RAM VERSION **£279** INC VAT
AMC 0592 + RAM 0592

RETURN THE COUPON FOR YOUR FREE COPY OF SILICA'S

NEW 64PAGE

AMIGA CATALOGUE!

CDTV™
INTERACTIVE MULTIMEDIA

MULTIMEDIA SYSTEM

- Easy to use home entertainment system
- Infrared Remote Control
- Sleek black design
- Keyboard, disk drive and mouse included
- Based on the best selling Amiga computer
- Plays CD audio discs
- Compatible with CD+G & CD+MIDI formats
- Over 100 CDTV titles available
- Compatible with 100s of Amiga programs
- Fred Fish CDPD is a 'collection' of 660 disks of public domain software. It includes utilities, applications, games and tools.



A complete CDTV environment. With keyboard and disk drive it is fully software compatible with the Amiga 500, and able to run all Amiga games and application software. £50 of CDTV software vouchers PLUS Sim City (worth £29.99) are included FREE with every CDTV Multimedia System from Silica.

FREE!
FROM SILICA
with the CDTV
Multimedia System
SIM CITY
ENHANCED CD VERSION
£50 of CDTV SOFTWARE VOUCHERS
WORTH NEARLY **£80**

- CDTV Player..... £399.99
- CDTV Keyboard..... £49.99
- CDTV Disk Drive..... £99.99
- Fred Fish CDPD..... £19.99
- Sim City..... £29.99
- Software Vouchers..... £50.00

Total Pack Value: **£649.95**

Less Pack Saving: **£150.95**

Silica Price: **£499.00**


£499

Ref: CCD 1250

AMIGA SALE!

CDTV™
INTERACTIVE MULTIMEDIA

AMIGA A570 ADD-ON FOR AMIGA 500 OWNERS



**£100 OFF RRP!
£50 OF VOUCHERS!
FREE SIM CITY**

FREE!
FROM SILICA
with the A570
SIM CITY
ENHANCED CD VERSION
£50 of CDTV SOFTWARE VOUCHERS
WORTH NEARLY **£80**

The A570 is an essential add-on for your Amiga 500. CD-ROM is set to replace disks as the standard format for games and serious titles in the not too distant future. Most software companies have already announced plans to release CD versions of their software! The sheer storage size of a CD (600 disks) means that using CD software is faster, graphics are enhanced and game play is increased with bigger levels, more complex problems to solve and larger areas to explore! And, being compatible with audio CDs, the sound quality from CD games is unrivalled! Sim City for instance has over 10Mb of data for its graphics alone and has music recorded in a studio! Silica's special sale price of £249 means that there is no better time to buy the A570 and, with the award winning Sim City included FREE with every A570 from Silica Systems, there's no better place to buy it from!

- Enables your Amiga to run CDTV software
- Plays normal audio CD discs
- Storage capacity equal to 600 floppy disks
- Internal RAM expansion option (Coming Soon)
- Internal hard drive option (Coming Soon)
- Compatible with CD + G and CD + MIDI formats
- Transfer time 153Kb/second
- Compatible with CD-ROM industry standard ISO9660
- Comes with Fred Fish CDPD collection + Sim City FREE from Silica

Note: 1Mb of Chip RAM/FAT Agnus is required for full compatibility with all CDTV software. Silica offer an upgrade service. Please call and quote REA 1000.

SAVE £100! OFF NORMAL RRP OF £349

£249

Ref: CCD 0588

ALL PRICES INCLUDE VAT - DELIVERY IS FREE OF CHARGE IN THE UK MAINLAND

110195-1600

SILICA SYSTEMS OFFER YOU

- **FREE OVERNIGHT DELIVERY:** On all hardware orders shipped in the UK mainland.
- **TECHNICAL SUPPORT HELPLINE:** Team of technical experts at your service.
- **PRICE MATCH:** We normally match competitors on a "Same product - Same price" basis.
- **ESTABLISHED 14 YEARS:** Proven track record in professional computer sales.
- **£12 MILLION TURNOVER (with 60 staff):** Solid, reliable and profitable.
- **BUSINESS + EDUCATION + GOVERNMENT:** Volume discounts available 081-308 0888.
- **SHOWROOMS:** Demonstration and training facilities at our London & Sidcup branches.
- **THE FULL STOCK RANGE:** All of your requirements from one supplier.
- **FREE CATALOGUES:** Will be mailed to you with offers + software and peripheral details.
- **PAYMENT:** Major credit cards, cash, cheque or monthly terms.

Before you decide when to buy your new Amiga computer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after buying your Amiga, when you may require additional peripherals or software, or help and advice with your new purchase. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for almost 14 years and, with our unrivalled experience and expertise, we can now claim to meet our customers' requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest FREE literature and begin to experience the 'Silica Systems Service'.

MAIL ORDER HOTLINE
081-309 1111

SILICA SYSTEMS

MAIL ORDER: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-309 1111
Order Lines Open: Mon-Sat 9.00am-6.00pm No Late Night Opening Fax No: 081-308 0608

LONDON SHOP: 52 Tottenham Court Road, London, W1P 0BA Tel: 071-580 4000
Opening Hours: Mon-Sat 9.30am-6.00pm No Late Night Opening Fax No: 071-323 4737

LONDON SHOP: Selfridges (1st floor), Oxford Street, London, W1A 1AB Tel: 071-629 1234
Opening Hours: Mon-Fri 9.30am-7.00pm (Sat close 6.30pm) Late Night Thursday - 6pm Extension: 3914 Fax No: 081-309 0617

SIDCUP SHOP: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX Tel: 081-302 8811
Opening Hours: Mon-Sat 9.00am-5.30pm No Late Night Opening Friday - 7pm Fax No: 081-309 0617

ESSEX SHOP: Keddies (2nd floor), High Street, Southend-on-Sea, Essex, SS1 1LA Tel: 0702 468039
Opening Hours: Mon-Fri 9.30am-5.30pm (Sat 9.00am-6.00pm) No Late Night Opening Fax No: 0702 462363

To: Silica Systems, AMSHP-0393-100, 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX

PLEASE SEND A 64 PAGE AMIGA COLOUR CATALOGUE

Mr/Mrs/Miss/Ms: Initials: Surname:

Company Name (if applicable):

Address:

Postcode:

Tel (Home): Tel (Work):

Which computer(s), if any, do you own? 100A

E&OE - Advertised prices and specifications may change - Please return the coupon for the latest information.

THE WORLD'S BEST-SELLING AMIGA


AMIGA

FORMAT

SUE 43 ■ FEBRUARY 1993 ■ £3.95

Sale On now

Stupendous!
Complete £50 package



The **AMIGA** Collection
FORMAT

Prodata

No.1 RRP £60
From ARNOR


Do you realise just how useful a database can be? If not, you soon will, when you start using this powerful complete package!

● All Amigas ● 1Mb Required ● All Amigas ●

EXPLODED!

Find out how the Amiga really works as we blow apart its innermost secrets!

FIGHTING FOR THE TOP SPOT



One of these games is great - one isn't. Find out which is which inside!

THE AMIGA IN 1993: Read our amazing predictions!
GAME GREATS: LucasArts' latest and sporting greats!

Future
PUBLISHING

Your guarantee of value




9 770957 486011

TELEPHONE & POST... CUT OUT TICKET & POST

Telephone or Fax Hotline 0702 466933

PD Soft (AS23) 1 Bryant Ave, Southend-on-Sea, ESSEX, SSI 2YD



EDUCATION

JX V13 PLAT & READ CHALLENGE (2) Educational software for children 7-9. Includes various colours & speech. Includes various colours & speech. Includes various colours & speech.

JX V544 KIDS PAINT A painting program designed for children. Includes various colours & speech. Includes various colours & speech.

JX V584 FASTFACTS Everything you ever needed to know about the solar system. Includes various colours & speech. Includes various colours & speech.

JX V792 KIDS GAMES Includes Geography, Math, Science and Word Games. Also contains Wheel of Fortune. Includes various colours & speech. Includes various colours & speech.

JX V793 AMIGA BEGINNER You asked for it! A tutorial for the beginner on using your Amiga! Covers CL & WB. Includes various colours & speech. Includes various colours & speech.

JX V824 ELEMENT v.0 Nice interactive display of the periodic table of elements. Includes various colours & speech. Includes various colours & speech.

JX V825 WORLD DATA BANK v2.2 Using a database of coordinates of the CIA's 10,000 world map's in cylindrical or spherical projections, various degrees of magnification. Includes various colours & speech. Includes various colours & speech.

JX V843 DESERT STORM You can select a mission, a map, a unit, and a strategy. Includes various colours & speech. Includes various colours & speech.

JX V849 LANGUAGE TUTOR v1.0 Spanish, French, German & Italian. Includes various colours & speech. Includes various colours & speech.

JX V881 SECOND WORLD WAR Excellent information program. Includes various colours & speech. Includes various colours & speech.

JX V908 DELUXE PAINT TUTOR Do you have DPaint. Their learn to use it. Includes various colours & speech. Includes various colours & speech.

JX V927 CU TUTOR Helpful program to understand how to use CU/Shell. Includes various colours & speech. Includes various colours & speech.

JX V933 GISE MATHEMATICS Maths program to help with the GISE maths course. Includes various colours & speech. Includes various colours & speech.

JX V936 WORD FACTORY A program to help kids learn to spell. Includes various colours & speech. Includes various colours & speech.

JX V939 BIG TOP TAP 4 programs to help children with words & pictures. Includes various colours & speech. Includes various colours & speech.

JX V937 ROCKET MATHS Tables, Takeaway, Add & Divide. Includes various colours & speech. Includes various colours & speech.

JX V945 MUSIC BOX Excellent to introduce music. Includes various colours & speech. Includes various colours & speech.

JX V959 PREHISTORIC FUN Who likes Dinosaurs? four excellent parts. Includes various colours & speech. Includes various colours & speech.

JX V973 UNDERSTANDING AMOS (2) Help to learn how to program in Amos. Includes various colours & speech. Includes various colours & speech.

VIDEO PRODUCTION

JX V48 TV & VIDEO GRAPHICS (8) Contains background screens for your video productions. Many types of graphic styles. Includes various colours & speech. Includes various colours & speech.

JX V86 VIDEO PRODUCTION 1-2 (2) Packed with video & Genlock utilities. Includes various colours & speech. Includes various colours & speech.

JX V415 VIDEO SCREENS 1 Back. Includes various colours & speech. Includes various colours & speech.

JX V517 VIDEO DB PRO Program for keeping track on your video tape collections. Includes various colours & speech. Includes various colours & speech.

JX V518 IMAGE LAB This program is like a mini Art DEPT. Tools On Tap. Includes various colours & speech. Includes various colours & speech.

JX V677 ANDROIDS VIDEO BACK Graphics Selection and Video Production. Includes various colours & speech. Includes various colours & speech.

JX V687 VIDEO WIPES A collection of IFF brushes & graphic effects. Includes various colours & speech. Includes various colours & speech.

JX V693 HARLEQUIN VIDEO ART & FPD DISKS A video production with excellent backgrounds & fonts. Includes various colours & speech. Includes various colours & speech.

JX V755 VIDEO LAB 1 Productive video editing software. Includes various colours & speech. Includes various colours & speech.

JX V829 VIDEO PRODUCTION 3-4 (4) This is the latest collection of the new video related utilities. Includes various colours & speech. Includes various colours & speech.

JX V851 VIDEO PRODUCTION FONTS (5) Recently produced video fonts for use with your own productions. Includes various colours & speech. Includes various colours & speech.

JX V868 COMPUTER GENERATED ART TOOLS An excellent collection of background pictures. Includes various colours & speech. Includes various colours & speech.

JX V874 VIDEO TITLE PRODUCTION Utilities for generating video titles. Includes various colours & speech. Includes various colours & speech.

JX V875 VIDEO TEXTURES Like Black Marble, Brickwork, Roughness, Marble, Tiles, Water ripples & Wood. Includes various colours & speech. Includes various colours & speech.

JX V876 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V877 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V878 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V879 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V880 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V881 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V882 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V883 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V884 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V885 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V886 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V887 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V888 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V889 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V890 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V891 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V892 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V893 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V894 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V895 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V896 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V897 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V898 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V899 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V900 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V901 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V902 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V903 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V904 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V905 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V906 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V907 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V908 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V909 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V910 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V911 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V912 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V913 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V914 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V915 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V916 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V917 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V918 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V919 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V920 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V921 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V922 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V923 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V924 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V925 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V926 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V927 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V928 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V929 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V930 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V931 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V932 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V933 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V934 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V935 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V936 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V937 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V938 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V939 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V940 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V941 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V942 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V943 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V944 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V945 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V946 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V947 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V948 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V949 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V950 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V951 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V952 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V953 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V954 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V955 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V956 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V957 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V958 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V959 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V960 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V961 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V962 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V963 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V964 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V965 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V966 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V967 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V968 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V969 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V970 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V971 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V972 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V973 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V974 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V975 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V976 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V977 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V978 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V979 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V980 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V981 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V982 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V983 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V984 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V985 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V986 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V987 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V988 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V989 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V990 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V991 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V992 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V993 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V994 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V995 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V996 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V997 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V998 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V999 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

JX V1000 VIDEO LAB 0 Simple to use video editing packages. Includes various colours & speech. Includes various colours & speech.

VARIOUS UTILITIES

JX V16 FISH TANK SIM A program that simulates a fish tank. Includes various colours & speech. Includes various colours & speech.

JX V109 PRINT STUDIO Excellent for printing graphic pictures or just text. Includes various colours & speech. Includes various colours & speech.

JX V191 MASTER VIRUS KILLER Virus checker & killer. With excellent options. Includes various colours & speech. Includes various colours & speech.

JX V194 MR.BACKUP HD Hard disk backup program with compression. Includes various colours & speech. Includes various colours & speech.

JX V215 DISKMASTER v2.2 Copies files from one disk to another. Includes various colours & speech. Includes various colours & speech.

JX V262 DISKMASTER & BACKUP Super Duper, Turbo copy, Sanity copy, PCcopy. Four new disk copy utilities. Includes various colours & speech. Includes various colours & speech.

JX V277 FORTRESS v1.3c Compiler, linker & run time support files. Includes various colours & speech. Includes various colours & speech.

JX V279 CROSSWORD CREATOR Creates crosswords. Includes various colours & speech. Includes various colours & speech.

JX V284 MCAD PROGRAM The Object Drawing Program. Includes various colours & speech. Includes various colours & speech.

JX V298 NORTH C.V.1.3 (2) C. Language / Amos. Includes all files required. Includes various colours & speech. Includes various colours & speech.

JX V301 EYE OF THE BEHOLDER HINT BOOK Introductory, Background, Maps, Strategy & Solution. Includes various colours & speech. Includes various colours & speech.

JX V323 ANALYTICAL SPREAD SHEET (2) The best spreadsheet. Includes various colours & speech. Includes various colours & speech.

JX V324 AMIGA PRINT PROGRAM Predict which horse will win the race. Includes various colours & speech. Includes various colours & speech.

JX V339 SPECTRUM EMULATOR Data Disk 1. The Adventure Classics. Includes various colours & speech. Includes various colours & speech.

JX V350 BUSINESS CARD MAKER Design your own business cards. Includes various colours & speech. Includes various colours & speech.

JX V351 BUSINESS LETTERS Over 500 standard business letters. Includes various colours & speech. Includes various colours & speech.

JX V390 DESK TOP PUBLISHING Extra features & Graphics Editors. Includes various colours & speech. Includes various colours & speech.

JX V392 AMICASH BANKING The best banking program that I have ever used on the Amiga. Includes various colours & speech. Includes various colours & speech.

JX V394 CHEMISTRIES v2.06 Program that draws molecules using the catbox model. Includes various colours & speech. Includes various colours & speech.

JX V401 WINDOWBENCH v1.0 (2) An excellent Workbench 2 replacement / Upgrade for all WB v1.3 users. Includes various colours & speech. Includes various colours & speech.

JX V413 WORKSTATION Not just another WB clone. It's a collection of utilities with the Workbench 2. Includes various colours & speech. Includes various colours & speech.

JX V424 ANTI-FLICKER Stop the flicker in High Res mode during some Amiga program operations. Includes various colours & speech. Includes various colours & speech.

JX V431 IMPODER v4.0 Reduces file size for storage on hard drives. Includes various colours & speech. Includes various colours & speech.

JX V433 ANIMATION STUDIO Make your own little animations. Includes various colours & speech. Includes various colours & speech.

JX V434 PRINTER DRIVER DB (2) Now contains instructions on how to install them. Includes various colours & speech. Includes various colours & speech.

JX V479 CHESS & CHESS UTILITIES A collection of chess related Puzzles. Includes various colours & speech. Includes various colours & speech.

JX V484 ADVENTURE SOLUTIONS (2) Solutions to various adventures. Includes various colours & speech. Includes various colours & speech.

JX V489 AMIBASE PROFESSIONAL v2.0 Latest version of the excellent Database program. Includes various colours & speech. Includes various colours & speech.

JX V490 MESSY DISK v2.0 Will read VSDs disks. Transfer any text files to & from the hard disk. Includes various colours & speech. Includes various colours & speech.

JX V501 MESSY DISK v2.0 Will read VSDs disks. Transfer any text files to & from the hard disk. Includes various colours & speech. Includes various colours & speech.

JX V521 PLOTTER & GRAPHICS PLOTXY. A powerful full featured plotting program. Includes various colours & speech. Includes various colours & speech.

JX V523 DICE C COMPILER (2) Matthew Dillons full featured powerful C compiler & environment system. Includes various colours & speech. Includes various colours & speech.

JX V526 CATALOGUE UTILITIES A collection of utilities used to Catalogue Video & Tape collections. Includes various colours & speech. Includes various colours & speech.

JX V560 DUPLICATION & BACKUP A collection of utilities which Amiga Copy, Coder copy, PCopy, Ratcopy. Includes various colours & speech. Includes various colours & speech.

JX V569 DUNGEON MASTER MAPPER v1.1 Creates maps of dungeons and towns for AD&D use. Includes various colours & speech. Includes various colours & speech.

JX V571 HOMER v2.02 (2) Gives you the ability to create a home movie. Includes various colours & speech. Includes various colours & speech.

JX V573 FILE & HD MANAGEMENT (2) HODUCK v2.0, Program selector to make hard disk menus. Starts with gadgets. Includes various colours & speech. Includes various colours & speech.

JX V575 HOMER v2.02 (2) Gives you the ability to create a home movie. Includes various colours & speech. Includes various colours & speech.

JX V587 GEMSTONE FONTS (2) A selection of fonts for use with any DTP Package or DPaint disks. Includes various colours & speech. Includes various colours & speech.

JX V607 PRACKER v2.2 Written by Lars Pap Hammer. Another update to the Ultimate screen editor. Includes various colours & speech. Includes various colours & speech.

JX V610 GOLF SCORES v1.84 It will record each round you play. Store it, make up an eclectic score NEW! Includes various colours & speech. Includes various colours & speech.

JX V611 FOOTBALL LEAGUE EDITOR v1.1 Make up to update your league results. Includes various colours & speech. Includes various colours & speech.

JX V620 ASPIRE v2.0 Analyses a full featured program for electric circuit. Includes various colours & speech. Includes various colours & speech.

JX V621 EDWORD v2.2 Is a fully featured & operational Word processor. Includes various colours & speech. Includes various colours & speech.

JX V624 NIB COPIER v2.0 Will copy in AmigaDOS. Includes various colours & speech. Includes various colours & speech.

JX V625 NCCOM v2.0 Contains IFF-HVC v2.0, IFF-HVC v2.0, Zoom v5.40, DIMS v1.03, IFF-HVC v1.1, IFF-HVC v1.1. Includes various colours & speech. Includes various colours & speech.

JX V627 DPAINT FONTS v1-3 (3) The latest selection of fonts for use with any IFF Paint program. Includes various colours & speech. Includes various colours & speech.

JX V635 IBE EMULATOR v1.05 Is a CGA Colour IBM-PC Emulator written to run on any Amiga. Includes various colours & speech. Includes various colours & speech.

JX V647 HACKS A selection of WB Hacks that have been reviewed in CU. Includes various colours & speech. Includes various colours & speech.

JX V648 TITANICS CRUNCHER v1.0 Cruncher with built in virus checker. Includes various colours & speech. Includes various colours & speech.

JX V649 WP & SPELL CHECKER A collection of utilities to help with your word processing needs. Includes various colours & speech. Includes various colours & speech.

JX V659 COMPUTER DIAGNOSTICS (2) Is there a problem with your computer? Then what is it. Includes various colours & speech. Includes various colours & speech.

JX V660 HOME MANAGER This is a great all in one address book with an inventory database & To-do list. Includes various colours & speech. Includes various colours & speech.

JX V661 VERTEX Allows you to create 3D objects with-out using the T & Z. Includes various colours & speech. Includes various colours & speech.

JX V662 OUT-OF-BOX v3.0 PRO You can select the speed of the disk drive, Copy modes, Dos, Nbcopy, Ver & sfs copy. Includes various colours & speech. Includes various colours & speech.

JX V666 MODELLING OBJECTS (2) Contains over 20 vector objects in various formats. Includes various colours & speech. Includes various colours & speech.

JX V678 DRAW MAP v4.1 (2) You can generate world maps in detail. Includes various colours & speech. Includes various colours & speech.

JX V680 DISK OPTIMIZER v1.0 Reduces file size for faster loading. Includes various colours & speech. Includes various colours & speech.

JX V681 GAME TAMER v2.2 Get a hold of that hard disk! Includes various colours & speech. Includes various colours & speech.

JX V683 SUPER LOCK v1.01 Set your disks / Hard drives for your eyes only. Includes various colours & speech. Includes various colours & speech.

JX V684 FONT CHARACTER EDITOR v1.0 You can edit any font. Includes various colours & speech. Includes various colours & speech.

JX V685 ASTRO PRO ASTROLOGY Best Astrology program on the Amiga by far. Includes various colours & speech. Includes various colours & speech.

JX V686 MULTIDIS v1.12 After this program has been installed your Amiga drives can read 720K IBM disks. Includes various colours & speech. Includes various colours & speech.

JX V688 MAGNETIC PAGES v1.30 Creates disk based documents. Includes various colours & speech. Includes various colours & speech.

JX V690 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V691 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V692 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V693 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V694 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V695 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V696 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V697 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V698 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V699 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V700 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V701 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V702 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V703 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V704 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V705 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V706 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V707 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V708 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V709 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V710 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V711 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V712 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V713 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V714 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V715 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V716 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V717 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V718 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V719 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V720 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V721 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech. Includes various colours & speech.

JX V722 WB v2.04 UTILITIES (2) This set contains the programs that should have been with WB 2.04. Includes various colours & speech

Sometimes it's worth taking stock and counting your blessings. There's no denying that ARExx provides us with a comprehensive selection of built-in functions that allow us to perform all sorts of jiggery-pokery in our ARExx scripts. There are functions to format strings, read and write characters from files and much more besides. But while the selection of functions on offer is pretty comprehensive (especially when compared to lesser languages!), you may eventually feel that some extra functions would have been nice.

So what do you do when this happens? It may not be too much of a problem if you only ever intend to use the function that you need once, but wouldn't it be great to be able to add extra functions to the ARExx command set? Well, you can achieve this, simply by defining your own. What's more, user-definable functions can be written in such a way that they can be used over and over again. And as an added bonus, ARExx also provides direct support for powerful 'Procedures', which are completely independent of all surrounding code.

'myfunction:') and the 'return' instruction. The label marks the position of the user function within the script and also tells ARExx that all the code that follows the label belongs to a function. The end of the function is defined by the 'return' instruction, which can also be used to pass a value back to the piece of code that called the function.

In the case of our example program here, the value passed back by the 'return' instruction is automatically stored in an ARExx variable called 'number'. This is achieved using the instruction 'number = myfunction()'. This not only calls the function called 'myfunction()', but also tells ARExx that any values passed back by that function are to be stored in a variable called 'number'. If this were to be omitted, the function would be pretty useless.


You could, however, automatically display the value returned by the function using a line such as 'say myfunction()'. Then, because two functions have been combined, the value returned by 'myfunction()' would be passed to the 'say' function. Good eh?

```
myfunction:
say "Hello there!"
return
```

ARGONAUTS AHOY!

So far we've hardly produced anything worth writing home about, so let's take a look at a more advanced user function – such as the one shown in Listing 1. This

use the same function over and over again within different scripts. Say, for example, you wrote a script that held a customer's name in a variable called 'cn'. If this variable was also used by the function for another purpose, the value originally stored in 'cn' would be overwritten.



BOOKS FOR BOFFINS

Several of you have written to me asking whether any good books on ARExx programming are available. Although this column is designed to teach you everything you need to know about ARExx, I do realise that there are those among you who would like to take our ARExx tutorials

that bit further.

Unfortunately, ARExx isn't yet supported with many decent reference books. At the time of writing, the only ARExx book available is Abacus' brilliant *Using ARExx On The Amiga* written by Nick Sullivan and Chris Zamara, two of Abacus' most prolific authors. I've never really been a fan of Abacus publications, but this is one book that no self respecting ARExx coder should be

one uses the 'arg()' function (as discussed in last month's column) to pass values to a user function.

To be perfectly honest, there's very little difference between this function and the first function that we discussed. The only real difference is that we're passing values to the function by enclosing them within brackets when the function is first called. In this particular demonstration, we've passed three different types of parameters – strings ("ARExx", for example), numbers (1,2,3) and even the variable 'as' that we defined at the start of the script.

In fact, though, we don't technically need to pass parameters to a function and then use arg() to read them.

Although this makes our code considerably tidier and easier to read, ARExx functions have one big disadvantage that makes them somewhat less useful than they might have been.

Because the function is treated as simply an extension of the main program, all variables are what are called 'global' rather than 'local'. That is to say, any variable defined within a function can be addressed from within either another function, or indeed the main program itself.

Although this isn't too much of a problem when the function is only being used within a single script, it could create problems if you were to

The answer to this problem lies in ARExx's powerful 'Procedures' facility. Procedures offer the same neatness of code that functions give, but, as far as we are concerned, their big advantage is that any variables defined within a procedure remain completely independent of the rest of your code. To demonstrate procedures in action, let's recode the last example program so that a procedure is used instead of a function. The resulting script appears in Listing 2.

RECOMMENDED PROCEDURES


So what's the difference? After all, they both look the same (apart from the obvious name change). Look

closely, though, and you'll notice the addition of the 'procedure' instruction next to the function label. Obviously it isn't a function label anymore – because we added the 'procedure' instruction, the

label now defines a procedure. As you can see, apart from this addition, very little else has changed.

The only real problem with this example is that it doesn't really demonstrate how variables used by a procedure are independent of the main program (and vice versa). Let's take a look at another example that serves these purposes better:

```
/* Procedure Demo 2 */
```



STARTING SMALL

Anyway, let's start by taking a look at a very simple function. All this function does is to pass the value '12' back to a variable called 'number'. Here's the code in all its glory – type it in and run it to see the code working:

```
/* Function demo 1 */
```

```
number = myfunction()
say number
exit
```

```
myfunction:
return 12
```

Sure, it's hardly very exciting, but it does serve as a perfect example of ARExx functions in action. The important ingredients here are the label name (in this case,

Doing their own thing: the variables used by a procedure are completely independent of the main script

ARExx functions do have one slight peculiarity that you need to know about. Unless you specifically tell ARExx otherwise, it will automatically expect your function to return a value. If it doesn't (if, for instance, the function ends with just 'return') then ARExx will display an error message.

To get around this, you can call such a function using the ARExx 'call' command. The call instruction doesn't actually do very much – its role in life is to tell ARExx that the function which is being called will not return a value. Here's a demonstration of this in action:

```
/* Function demo 2 */
```

```
call myfunction()
exit
```



```
var1 = "Amiga Shopper"
var2 = "ARExx For All"

call myproc()

say "VAR1=" var1 "VAR2=" var2

exit

myproc: procedure
```

without. Not only does it cover the ARExx command set, but it also provides very good coverage of some of the more major applications that support ARExx. It's available from most good bookstores.

Still in the pipeline is *Amiga Shopper* contributor Paul Overaa's new ARExx tome, which is to be published by Bruce Smith Books. Entitled *Mastering Amiga ARExx*, the book claims to offer pretty much the same sort of coverage as the Abacus book, but with more up to date information on ARExx-compatible applications. Rest assured that as soon as it is released, I'll be bringing you a full review within these pages.

```
var1 = "Every month"
var2 = "AMOS Action"

say "VAR1=" var1 "VAR2=" 'J' var2
return
```

(Don't type the 'J' symbol – it's just there to show where the command goes onto the next line). As you can see from the code above, the script starts by defining two ARExx variables – 'var1' and 'var2' – and the strings 'Amiga Shopper' and 'ARExx For All' are written into them. The script then transfers control to our procedure 'myfunction' which then creates its own variables using exactly the same names. These are then displayed and the procedure passes control back to the main program. Then, just to prove that the original var1 and var2 haven't been affected by the procedure defining its

own versions of these two variables, their contents are then displayed on screen. If all went well, you should see something like this appear:

```
VAR1= Every month VAR2= AMOS Action
VAR1= Amiga Shopper VAR2= ARExx For All
```

However, there is a catch – procedures do create another problem. Say, for example, that you did want a variable to be shared between a procedure and the section of code that called it. At the moment, the only way to do this would be to pass the variable to the procedure using 'arg()', and then pass it back using the 'return' instruction. Although this would do the job, it's a lot of hassle. But the good news is that there is a way of getting around this limitation – by means of ARExx's 'expose' instruction.

THE CORRECT EXPOSURE

'Expose' is basically the ARExx equivalent of *AmigaBASIC*'s 'SHARED' instruction and *AMOS*' 'GLOBAL' instruction. What it does is tell ARExx that certain variables are to be treated as 'global' variables. That is, they can be addressed by both the main program and the procedure that you're interested in. In time-honoured tradition, let's take a look at another example script that makes use of this feature:

```
/* Expose demo */

var1 = "Amiga Shopper"

call myproc()

say "VAR1=" var1
exit

myproc: procedure expose var1
var1 = "Every month"
return
```

As you can see from this script, the 'expose' instruction is placed after the 'procedure' definition, followed by the name of the variable

NEXT MONTH • NEXT MONTH

We've covered a substantial amount of ground over the last few months of *ARExx For All*. Next month we'll be diving head-first into the subject of string manipulation within ARExx. With these functions under our belts, we'll be ready to start playing around with disk-based files. See you then!

that we wish to get at. Although we're only exposing a single variable in this particular example, there's no reason why you couldn't expose a whole list of different ones. To demonstrate that the variable has indeed been exposed, the script starts by storing 'Amiga Shopper' into the variable 'var1'. The procedure 'myproc()' is then called. All this does is change the value stored to 'Every month'. The procedure then passes control back to the main program and the value of var1 is displayed. If we hadn't defined var1 as a global variable, then it would still contain 'Amiga

Shopper' but, because it is now global, changing its value within the procedure results in 'Every month' being displayed.

Well, that's about it for procedures and functions. As you can see, they're actually very simple to use. Despite this simplicity, they're one of the most powerful aspects of the ARExx command set. If you want to make your ARExx code as readable as you can, then try to use them as much as possible. If you do, you'll know that your ARExx scripts will be considerably easier to amend at a later date, should the need arise. **AS**

AREXX FOR ALL

It's do-it-yourself time! Jason Holborn explains how writing your own functions and procedures makes your ARExx code much more readable

LISTING 1 • LISTING 1 • LISTING 1

```
/* Function demo 3 */

as = "Amiga Shopper"
numargs = myfunction("ARExx", "For", "All", 1, 2, 3, as)
say "Number of arguments =" numargs
exit

myfunction:
numargs = arg()

do count = 1 to numargs
say "Argument" count "=" arg(count)
end
return count
```

LISTING 2 • LISTING 2 • LISTING 2

```
/* Procedure demo 1 */

as = "Amiga Shopper"
numargs = myproc("ARExx", "For", "All", 1, 2, 3, as)
say "Number of arguments =" numargs
exit

myproc: procedure
numargs = arg()

do count = 1 to numargs
say "Argument" count "=" arg(count)
end
return count
```


Reader Ads

... Or how you can reach 50,000 fellow Amiga owners for only a fiver

WANTED

Help! Is anyone out there selling a SoundQuest editor librarian for Ensoniq SQ80? ☎ 010 322 252 0570 or write to Nielsen, Marktstr 2, 1800 Vilvoorde, Belgium. Thanks

FOR SALE

Amiga 1500 Workbench 1.3 with Action Replay Mk III with 20 games and Deluxe Paint II. Complete with mouse, manuals and fully boxed. £399 ono ☎ Uxbridge 0895 252905

Amiga 1500 1084S monitor, MIDI interface, Sequencer One, bundled software, many games, loads of magazines with coverdisks. Cost me £1200+, accept £500 ono. Buyer collects. ☎ Steve: Leeds 0532 480365

B5000 25Mhz with 2 Megs 32-bit super fast RAM! Worth £££. Offers: ☎ 071 435 5946 ask for Philippe. Also A590 20 Meg H-Drive with 2 Meg RAM. Any offers? Also Master Sound £££

Accelerator card for A500 by SSL. 6802 + 68881 + 4 Megs 32-bit RAM £100 ☎ Cox 0642 815914

KCS Power Board with MS-DOS 4.01 for A500 £130. 8Mb RAM card for A2000 2Mb populated £75 ☎ 0403 273269 eves West Sussex

Amiga 500+, 2Mb WB2.0 Cartoon Classics pack boxed £290 GVP 52Mb hard disk guaranteed, boxed £300 CSA-MMR 68030/25, 512K SRAM, 2Mb DRAM accelerator card for

A2000/1500/500 £530 Pro-Page 3 £95 ☎ 0846 651257

Amiga A500 v1.3, 2Mb RAM (ICD Ad-RAM 540 board), AMOS, DPaint II, Batman, Starray, NZ Story etc. VGC, all boxed with manuals, offers around £250 ☎ (0703) 676777

Amiga 500 (1Mb) with joystick, mouse and 20 games all in great condition with manuals and boxes £250 ☎ Thomas Greenwood on 0785 815378

Amiga Software Sculpt 4D £100 Real 3D £60 All in good condition with manuals. Also AMOS Creator, AMOS 3D ☎ 0469 576487 after 7pm South Humberside

Amiga 500 Plus Cartoon Classics includes DPaint III, animation program, joysticks. As new £300 with extra games ☎ 0273 202618 evenings

A1500 for sale GVP Series 2 52Mb hard card with 4Mb RAM. Also Commodore display enhancer board 2320 Wb2 and ECS £650 ☎ 0224 740795

Hewlett Packard 7440A 8-pen colour plotter A4 size, immaculate condition, with manual. A must for CAD and presentations £290 ☎ 081 395 2525

Rombo Vidi Amiga digitiser with RGB splitter and Vidichrome software. Ideal for making Xmas cards with your picture on! Can use SVHS. Perfect condition with manual £105 ☎ 081 395 2525

Seagate 94221/190 5.25" half-height SCSI drive. 190Mb unformatted

capacity. In external case with PSU and fan. Complete with workshop manual and cable. Perfect!! Absolute bargain £380 ☎ 081 395 2525

Amiga A600HD (20 Mb) computer with 1Mb Chip RAM and three-year warranty £400. Star 24-pin printer (LC24-200) with eight LQ fonts and new Star drivers £140. ☎ Alan 0324 562 722

CSA Mega Midget Racer accelerator for A500, A1500, A2000. 25Mhz 68030, MMU, co-pro, 512K SRAM, 4Mb 32-bit DRAM. See F-18 Interceptor fly with this baby!! Superb £520 ☎ 081 395 2525

Amiga 1500 WB2.04, GVP 52Mb HC, plus 2Mb installed, £200 worth of software, all 7 months old or less £870 Star LC-10 printer £79 (VGC), 1084S monitor £165 ☎ 0222 615459

Amiga 500 v1.3, Fatter Agnus, 1Mb Chip, 2Mb Fast, new 52Mb GVP HD+, PSU, mouse, £250 of software (boxed with manuals). All for £600. ☎ Jon 081 868 9033 eves

Hard drive for Amiga 500, Supra 500XP with Quantum 52 Meg, 11ms access, 2 Meg RAM and power supply £290 ono ☎ Mark Ismail day 051 443 2276 evening 051 734 2633

Bargain package Amiga CDTV, keyboard, tracker ball, 4 CDs. As new, one month old. All boxed for gifts £400 ono ☎ 0223 842123

KCS Power board with MS-DOS 4.01 boxed £130 ADRAM 2080 for B2000 etc bargain £75 with 2 Megs RAM DOS 2 DOS and Quarterback tools

£30. Both boxed, swaps possible ☎ 0403 273269

Wordworth v.1.1 £50 Quartet music software £20 Cruise for a Corpse game £15 ☎ 0455 233354 evenings only

KCS Power PC board for Amiga A500 1.3. Latest version which supports VGA and most hard disks. Includes MS-DOS v4.01 £120 ☎ Jonathan 0204 852773 after 5pm

Supra 500RX RAM expansion 2 Meg installed, manuals, software, mint condition £90 ono. Will swap for Digiview, Rombo W.H.Y? ☎ Nick 071 377 2090 Central London

Syquest SQ555 44Mb SCSI hard drive with one removable cartridge. Only £200, would cost £400. ☎ Ken Holland 0929 463945 after 6pm

20Mb external SCSI hard drive with case, PSU and cables. Full of clips and fonts. Ideal 2nd (data?) drive for A590 etc. ☎ Ken Holland 0929 463945 after 6pm (Dorset)

Kinky sex got your attention A500 1 Meg, Epson EX1000 printer, DPaint, W/P, many games. All in mint condition, bargain £299 ☎ John after 7.00pm please on 081 660 8331

Free! A2088 IBM-XT bridgeboard with 5.25" drive when buying GVP HL8+ 105Mb Quantum 2Mb RAM board v4 £450. Free Supra 2400Zi+ modem with A1500 WB2 £450. ☎ 051 426 0138

A500 WB1.33/2.04 3 Meg RAM (1 Chip, 2 Fast) ICD AdSpeed 14Mhz (same as new A1200) + 52 Meg HD +

all documents, instructions, receipts, boxes. PenPal 1.3 VGC £600 ono. Very stable environment, games and PD ☎ 0609 778622

15" Phillips 'Cube' R/C Teletext TV/monitor. Mint condition, one month old. Upgrading forces sale. Gold review in Amiga Format 38. Cost £280, sell for £200 ☎ Maidstone 0622 39958

A600HD Computer with 20Mb hard drive 1Mb and colour TV (on screen display), few games only £550. ☎ Medway 0634 684933 evenings only

Supra RAM 2999 Sup board for 1500/2000 in orig pack + test software for 2 Meg £75 ☎ 0494 713775

ICD SCSI hard drive controller, 3 months old, cost £150, selling for £100. Home Accounts 2 selling for £30. ☎ 0202 604104

A500 2.5Mb (1Mb Chip), 2.04/1.3 (ROM switch installed), external drive, 28 games, AMOS, DPaint, plenty of PD and utilities. VGC, all boxed with manuals £299. ☎ Ian 0532 576733 weekends

Amiga A1500 4Mb, 68020 accelerator, software, one year old £700. ☎ Gary Moon, Chingford, London, 081 529 5801

Ashcom Addax AX500 external RAM expansion for A500/A500+ 2Mb populated £70. ☎ Terry 0734 788688 evenings

Amiga 500 24-pin printer and colour monitor £550 ovno, £530 for cash ☎ Rick Lu on 061 796 0213. Genuine reason for sale, cost £800+. Complete with 1 Meg upgrade, disks and games

A1500+ 4Mb RAM (2Mb Chip), 52Mb hard drive, triple ROM switch, 25Mhz accelerator card, 8852 monitor, modem, sound sampler, £1800. Mark Smith, 117 St Owen Street, Hereford

GVP 52Mb hard drive + 2Mb RAM, 1 year old £270 ono, Panasonic KXP1124 24-pin printer £100 ono. Cash only ☎ 081 977 7465

CDTV as new with 6 disks includes Fred Fish collection £300 and lots of Amiga games for sale most games a fiver!! Silent Service, Lemmings, Populus ☎ Paul 0908 674687

GVP HD8+ for A500+ 52 Meg Quantum 4 Meg RAM immaculate boxed complete as new. A giveaway at £300 ☎ Wigan 0942 201541

Graphics Tablet 12" by 12" £85. Pro Page 3.0 £75. Imagine £60. Scala £45. Video Titrer 3D £35. DPaint IV £25. Gfx bundle: (Digipaint 3 Video Scope 3D etc.) £35. All boxed. ☎ 0298 22862

Datafier 105Mb hard drive fitted with Quantum SCSI drive less than 1 yr old A1200 forces sale £300 ☎ 0843 822759

FANZINES

Trojan Phazer users! You must get 'Marksman' now. Includes free game. £1.50 disk from David Green, 67 Thicket Drive, Maltby, Rotherham, South Yorks S66 7LB

Totally Amiga! 3-disk magazine created using CanDo, packed with articles, reviews, news, games, music and the latest utilities. Send £3.50 to R Wild, 8 Cranleigh Place, Whitley Bay NE25 9UD

It's only £5 to sell your used hardware and software in Amiga Shopper

Sell your excess hardware and software with *Amiga Shopper* Reader Adverts. Just fill in the form and send it to us along with a cheque (made payable to Future Publishing) or postal order for £5. But **BE WARNED**. This magazine is not a forum for selling pirate software or other illegal goods. Software must include all issue disks, manuals and

Trade ads will not be accepted, including anyone advertising the sale of PD software.

a signed statement that all other copies have been destroyed. Please advise us if you are offered pirate or copied software by advertisers. All ads are accepted in good faith. The editor reserves the right to refuse or amend ads. We accept no responsibility for typographical errors or losses arising from the use of this service.

Name Issue 23

Address (not for publication)

Postcode

Date

Tel.

Tick one box to show required section heading

For sale ☐

Wanted ☐

Personal ☐

Fanzines ☐

Use one space for each word. Only the words in this section will be printed.

Return with your

cheque to:

Reader Ads,

Amiga Shopper,

30 Monmouth

Street,

Bath,

Avon BA1 2BW

Unfortunately we cannot guarantee insertion in a particular issue.

I have read and understood the conditions for the inclusion of my ad.

Signature

AMIGA FORMAT SPECIAL

KNOWLEDGE IS POWER...



SO BECOME POWERFUL

The first week of March 1993 sees something very, very special coming from the makers of *Amiga Format* the world's best-selling magazine for the Amiga... *The Encyclopaedia of the Amiga* is jam-packed with facts, details and inside info about your machine. We will tell you about the history of the Amiga, about the companies that support the machine, and about the software and hardware that makes the Amiga the best home computer ever. And we'll tell you much more than that too. It all comes down to more power to you, so don't miss it...

**THE ENCYCLOPAEDIA OF THE AMIGA WILL BE ON SALE FROM
THURSDAY MARCH 4 PRICED AT £3.95**

Sailing through



Our series of programming tutorials continues with a look at how C uses strings, arrays and functions. Toby Simpson is here to give you a few pointers

Last month we discussed arrays and strings, and discovered that a string is actually an array of characters with a zero at the end. This time around, we're going to talk about the most difficult concept used for programming in C – the pointer.

This will let us start to use Amiga-specific functions for slightly more interesting tasks than just printing strings on the screen!

So, what is a pointer? Well, its name gives it away. A 'pointer' in C is something that points to something else. Just as we can have variables that are integers, characters or other goodies, we can also have variables that are pointers. Lost yet? Let's use a small example to explain what is going on here:

```
int *age;
```

You should recognise this as a declaration for the integer variable **age**. The asterisk (or 'star' character) means that rather than **age** holding an integer value, it actually holds a pointer to where an integer value is stored. In computing terms, it holds the address of a memory location. Let's try another example:

```
#include <string.h>
#include <stdio.h>

void main(void)
{
    char full_name[128];
    char *pointer_to_name;

    pointer_to_name = &full_name[0];

    *pointer_to_name = 'a';
    pointer_to_name++;
    *pointer_to_name = 0;
```

```
printf("String was: \n", full_name);
}
```

This looks quite complicated, so don't worry if you're not quite sure what's going on yet. First, let's examine the variable declarations at the start. Initially, we have declared an array of up to 128 characters in the same way as we did last month, ready to put a string of some sort into it. Underneath, we have created the variable **pointer_to_name**, which is a "pointer to a variable of type char". The next line introduces a new operator, the 'ampersand', which

looks like this: '&'. You should read this as meaning "the address of." Translating this line into English gives us something like:

"**pointer_to_name** becomes the address of the first element in the **full_name** array of characters".

Following all this so far? Good, it doesn't get much worse – honest. If you're not too sure about it, read the above paragraph once more, and perhaps try typing in the program. We have now obtained the actual memory address of the first character in **full_name**.

So, if we convert the line after that into English, we get:

"put the character 'a' into the address held in **pointer_to_name**".

This writes the character 'a' into the address held in our pointer. The line after that uses post increment to

add one to the address, with the result that **pointer_to_name** now points to (or, in other words, stores the address of) **full_name[1]**. We then write a zero into this new address. So, all this code has the same effect as the single line:

```
char full_name[128] = "a";
```

You might wonder why on earth we've gone to so much trouble over something that is as obviously straightforward as putting the string "a" into a character array. Well, pointers are one of C's most powerful features, as we shall soon see. But, on the other hand, it is astonishingly easy to get very

JARGON BUSTERS •

GUI – Graphical User Interface. This is what you actually see on your screen when you are using your Amiga. On the IBM PCs and compatibles, the GUI is Microsoft Windows. On the Amiga the GUI used is called Intuition.

Gadget – On the Amiga, this is something you click on to do something, such as a button, or a box to enter a number or a string, or a check-box for example.

Pointer – In C a pointer is a

muddled up when using them – unless you're entirely clear about how they work. Once you have set up a pointer, the computer is unable to tell you if you are adding silly values to it, or if you have not set it up correctly. This makes it all too easy to write into the wrong part of memory, causing crashes which are very difficult to track down. If you're still not sure about pointers, then do read the above section again. Otherwise you may well go prematurely bald, after pulling all your hair out while looking for elusive pointer programming bugs.

Just about everything in C relies on pointers. For instance, let's write a small program that returns the length of a string. All you have to do is pass it a pointer to one:

```
#include <stdio.h>

int strlen(char *string);

void main(void)
{
    char test[128] = "Hello \n world";

    printf("%ld\n", \n strlen(&test[1]));
}

int strlen(char *string)
```

LISTING 1 • LISTING 1

```
/* Program to flash workbench screen */
#include <stdio.h>
#include <exec/types.h>
#include <exec/exec.h>
#include <intuition/intuition.h>
#include <clib/exec_protos.h>
#include <clib/intuition_protos.h>

struct Library *IntuitionBase; /* pointer to intuition.library */

void main(void)
{
    /* Open the intuition Library, and find its address */
    IntuitionBase = OpenLibrary("intuition.library", 33);

    if (IntuitionBase == 0)
    {
        /* Result was zero, so it failed to open */
        printf("Error: Couldn't open Intuition Library\n");
        /* Quit */
        return;
    }

    DisplayBeep(NULL);
    CloseLibrary(IntuitionBase);
}
```



```
{
    int length;

    length = 0;
    while(*string++ != '\0')
        length++;

    return length;
}
```

So, how does all this work? First, we have our main program which simply creates a string called **test**. This contains that world-famous pair of words: "Hello world". We then call our **strlen** function with "the address of the second character in the string **test**". This is obtained using **&test[1]** – remember that arrays are

ready to put some of this learning into action and write a listing that actually does something impressive. In fact, it's going to be a big program that does next to nothing, but, once again, it'll be great for showing how things work.

VISITING THE LIBRARY

At the risk of adding to the (hopefully mild) confusion so far, let's talk about 'Libraries' for a while – and I don't mean the ones with books in them. The Amiga has an advanced 'pre-emptive multi-tasking operating system' built in, but you knew that already of course! If your Amiga has Workbench 2 or 3, you have 512K of ROM inside your Amiga, a whole half-

"Aha!", you will probably exclaim at this point, if you've been following everything carefully so far. "Toby's caught himself out this time – how can you use a routine in the **exec.library** to open a library, as that would mean there was no way of opening the **exec.library** in the first place?" Well, it's a good question, but the answer is simple: the **exec.library** is always open, and you can always call routines from it.

FLASH OF INSPIRATION

In our next example we're going to use two libraries, in order to call one simple routine in the **intuition.library** that flashes the Workbench screen. We're going to expand this program

simple terms as an array, but each element could be a different type. For example, a structure might contain several INTs, some CHARs, some pointers perhaps, and so on. One such structure is called a 'Library structure', and it is defined in the **exec.h** include file. When we call **OpenLibrary**, it returns a pointer to a Library structure which belongs to Intuition. By storing this information, we are then able to use the library. The compiler will ensure that every time we call an Intuition routine, that this number is quoted. If you like, it's our access card – without it we can't get to anything useful in Intuition.

The first thing we do in Listing 1 is to open the Intuition library. The routine **OpenLibrary** is in the **exec.library**, and takes two parameters. One is a pointer to a null-terminated string which is the name of the library we wish to use. The other is the minimum version of this library which we are able to use. This is quite important if, for instance, you are going to use Workbench 2 functions – you will have to ensure your program will stop gracefully on a Workbench 1.3 machine without crashing when it tries to use a routine that does not exist. We are using version 3.3, which is Workbench 1.2, as nothing we are doing requires anything higher.

Assuming that the required version of the library is available, it will then be opened. If, for some reason, it did not open (due to a misspelt name, wrong version, library not available, or whatever) then **OpenLibrary** will return a zero. We then test for this and quit the program if it failed.

Otherwise, we call the **Intuition.library** routine **DisplayBeep**, which flashes a screen. You pass it a pointer to the screen you wish to flash, or zero ('null') to flash the default screen (in most cases, this is the Workbench screen). Having done this, we close the library and quit.

If you have the *Libraries* RKM, or better still, the *Includes* and *Autodocs* one, it's worth looking up the **DisplayBeep** function to see what they say about it.

LOOKING FORWARD

It's got a bit complicated this month, and we've introduced lots of new things to learn. Next month we'll take a little step backwards, and discuss structures, pointers and functions in more detail. This will help us call more powerful functions in the **intuition.library** and help us towards the eventual goal of opening a window with some control buttons on it. In the meanwhile, have a play around with string pointers! **AS**

This month's C listings are on the cover disk – see page 22 for details!

BUSTERS • JARGON BUSTERS • JARGON BUSTERS • JARGON BUSTERS

variable type which points to something in memory.

Pre-emptive – The Amiga has a pre-emptive multi-tasking operating system. To explain briefly: there is an overall system controller program (called the 'executive') which gives each program running a fair chunk of available processing time depending on its priority. It's called pre-emptive because the executive will stop the currently running task without asking it and pass control to the

next. This results in smooth multi-tasking.

Co-operative – This is a different, and far inferior way of multi-tasking. Microsoft Windows operates in this way, as does Risc-OS on the Acorn Archimedes. With co-operative multi-tasking each program has to say "I've finished for now" before the next one can get some time. The result of this is that if any individual program takes more time than it needs,

or fails to say that it's finished, all of the other tasks stop. The Amiga does not suffer this burden because it uses a different form of multi-tasking.

RKM – Rom Kernel Manual. The RKMs are the official Commodore reference manuals, describing every routine inside the Amiga. There are six books: *Libraries*, *Devices*, *Includes* and *Autodocs*, *Style Guide*, *Hardware Reference Manual* and finally the *DOS Reference Manual*.

always numbered from zero. So, this will be a pointer to the 'e' of "Hello world" rather than the 'H'.

Our function **strlen** takes one parameter, and that is a pointer to characters. In this routine, we clear a counter (**length**), and while "the character held in the pointer called **string** is not zero, add one to **length**. At the same time, also increment the pointer each time to point to the next character." Put like this it's not so hard after all! Finally, we return the contents of the **length** variable.

You may be wondering what the instruction just before the **void main(void)** line is. Well, this is a 'function prototype'. It tells the compiler what parameters our function takes, and thus allows it to check to see if we're calling it properly. If we pass it the wrong sort of value, it will point this out as a warning when we are compiling.

In reality we never have to write routines as simple as **strlen**, as they are already provided for us, along with all sorts of other handy functions for dealing with strings.

Strlen was used to show that pointers are both useful and versatile. A considerable quantity of the Amiga operating system calls take pointers to one thing or another.

So, now that we're familiar with the basic idea of pointers, we're

Megabyte storing the Kickstart. This Kickstart ROM contains all of the routines and programs that make your Amiga work: the Workbench, the windows, screens, disk drive drivers, and so on. All of these routines are grouped into functional blocks called 'Libraries' or 'Devices', and given names. This gets much more complicated very rapidly, so rather than getting bogged down in details, we'll use a quick example to explain the concept better. We'll pick on one particular library, the **Intuition** library. This is responsible for the Amiga GUI,

which is what you see on the screen when you use Workbench. Intuition controls all of the Amiga's windows, screens, gadgets and much more.

In order to use the library, we first have to 'open' it. Because of the multi-tasking nature of the Amiga, we have to ask before we can use Intuition. The operating system tells us if it is available, and if so, where it is. This then enables us to call its routines. When we have finished using the library, we must close it. The opening and closing routines can be found in the **exec.library**.

later, so it's a good idea to type it in. The full program appears in the box marked 'Listing 1'.

Now, some of this may look unfamiliar to you, but don't worry – all will be explained. For a start, we've included lots of strange files. In fact, what we've done here is included the definitions for the

exec.library and **intuition.library**, and also the prototypes for all of the functions in them. You should recall what a prototype is from our **strlen** example above. It ensures that the C compiler knows

"...pointers are one of C's most powerful features, as we shall see."

about all of the routines we are about to call. Another stranger to us is the program line:

```
struct Library
*IntuitionBase;
```

By now, you should recognise the * symbol as meaning 'pointer'. **Struct**, however, is a new one which will be dealt with in more detail in next month's tutorial. For now, I'll provide a brief explanation, as it's not too important just yet. **Struct** is a structure. You can think of it in

PHILIPS 8833 MKII

EX-DEMO
REFURBISHED AS NEW

£150.00

This price includes cable, delivery and V.A.T.

AMIGA A600 / A1200 HARD DISK DRIVES

Internal 2.5" IDE interface

20 Meg £99.00

60 Meg £205.00

This price includes cable, delivery and V.A.T.



TEL. 081 330 7533
FAX. 081 330 4838



COMMONSIDE LTD.

Unit 13, 193 Garth Road, Morden, Surrey SM4 4LZ

MILLENNIUM MICROS

DISCOUNT MAIL ORDER COMPUTER SUPPLIES

THIS IS ONLY A SMALL SELECTION OF OUR STOCK - SO IF
YOU CAN'T FIND WHAT YOU WANT BELOW - PHONE

Amiga 600/1Mb/Deluxe Paint 3/Lemmings.....£279	B5000 68030/68882 33MHz/4Mb RAM.....£489
Amiga 600/1Mb/20Mb internal IDE Hard Drive.....£439	B5000 68030/68882 33MHz/8Mb RAM.....£629
SpaceAce, Kick Off 2, Pipe Mania, Populous.....Add £15	GVP G-Force 68030EC/68882 25MHz/1Mb RAM.....£539
Zool, Striker, Pinball Dreams, Transwrite.....Add £15	GVP G-Force 68030EC/68882 40MHz/4Mb RAM.....£779
Amiga 500 Plus/1Mb/Caroon Classics.....£245	GVP G-Force 68030/68882 50MHz/4Mb RAM.....£1099
CDTV/Infrared remote/Workbench 1.3 & Manuals.....£369	GVP G-Force 68040 33MHz/2Mb RAM.....£1149
CDTV Multimedia/Keyboard/FDD/Fred Fish.....£459	GVP A530 Combo 68030EC 40MHz/1Mb/52Mb HD.....£629
Amiga 1200/2Mb/14MHz/AGA Graphics/WB 3.....£375	GVP A530 Combo 68030EC 40MHz/1Mb/80Mb HD.....£649
Amiga 1500/1Mb/WB 2/The Works/Deluxe Paint 3/.....£429	GVP A530 Combo 68030EC 40MHz/1Mb/120Mb HD.....£725
Home Accounts/EH/Toki/Puzzle.....£429	FUSION 68040/28MHz/4Mb RAM.....£1149
Amiga 3000/25MHz/52Mb HD/1 Mb RAM.....£1375	A2620 14MHz/2Mb 68020 (A1500/2000).....£189
Amiga 3000/25MHz/105Mb HD/1Mb RAM.....£1575	
Amiga 4000/25MHz/AGA Graphics/40Mb HD.....£1989	
Amiga 4000/25MHz/AGA Graphics/120Mb HD.....£2089	
Amiga 4000/25MHz/AGA Graphics/240Mb HD.....£2479	

Many other 3000/4000 Configurations available

VIDEO DIGITISERS AND ENHANCEMENTS

Opalvision 24 Bit Graphics card & video system.....£625
Opalvision frame grabber/Genlock module.....PHONE
Opalvision Roaster.....PHONE
Opalvision Scan Rate Converter (De-Interlacer).....PHONE
Opalvision Quad input production switcher.....PHONE
Scala Presentation system software.....£159
GVP Impact Vision 24 Bit Colour.....£1539
Harlequin VLAB Real Time YUV Digitiser.....£259
Harlequin MS-P3400/Genlock/Decoder/Encoder/Multi-standard/Linear plus digital keyer (19" rack).....£2049
Harlequin TV Paint 32 Bit Graphics Package.....£729
Harlequin 1500 Framebuffer.....£1149
Harlequin 3000 Framebuffer.....£1299

ACCELERATORS

SOLID STATE LEISURE (A500/A1500/A2000);	
A5000 68020/68881 16MHz/1Mb RAM.....£179	
A5000 68020/68881 16MHz/2Mb RAM.....£205	
B5000 68030/68882 25MHz/1Mb RAM.....£Phone	
B5000 68030/68882 25MHz/4Mb RAM.....£405	
B5000 68030/68882 25MHz/8Mb RAM.....£545	
B5000 68030/68882 33MHz/1Mb RAM.....£Phone	

HARD CARDS

GVP IMPACT Series 2 HC8+ No Hard Drive.....£119
GVP IMPACT Series 2 HC8+/42 Mb Hard Drive.....£229
GVP IMPACT Series 2 HC8+/80 Mb Hard Drive.....£325
GVP IMPACT Series 2 HC8+/120 Mb Hard Drive.....£385
GVP IMPACT Series 2 HC8+/213 Mb Hard Drive.....£625

HARD DRIVES

GVP Series 2 HD8+/42Mb Hard Drive (A500).....£269
GVP Series 2 HD8+/80Mb Hard Drive (A500).....£359
GVP Series 2 HD8+/120Mb Hard Drive (A500).....£399
GVP Series 2 HD8+/213Mb Hard Drive (A500).....£625
QUANTUM 120Mb Hard Drive (No Controller).....£309
MAXTOR 213Mb Hard Drive (No Controller).....£479
ICD Ad SCSI Frame (1500/2000).....£75
MICROBOTICS Hard Frame Card (1500/2000).....£129
ROCTEC Roomate external Hard Drive case.....£89
A570 CD Rom Drive.....£319
ZAPPO 40Mb Hard Drive/0Mb RAM.....£279
ZAPPO 60Mb Hard Drive/0Mb RAM.....£339

RAM EXPANSION BOARDS/SIMMS

GVP Series 2 RAM8/0Mb Populated.....£95
GVP Series 2 RAM8/2Mb Populated.....£139
SIMM 32-1Mb 60ns RAM upgrade (A530/GF-030).....£65
SIMM 32-4Mb 60ns RAM upgrade (A530/GF-030).....£169
SIMM 32-1Mb 40ns RAM upgrade (G-Force 040).....£149
SIMM 9 Bit/1Mb 80ns (HC8+/HD8+/RAM8).....£45
SIMM 9 Bit/4Mb 80ns (HD8+).....£129

All prices include VAT and full warranty. Postage £8 (up to 6 items).


Credit/Debit Card Orders 081-546-4522. 9am - 8pm 7 days.

Cheque/Postal Orders to:

Millenium Micros, 30 Fernhill Gardens,
Kingston, Surrey KT2 5DL

PREMIUM BULK 3.5" DS/DD DISKS

25	10.99
50	20.50
100	36.99
250	84.99
500	164.99



ALL DISKS ARE FULLY GUARANTEED
AND ARE COMPLETE WITH LABELS

3.5" SUPERIOR LOCKABLE DISK BOXES

100 Capacity	4.49
120 Capacity	6.49

3.5" PREMIUM DISKS WITH OUR BOXES

100 Cap. box + 50 3.5" DS/DD	24.49
120 Cap. box + 100 3.5" DS/DD	42.99
90 Cap. Bank box + 50 3.5" DS/DD	29.49

3.5" BANK BOX - 90 CAPACITY

A SUPERB PRODUCT WHICH IS BOTH
LOCKABLE AND STACKABLE

ONE	9.95
TWO	18.95
THREE	26.95



**SNAP
COMPUTER**

SUPPLIES LTD

HOTLINE

**0703
457111**



RIBBONS - POST FREE

Full Mark Brand	2 off	4 off
PRICE EACH		
Citizen 120D/124D Swift 24	2.75	2.55
Citizen Swift 24 Colour (Compat)	12.95*	
Panasonic KXP 1080/1123/1124	3.25	3.05
Star LC10/LC20	2.60	2.40
Star LC10-4 Colour	5.90	5.70
Star LC24-10	2.95	2.75
Star LC24-10 Colour (Compat)	9.95*	
Star LC200	3.00	2.80
Star LC200 Colour (Compat)	9.95*	
Star LC24-200	2.95	2.75
Star LC24-200 Colour (Compat)	9.95*	
Ribbon re-ink	12.95	

Minimum order - 2 ribbons, except those
marked with an asterisk *

ACCESSORIES - POST FREE


Amiga External Drive	49.99
A500 1/2MB upgrade with clock	23.99
A500 1/2MB upgrade without clock	21.99
Mouse Mat	2.99
Mouse Holder	2.99
Roll 1000 3.5 Disk Labels	8.99
Amiga A500 dust cover	3.50
Phillips monitor cover	3.99
Star LC10, Star LC20 covers	
Star LC24-10, Star LC24-200 covers	3.99

All products are subject to availability - All prices include VAT.
Please add £3.50 p+p for disks and boxes. E&OE.



SNAP COMPUTER SUPPLIES LTD Fax: 0703 457222

Unit 16, The Sidings, Hound Rd, Netley Abbey, Southampton SO3 5QA



Find your local group

1520 Plotter Group (ICPUG) John Bentley ☛ 06286 65932

16-32 Micro Programming AMOS, bimonthly fanzine, PD, (Fish->590) Membership 100FF or £10. For more information contact F Moreau, 132 rue Jean Follain, 50000 Saint-Lo, France ☛ 31 52 20 02

Action Replay Users Club For help, tips, lists of pokes. Free. For more details contact Gordon Hagan, 66 Muirside Avenue, Kirkintilloch, Glasgow G66 3PR

Allbit Computer Club General hints and tips, advice, competitions, draws, shop. Entrance fee £1.50. Contact Mick, 170 Cloughton Ave, Crewe, Cheshire CW2 6ET

Amiga Addicts Newsletter and open nights For info SAE to A Minnock, Clonkelly, Binn, Co Offaly, Ireland

Amiga Artists Club 34 Roundhay Mount, Leeds LS8 4DW. For Amiga artists, musicians and coders. Pirates not welcome. Free. ☛ Kam on 0532 493942, 5-8pm

Amiga Athens club PD swaps, tips, cheats etc. Free membership, just new PD or tips in exchange for our services. Contact Stefanos Papamichael, 9 Derfeld Rd, Patisia, 11144 Athens, Greece. ☛ 01/2027973

AmigaBASIC club Free bi-monthly disk, help for beginners and experts. Membership £10 per year. Contact Conran Ahmad, 15 Weybridge Rd, Thornton Heath, Surrey CR7 7LN ☛ 081 689 9102

Amiga Beginners' Club 110 Whitehill Park, Limavady, Co. Londonderry BT49 0QG. Club to help newcomers. Bi-monthly club disk, and a small PD library. Membership £2 for a single disk, or £20 for every issue

Amiga Graphics Club I want to set one up! But to do so, I need your help. If enough of you reply, your graphics can only benefit. For details you should write to Jonathan McBrien, 16 Drumbawn, Enniskillen, Fermanagh BT74 6NF

Amiga Helpline Contact Gordon Keenan, 21 Skirsa Place, Glasgow G23 5EE. Software/hardware help service, free PD, DTP problems sorted, plus general Amiga chit-chat. Send a stamp for full details. Membership £15 per year

Amiga Mania Bi-monthly publication (28+ pages). Public domain, licenseware, bargains, classifieds, free advice, free gifts, free disks. Annual membership £12. Contact D Cryer, 88 Blackbull Rd, Folkestone, Kent CT19 5QX

Amiga Maniacs Help Graphics, sound, Workbench, programming, help on any topic. Beginners welcome. Free membership (by post). Contact Johnny, 8 Tan-y-Graia, Caernarfon Rd, Bangor LL57 4SD

Amiga Musicians Club Membership gets you a disk with 50 IFF samples a month for 12 months. Also sample service. Membership £30. Contact Gavin Wyllie, Guthrie Street, Carnoustie, Angus

Amiga Navigation Contact Dave Thomas 4a, Allister St, Neath, W Glamorgan. PD, advice, even small repairs and social evenings. Weds 7 - 9pm. Membership £10 per year

Amiga Network International 2 monthly club disk, reviews, advice. For info contact Phil or Steve: 434 Denby Dale Rd East, Wakefield, W Yorks WF4 3AE

Amiga PD Exchange at 27 Spa Rd, Preston, Lancashire, PR1 8SL. Chance to exchange PD, shareware, Fish and Tbag disks. £1 for disk and membership

Amiga Users Klub, Windsor House, 19 Castle St, Bodmin, Cornwall PL31 2DX. Meets every Friday from 6.30-9pm, to expand members'

If your group isn't mentioned, fill in the form at the bottom of the page to let us know about you

knowledge of Amiga and to help solve people's problems. Contact Jack Tailing

Amiga User Group - Flyde Contact Andy Wilkinson ☛ 0253 724607 25 Glen Eldon Rd, Lytham St Annes, Lancashire FY8 2AX. Meetings twice a month, newdisk, tuition, technical support. Amiga advice Membership £15 per year

Amiga Users Club Contact Edward Metcalfe ☛ 021 7441430 49 Burman Rd, Shirley, Solihull, W Midlands B90 2BG PD swapping, games swapping (not copying), competitions, free membership

Amiga Video Producers' Group Meets quarterly in Swindon. For info SAE to J Strutton, 8 Rochford Cl, Grange Park, Swindon, Wilts SN5 6AB ☛ 0793 870667

Amiga Witham Users' Group 85 Highfields Rd, Witham, Essex CM8 1LW. Tips and Basic programs. K Anderson ☛ 0376 518271

Amigaholics Club Disk magazine covers PD, programming, music, art, DTP, and more. Free membership. Contact Kevin Bryan, 49 Coutts House, Charlton, London SE7 7AS ☛ 071-580 2000 Ext 240

AmigaSoc PD, tips, cheats, MIDI, programming, disk magazine, all welcome. Free membership. Contact Neil Cartwright, 17 St Winefrides Ave, Manor Park, London E12 6HQ ☛ 018 553 5434

Amigos PD Large PD library - £1 for catalogue disk. For more details contact Roland Arnold, 16 Mayfair Ave, Ilford, Essex IG1 3DL ☛ 081-554 5160

AMOS Programmer Club Free membership, swap AMOS programs and PD, disk magazine and help for new users. Contact Gareth Downes-Powell, 6 Brassey Avenue, Broadstairs, Kent CT10 2DS

AMOS Programmers Exchange Free membership. Swapping software and ideas. Help available. J Lannig, 7 Majestic Rd, Hatch Warren, Basingstoke, Hants RG22 4XD

AMOS Programmers Group John Mullen at 62 Lonsdale St, Workington, Cumbria CA14 2YD. Hints, tips, tutorials too. SAE for info. £10 membership for bi-monthly disk mag

Angus Amiga CDTV club Contact J Robertson, 22a High St, Brechin, Angus DD9 6ER ☛ 0356 623072. Review software, discuss anything Amiga. Free membership

Asia Amiga Association Newsletter, PD, information, advice, ideas, exchanges. Membership HK\$250 per annum. For more info contact Pete Alex, Room 11c, Fortune Court, 4-6 Tak Hing St, Kowloon, Hong Kong. ☛ 7245196

Astro PD Send SAE and blank disk for catalogue. Help and advice also available. Contact D Benson, 3 Skiddaw Court, Nunthorpe, Middlesbrough, Cleveland TS7 0RD

Avon Micro Computer Club Graphics and animation, business and the chance to speak to professional users. £3 per annum. Contact Roger: 95 Downend Rd, Horfield, Bristol ☛ 0272 513224

Basic Programmers' Group 68 Queen Elizabeth Dr, Normanton, West Yorks WF6 1JF. Encourages the use of Basic, exchanges ideas and assists beginners to the language. Free newsletter Mark Blackall ☛ 0924 892106

Beaconsfield and District CC Contact Philip Lishman ☛ 0494 782298 27 Russell Court, Chesham, Bucks. Meetings at St Michaels Hall, St Michaels Green, Beaconsfield 7.45 - 9.45pm. Programming, gaming swapping PD, having fun. Membership £10 for 6 months

Bloomfield Video and Computing Beginners, video techniques. Meetings at Bloomfield Community Centre, Narberth, 7.30pm alternate Tuesdays. Membership £5. Contact Mrs Beryl Hughes, Nashville, 50 Glynderi, Carmarthen, Dyfed SA31 2EX ☛ 0267 237522

Bournemouth Amiga Club Problems, fun, social beginners welcome. Free. Contact P Chamberlain, 36 Homeoaks, 30 Wimborne Road, Bournemouth, Dorset BH2 6QA ☛ 0202 296714

BR & CJ Computer Club 8 Robinson at 23 Fairway Rd, Shephed, Loughborough, Leicestershire, LE12 9DS ☛ 0392 72889 or 03922 841296. Regular disk mag packed with tips, reviews of games and serious software, game cheats database, demos and utils, very large PD library. Membership fee £1.25

Bus Stop PD from 40 to 75p per disk, cheats, classifieds and gossip, plus competition every 2 weeks. Send SAE and 50p for catalogue. Lisa Tyree, 5 Westbourne Rd, Marsh, Huddersfield HD1 4LQ

Cacophony (Unlimited) Aims to create quality PD with AMOS and others. Help given. Mark Wickson, 49 Perrott Close, North Leigh, Witney, Oxon OX8 6RU

Camberley User Group Lectures, competitions, advice, meetings, free membership. For more info contact F

Wellbelove ☛ 0252 871 545

Champion PD Club PD at 30p, newsletters, advice, help and more. Membership £10. Contact Steve Pickett, 31 Somerset Close, Catterick, N Yorkshire, DL9 3HE

Cheapo PD Club Non-profit making postal PD, newsletters, advice. Membership £5. Contact Jason Meachen, Ivy Cottage, Chapel Road, Beaumont, Clacton, Essex CO16 0AR

Chester-le-Street 16-Bit Computer Club Ground floor function suite, The Civic Centre, Newcastle Rd, Chester-le-Street. Meets Mondays from 7.30- 9.30pm. Exchange advice and swap tips. ☛ Peter Mears 091 385 2939

CDTV Users Club Technical support, news, compiling compatible software list. Free membership - just send SAE. Contact Julian Lavanini, 113 Fouracres Rd, Newall Green, Manchester M23 8ES

Chic Computer Club Full details with an SAE to STAMP, Chic Computer Club, PO Box 121, Gerrards Cross, Bucks. For info contact Steve Winter ☛ 0753 884473

Club 68000 Competitions, programming, music. Meets Harrogate Leisure Centre, Mondays 6.15pm-10pm. SAE to Chris Hughes, 59 Walton Park, Pannal, Harrogate, N Yorks, HG3 1EJ ☛ 0423 891910

Club Amiga £10 a year for PD and a 24-hr helpline (091 385 2627). For more info send SAE to Chris Longley, 5 Bowes Lea, Shiney Row, Houghton Le Spring, Tyne and Wear

Club Futura Advice to programmers and beginners. Send SAE for info to G Holland, 16 Hermiston, Monkseaton, Whitley Bay, Tyne & Wear NE25 9AN

Comp-U-Pal Australian group for users in the outback. Newsletter, helpline, PD library. Membership A\$24. Comp-U-Pal, c/o MDA, PO Box 29, Knoxfield 3180, Victoria, Australia

Computeque Steve Lalley at Inskip Meeting

GET YOURSELF LISTED

If you run a user group which isn't listed on this page, fill in the form below for your free entry. Send it to **Amiga Shopper User Groups List**, 30 Monmouth Street, Bath BA1 2BW. We reserve the right to refuse entries.

✂

AS23

Group name

Contact name

Contact telephone number

Contact address

.....

Place of meetings

Time of meetings

Type of activities

.....

Membership fee

Hall, Ashurst, Skelmersdale, Lancs on 0695 31378 7.45pm - 10.30 pm every Tuesday. From beginner to advanced user. Half year membership £2.50 children, £3 adults

Computer Club 16 Laton Rd, Hastings, East Sussex ☎ 0424 421480. A 16-bit club dedicated to being computer enthusiasts. Membership costs £15 per year

Darlington Commodore Users Club News, discounts, cheap PD, advice, newsletter and more. Annual membership £5. For further info contact S Wheatley, 1 Ruby St, Darlington, County Durham DL3 0EN

Deluxe Cheats Disk User Group Steven Frew at 96 Campden Green, Solihull, West Midlands, B92 8HG. Software advice. Updates every 2 months! £4 for disk £2 for updates

Edinburgh Amiga Group Membership £5, includes free advice and PD. Contact Neil McRea, 37 Kingsknowe Road North, Edinburgh EH14 2DE with SAE

Enfield Amiga Club For info contact Sean Clifton ☎ 081 8042867 32a Hoe Lane, Enfield, Middx Meet, swap, competitions, helping new users with problems

Enterprise PD 'Free' PD if you supply disks and postage. Membership £25 per year, £5 per month. T McLoughlin, 229 Barking Road, East Ham, London E6 1LB ☎ 081 472 0434

Eureka PD Small library with friendly service. 70p per disk. Contact Liam Allen, 5 Hartwell Close, Northampton NN2 8TT

Exeter 16 Bit User Group Andrew Deeley or Phil Treby at 25A Gloucestershire Rd, Exwick, Exeter, EX4 2EF. Meeting every Wednesday 7pm. Programming £6 per annum

Fylde Computer Club All aspects of computing. Meets 7pm, Lostock Gardens Community Centre, 2nd and 4th Wednesday of month. £15 per year, 50p on door. Contact Colin Biss, 90 The Esplanade, Fleetwood, Lancs FY7 7BQ ☎ 0253 772502

Galactik PD Swaps and sells PD. Contact E Newsome, 10 Crugan Ave, Kinnel Bay, Cwydy LL18 5DG. Demos, music, utilities, games, 99p for catalogue disk

Game Swap Club Swap original software and hardware. Membership £3. Contact Ade Ajidahun, St Andrews House, 125 North Road, St Andrews, Bristol BS6 5AH ☎ 0272 240399

Gamer-Link International pen-pal club for gamers. Free swap service, advice on tips and cheats. Life membership £5. Contact Stu, 28 Churchfield, Ware, Herts SG12 0EP.

GFA Basic Forum Contact J Findlay ☎ 0788 891197 or send SAE to 52 Church Rd, Braunston, Nr Daventry Northants NN11 7HQ. Free advice on programming in GFA. Also tutorial disk for sale. Beginners and advanced users welcome. Free membership

Gibraltar Amiga Users Club PD library, monthly newsletter, disk magazine, competitions, regular meetings (in the John Macintosh Hall). Membership from £6 per year. Contact David Winder, 7 Lime Tree Lodge, Montagu Gardens, Gibraltar ☎ 010 350 79918

Guru Masters PD demos etc, contact the Sheriff, 1.11 Sherbourne Rd, Banbury, Wolverhampton, WV10 9EU ☎ 0902 782277

Hampshire PD Club Mike Gallienne at 79, Carless Ct, Rowles, Gosport, Hants, PO13 9PW on 0705 585323. Public Domain Disks at 35p. Monthly competitions. SAE for more info to the above address. £10 a year

Harleys PD Swaparama Public domain swapping by mail. Contact G Varney, 140 Weston Drive, Otely, West Yorks LS21 2DJ ☎ 0943 466896

Hereford Amiga Group Membership free, help, exchange of PD and shareware. Lotus Turbo 2 Quad Player Championship. Contact John Macdonald, Alma Cottage, Allensmore, Hereford HR2 9AT ☎ 0981 21414

Hermit Computer Club Hardware help and information, program swapping. Meetings 7-10pm, Mondays. Membership £3 per term, 50p per night. Contact John Maynard, Hermit Centre, Shenfield Road, Brentwood, Essex CM15 8AG ☎ 0277 218897

Homesoft PD Over 2000 Amiga PD from 20p to 69p. Send SAE for free disk catalogue. Contact Chris Home 23 Stanwell Ct, Wincobank, Sheffield S9 1PZ

HTS (Malta) Free membership. Contact K Cassar, Block 1 Flat, 6 H E Hal-Tmiem, Zejtun ZTN07 Malta ☎ 674023

Hyndburn Amiga Users Club Tuition, advice, PD, and more. Meets Mondays, 7pm, at the Canine Club, Accrington (£1 on the door). Contact Nigel Rigby, 7 Brecon Avenue, Oswaldtwistle, Lancashire BB5 4QS ☎ 0254 395289

In Touch Amiga Penpals, contacts, PD, swaps £2.50 per year. For more information contact P Allen, 0342 835530, PO Box 21, Lingfield, Surrey RH7 6YJ

Independent Commodore Products Users' Group Free PD software, 100 page journal, technical helpline and discounts. Contact the Membership Secretary, PO Box 1309, London N3 2UT ☎ 081 346 0050 after 6pm, or your nearest local branch:

Chelmsford ☎ D Elliott 0245 460189
Coventry ☎ W Light 0203 413511
Dublin ☎ G Reeves 010 353 1 288 3863
Macclesfield ☎ P Richardson 0298 23644
Mid Thames ☎ M Hatt 0753 645728
Solent ☎ A Dimmer 0705 254969
South Coast ☎ Brian Wise 0903 787559
South East ☎ J Bickerstaff 081 651 5436
South Wales ☎ I Kelly 0222 513815
South West ☎ P Miles 0297 60339
Stevenage ☎ B Grainger 0438 727925
Watford ☎ B Rigby 0923 264510
West Riding ☎ K Morton 0532 537318
Wigan ☎ B Caswell 0942 213402

JJC Amiga correspondence course £50 per year. Contact PO Box 19, High Wycombe, Bucks HP11 1UF. ☎ 0494 983347

Kent Youth Computer Group Contact Jim Fanning ☎ 0233 629804 North Youth Centre, Essella Rd, Ashford, Kent. Meetings at the North Youth Centre, Thursdays 7 - 10pm computer fair visits, video and DTP work, monthly newsletter Membership 40p per month

Lothian Amiga Users Group Contact Andrew Mackie ☎ 0506 630509 52 Birniehill Ave, Bathgate, W Lothian EH48 2RR Advice and help in buying hardware, software etc, group buying, dealers' circulars welcome. Membership free

Maritime Amiga Club Maritime computing, interact with seafarers ashore on Amigas. Contact CDR K Osei, GN Ships Refit Office, 51 Rue de la Bretonniere, 50105 Cherbourg, France. ☎ 33 33225447

Marksman (Trojan Phazer user group) Contact David Green, 67 Thicket Drive, Maltby, Rotherham, S Yorkshire S66 7LB Promotes use of the Trojan Phazer, swaps PD and own programs, disk magazine

Masters of Raster AMOS coding, DPaint, tutorials, ray tracing, open to other suggestions. Meets Bournemouth Grammar School, Weds evenings, Sunday pm. Free membership. Contact Chris James, 10 Mavis Road, Chaminster, Bournemouth, Dorset ☎ 0202 510161

Mystery Game Swapping Send a game and receive a mystery one back. Deborah Tully, 08 Lime Court, Pendleton, Salford, Gr Manchester M6 5EG

N Ireland Amiga User Contact Stephen Hamer, 98 Crebilly Rd, Ballymena, Co Antrim BT42 4DS. Disk based mag £2.50 per issue. Free PD, SAE for further info

New Hall Amiga Users Club Games, graphics, music, Workbench programming. Meets 7pm every Tuesday, New Hall Social Club, 104 Bury Rd, Dawtenshall. Membership £5 per year, under 16s not allowed. Contact Bill

Grundy, 115 Stanley St, Accrington, Lancashire ☎ 0254 385365

Numero Uno PD, swapping, competitions, pen pals. £3.50 per annum. Contact Dillon Eyre, 21 Burstall Hill, Bridlington, N Humberside YO16 5NP

Pascal Programmers Group Disk-based newsletter for HighSpeed Pascal users. Free membership. Contact Colin Yarnall, 93 Manchester Rd, Wilmslow, Cheshire SK9 2JQ

Pennine Amiga Club 26 Spencer Street, Keighley, West Yorkshire BD21 2BU. Free membership, free advice and a newsletter. Contact Neville Armstrong for more info ☎ 0535 609263

Perth and District Amateur Computer Society For further information contact Alastair MacPherson 137 Glasgow Rd, Perth. Meetings third Tuesday in every month, 8pm. General advice, talks, Amiga PD. Membership £6 or free for under 16s

Pete's PD PD from only £1 per disk. Send 50p for disk catalogue to Peter Garrett, Chestnut Cottage, White Lion Road, Amersham, Bucks HP7 9JR

Public Domain Exchange Demos, music, utilities, animation. Annual fee £8 Contact D McLeish, 26 Taunton Ave, Leigh, Lancs WN7 5PT

Public Domain User Group Swaps PD, provides advice. SAE to 12 Oxford Rd, Guildford, Surrey

PUG Contact S Jackson ☎ 0446 772331 Whitebeam Cottage, Tretrhyngyll, Cowbridge, S Glamorgan Cheap PD library, swap hints, reviews, articles etc. Send an SAE for further details

Quality Amiga PD Only £1.20 per disk. Send SAE for free catalogue to John MacLeod, 4 Worcester Avenue, Grimsby, South Humberside DN34 5EY

Redburn Computer User Group Contact Paul Armstrong ☎ 0294 56003, 12 Highfield St, Kilwinning, Ayrshire KA13 7BN. Meetings at the Redburn Community Centre, Dickson Drive, Irvine. Group meets every second Wednesday from 5 Aug 92, 6.45 - 9.30pm. Help, ideas, PD and shareware, graphics and business. Membership 75p per meeting; £7 per year

Rye Computer Club Swap/meet at the Rye Community Centre. For info contact Oliver Campion, 71 The Mint, Rye, E Sussex TN31 7DP ☎ 0797 222876

Serious Amiga Users Membership £5, £1 admission. Contact J Kucak for more: ☎ 0706 290387. Fortnightly meetings 7.30-11 at the High Crompton Conservative Club

Shieldsoft PD at Wilmar Lodge, 13 Churton Rd, Rhyl, Cwydy LL18 3NB. Write for more information. Basic programming help. Advice on the CLI and AMOS. Disks from only 50p to 80p. Membership free ☎ 0745 343044

Sherlock PD Quarterly disk mag, help and advice for beginners. 50p per disk. A Doyle, 44 Milton Street, Warrenpoint, Co Down, N Ireland

Shropshire Amiga Link Advice, monthly disk mag, PD. Membership fee £15 per year. Contact N Cockayne, 2 Dodmoor Grange, Randlay, Telford, Shropshire TF3 2AW ☎ 0952 591376

Slim Agnus 115 Brocks Drive, North Cheam, Sutton, Surrey SM3 9UW. Group meets the last Thursday of every month. PD library, BBS, advice from Amiga experts. Contact Philip Worrel.

Software City Swapping, competitions, club magazine. Membership £8. Contact N Richards, 9 Hollis Close, Manor Estate Farm, Rawmarsh, Rotherham, S Yorks S62 7LX or ☎ 0709 526092

Software Exchange Club Free help and advice. Contact Michael Lacey, Fern's Post Office, Enniscorthy, County Wexford, Republic of Ireland

Software Exchange Service 13 Bournville Lane, Stirchley, Birmingham, West Midlands B30 2JY. For more info ☎ Michael Pun 021-459 7576

South 16 Bimonthly mag and disk, also PD library. £10 per year. Send SAE to Bruce, PO Box 16, Southampton SO9 7AU

Southend Team Music, PD. Free membership. Contact Scotty, 52 Prince Avenue, Southend-on-Sea, Essex SS2 6NN ☎ 0702 333974

Southport Amiga Users Advice, friendly evenings Mondays at 8pm. No charge, discounts from local store. For info contact Michael Mitcham, 5 Easdale Drive, Ainsdale, Southport, Merseyside ☎ 0704 79936

South Wales Club Newsletter, PD library, free newsletter, programs, help and advice. For more info contact D Allen 53 West Avenue, Trecenydd, Caerphilly CF8 2SF

Steel PD, cheats, ideas, music, art, programming, hardware mods. Free membership (postal only). Contact James Whitehead, 33 Middle Cliffe, Drive Crowedge, Sheffield S30 5HB

The Amiga Studio Friendly, helpful advice for serious users of the Amiga. Monthly newsletter, PD library, free loan of equipment to members, bar. Meets 7pm Thursdays, Mitchells Club, Scotia Road, Tunstall. Contact Dave Rose ☎ 0782 815589

Twilight Advice on hardware and software. Fred Fish PD. Free membership, disks 50p each. Contact 13 Mavis Court, Ravens Close, London NW9 5BH

UK Subs The Hanger BBS, trading post for PD files, swapping. Free membership. Contact Diddy / Arklight ☎ 0525 875518

Unique Styles Derek at 15 Montgomery Rd, Highbrooms, Tunbridge Wells, Kent ☎ 0892 518319. By post only. For Amiga artists, programmers/musicians. Free membership

Video Editing Club Invites DTV users for titling and editing. Quarterly magazine, send SAE for details to Danny Fisher, 3A Thornbridge Road, Iwer Heath, Bucks SL0 0PU

Video Visuals Exclusively for video producers, PD library, genlocking, digitising, quarterly disk magazine. Membership £10 per year. Contact Chris Brown, 4 Lavender Close, Witham, Essex CM8 2YG

Wardray Hern Consortium User group for Amiga and possibly others. Membership fees to be discussed and incurred. PD library to be set up. Also Hern connection - worldwide contacts wanted. SAE and disk to WardCon info, (AS) Warren Hardy, 21 Stockfield Ave, Fenham, Newcastle upon Tyne NE5 2DX

Warpdrive Help-line, PD library, bi-monthly disk mag, free drinks, competitions and infosheet. £15 per year. Contact B Scales 110 Burton Ave, Balby, Doncaster DN4 8BB ☎ 0302 859715


WCSPSA! Help available. PD disk of your choice and newsletter every month. PD at £1. Membership £25. For further info contact A Jamieson ☎ 0749 677609

Willow PD Free advice, disks only 90p each. Free membership. Contact Willow PD, 2 Longbridge Close, Sherfield-on-Loddon, Basingstoke, Hants RG27 0DQ ☎ 0256 882654

Wrexham District Computer Club PD, library, equipment loan. 10p to join, 50p to get in. Meetings at the Memorial Hall, Wrexham every Thursday, 7-10pm. Contact Paul Evans, 3 Ffordd Elfed, Rhosnesi, Wrexham, Cwydy LL12 7LU

Your Amiga Club Helpline, PD, social evenings, classes, club mag. Fee: £12, family £15. Contact P Higgins ☎ 0424 892269. The Old Chapel, Church Rd, Catsfield Battle, Sussex TN33 9DP

Zymurgy General Amiga computing. Free membership. For further info contact A Carr, 39 Sewilkirk Rd, Ipswich, Suffolk IP4 3JB ☎ 0473 725241



Now your Amiga can display a silly picture while it's loading...

We're getting straight down to some fishy business this month, with Fred Fish disks 751 to 769, courtesy of Anglia PD, which is doing a great job of sending me the latest releases every month. But that's not all – there's plenty of other good stuff about at the moment and, as always, we'll be checking out the best of the bunch.

BOOTLOGO

Fish disk 754


Let's start off with something completely pointless – but quite amusing nonetheless. *BootLogo* was written by Markus Illenseer, and simply displays an image on the screen as your Amiga boots up from hard (or even floppy) disk. He found

that because his hard disk is virtually silent, he wasn't sure that the Amiga was actually doing anything – and putting a picture on the screen at least shows that the beast is alive. As you'll see from the accompanying illustration, the picture is a familiar one to anyone who uses a certain product from Microsoft – although it has been modified a tad from its original appearance.

To use *BootLogo*, just RUN it somewhere at the beginning of your startup-sequence. It will close automatically when it's no longer the frontmost window – which will normally be when the Workbench screen appears. Its only limitation is that it requires AmigaDOS 2.0 to run.

And that's it, really. Job done. Mickey taken. On to the next thing.

Program rating7/10



PopUpMenus (reviewed over the page) is a utility which pops up a window's menu items anywhere on the screen when you hit the right mouse button

RATING THE PROGRAMS

Just to be awkward, I rate the software that I review in two different ways, depending on what it is. Disk magazines, collections of clip art and the like are given a 'value for money' rating, since you're essentially paying for one thing, or group of things, on the disk.

Single programs which appear in a collection of others, or programs which I've downloaded from bulletin boards, are given a 'program rating', which reflects how good I think they are, taking into account usability, bug-proofness, my own particular (or should that be peculiar?) tastes and so on. Both ratings are out of a maximum possible 10.

SOFTWARE for FREE

Whether you're looking for utilities, demos, or useful applications, there's plenty of Fish disks in the public domain. But only the best are good enough for Captain Wrigley's table!

BEGINNERS

BEGINNERS START HERE

BEGINNERS

What is PD?

PD is a general term which many people incorrectly use to refer to all freely-distributable software. In fact, PD (which stands for Public Domain) software is only one branch of this area; the other main one is shareware.

Essentially, PD software may be copied and used by anyone, although some authors place restrictions such as not allowing a PD library to charge more than a certain amount for the disk.

Shareware, on the other hand, should be treated more like commercial software. Although you are allowed to copy and pass around shareware programs, if you like one then you should pay the requested fee to the author – it's normally around £15 or less, and often entitles you to an upgraded version or a printed manual. Paying your shareware fees encourages software authors to write more programs – and if they don't, the Amiga scene will be a poorer place. Don't think that you're paying money for nothing, either – often hundreds or even thousands of hours of work have gone into creating a program, and it's only right that the programmer receives some reward for his or her work.

The third branch of software that we cover here is called

licenseware.

This is a form of

shareware which is licensed to one (or more) PD libraries. In essence, when you buy a licenseware program you are buying shareware and paying the license fee at the same time. For this reason, you should treat any licenseware that you buy exactly as you would treat a piece of full-price commercial software – don't pass it around to your friends. You've only bought the right to use it yourself.

Can I pass other people copies?

Yes – that's the way that PD reaches a wider audience. Just make sure that you have followed the author's requirements for distribution. These are normally things like not charging more than a certain amount for the disk, or that you make sure that all the original documentation is included on the disk.

You can also pass on shareware – but not any registered copies of programs. If, when you pay your shareware fee, the author sends you an improved version of the program, then be careful not to give that out. Only pass on unregistered shareware.

You should not, of course, pass on licenseware – it should be treated in the same way as registered shareware.

POPUPMENU

Fish disk 756

PopUpMenu is a public domain program from Martin Adrian which allows you to select a window's menu items without having to move the cursor up to the top of the screen every time. Clicking the right mouse button anywhere on the screen produces a pop-up menu containing all the window's menu titles. Selecting one of these produces the menu items as sub-menus. It sounds more complicated than it is – in fact, *PopUpMenu* is a very simple idea, which has been elegantly implemented.

The program is launched either from the CLI or WorkBench – so you can either edit your startup-sequence or just put the program in the WBStartup drawer. Once it's running, double-clicking the icon again produces a window with various configuration options – there's no messing about with a separate Preferences program.

With a mouse-intensive program, such as an art or DTP package, *PopUpMenu* is a godsend – especially if you've slowed down the mouse's tracking speed for accuracy, so it normally takes you a couple of drags to get the cursor to the top of the screen. As a final recommendation: it's a program which has already found its home in my WBStartup drawer.

Program rating8/10

CMDemo

Fish disk 757



Just one screen from the animation demo of *CineMorph*, which can be found on Fish disk 757

Normally demos don't get a look-in on these pages, but I just couldn't let the *CineMorph* animations go unmentioned. They are demonstration animations for the

Great Valley Products (GVP) company's *CineMorph* program (reviewed in full on page 70), which allows you to morph between two or more images, and even between moving sequences of

images. Apparently the product supports a variety of formats including HAM-E and DCTV, and will generate Op-5 ANIMs. Certainly, if you've never seen what morphing actually is, or you want to know what *CineMorph* is capable of, these two short animations are well worth checking out.

Program rating5/10

GEOTIME

Fish disk 758

You know, I sometimes wonder why people bother. I mean, surely there are some things that you write as



Geotime: an intriguing idea for a package, perhaps – I'm afraid that what really lets it down is the fact that the programs are complete garbage

programming exercises but never inflict on the general public? And even if you did, surely you wouldn't have the gall to actually ask for money for them? Well, the author of *AmigaTrek* and *Distant Suns*, Mike Smithwick, has done just this in the shape of *GeoTime*. This is a collection of three programs which variously claim to show a 2-D earth map with day and night sides shaded, and the earth as a globe – again, with shading showing which bits of the planet are in sun at any given time. For these gems of programming expertise, Mr Smithwick asks that we send him a shareware donation of \$20.

Now, I would be in favour of this, except for just a few reasons:

- It's slow. The display takes a good five seconds to initially appear. And after you've changed options the program takes a few seconds to reflect these on the screen.

- It doesn't work properly. The globe version of the program, *Geotime_g*, doesn't update its menus properly to show the size of the window.

- The display is hideous. Turn on the names of cities and their clock times, and things overlap in a most unpleasant way.

- It's no bloody use whatsoever.

Apparently *Distant Suns*, an astronomy simulation by this guy, won the 1988 Consumer Electronics Show award for Most Innovative Educational Program, and the 1991 Commodore Developer's Choice Award. All I can say is that it must be a damned sight better than *Geotime*. The only reason that this program gets a rating of 2/10 is that at least it (sort of) works.

Program rating2/10

ABACKUP

Fish disk 759

This is a \$10 shareware backup package written by Denis Gounelle. As the name suggests, it's designed to let you take a backup of your vital data – before you suffer the disk

this as a positive point – incremental backups are fine until you realise that you've lost the original set of disks – but in reality it's something of a restriction.


Still, this apart, the program seems to work perfectly well. The user interface is clear and easy to use, and there are user options to let you decide whether to verify data after it's been written, whether to compress the data as it's saved to floppy disk (compressed data takes less space, but the compression process can take some time), and so on and so forth.

You can select the files to back up by clicking on them, by name, by date created, or whatever. In fact, you could implement some form of incremental backup manually, since you could back up just those files which didn't have their archive bit set, but this is rather cumbersome and prone to errors. If you back up to floppy disks – rather than a disk file on a hard drive – they are written in a special format, so you shouldn't format them first.

The program has some neat functions; for example, if you specify the disk drive combination 'df0:,df1' as your backup units, the first chunk will be written to a disk in df0:, the second to df1:, the third to df0: and so on – all without disk requesters, so you can just sit there mindlessly swapping disks with no worries.

If all you want is a simple backup program, you could do far worse than *ABackup*. And those with more specialised needs may find that its support for things like selecting files according to flag settings, and the ability to create a data file with selection criteria already specified, will come in handy.

Program rating8/10



ABackup is (surprise, surprise) a backup utility with a reasonable range of functions – although incremental backups aren't catered for

crash that's inevitable the minute you complete a really important piece of work.

Unlike *BackUp* (reviewed a couple of issues ago – the most recent version of that program is available on Fish disk 767), *ABackup* doesn't allow you to create incremental backups – that is, only saving data which has changed since the last time. Some people will see

CDTV-PLAYER

Fish disk 759

I haven't been able to test this program, by Daniel Amor, since I don't own either a CD-ROM drive or a CDTV. However, I thought that I should mention it for those of you that do own one of these devices.

continued on page 125

CITIZEN PRINTERS FROM SILICA SYSTEMS

- FREE DELIVERY**
Next Day - Anywhere in the UK mainland
- FREE STARTER KIT**
Worth £57.58 - With Citizen dot matrix printers from Silica
- 2 YEAR WARRANTY**
(including the dot matrix printer head)
- WINDOWS 3.1**
Free Windows 3.1 driver with Starter Kit
- FREE HELPLINE**
Technical support helpline open during office hours
- FREE COLOUR KIT**
With every Swift 9



FREE STARTER KIT INCLUDES:

- 3 1/2" Disk with Amiga Print Manager (see right)
- 3 1/2" Disk with Windows 3.1 Driver
- 1.8 Metre Parallel Printer Cable
- 200 Sheets of Continuous Paper
- 100 Continuous Tractor Feed Address Labels
- 5 Continuous Envelopes on Tractor Feed

AMIGA PRINT MANAGER V2.01
For faster printing from your Amiga, with clearer images and more vibrant colours. Available free of charge as part of the Silica Printer Starter Kit.

Features include:

- Improved Image Smoothing
- Damming Colour Correction
- Image Scaling
- Colour Separation
- Reduces/eliminates Banding

KIT VALUE £49 *VAT

CITIZEN PRINTERS WITH 2 YEAR WARRANTY

24 PIN 270 CPS 80 COLUMN



- Citizen Swift 200 - 24 pin - 80 column
- 270cps SD (15cps), 216 cps Draft, 72cps LQ
- 8K Printer Buffer (40K max) + 6 LQ Fonts
- Parallel Interface
- Graphics Resolution: 360 x 360 dpi
- Epson, IBM, & NEC P20 Emulations
- Quarter Printing and Auto Set Facility
- Ultra Quiet Mode - 43dB(A)
- Colour Option Available
- FREE Silica Printer Starter Kit

SWIFT 200
RRP SILICA STARTER KIT £249
TOTAL VALUE: £316
SAVING: £139
SILICA PRICE: £179

£179
*VAT=£210.33 - PRI 2490

9 PIN 144 CPS 80 COLUMN



- Citizen 120D+ - 9 pin
- 144cps Draft, 30cps NLO
- 4K Printer Buffer + 2 Fonts
- Parallel or Serial Interface
- Graphics Resolution: 240 x 240dpi
- Epson and IBM Emulation
- Pull tractor & bottom feed
- FREE Silica Printer Starter Kit


CITIZEN 120D+
RRP SILICA STARTER KIT £199
TOTAL VALUE: £248
SAVING: £133
SILICA PRICE: £115

£115
*VAT=£135.13 - PRI 2120

The Citizen 120D printer comes supplied with a parallel interface as standard. If you require a serial interface instead, please state ref: PRI 2125 when placing your order with Silica.

RETURN THE COUPON FOR YOUR FREE COPY OF SILICA'S NEW CITIZEN CATALOGUE

PERIPHERALS & ACCESSORIES



CITIZEN PRINTER STAND

- For Swift 9, 24, 24e, 200, 240 and 224 Printers
- Helps keep pace with Citizen Printer's powerful paper handling
- Robust & Durable Construction
- Saves space and protects continuous stationery from dust and damage
- Compatible with bottom and rear feed operation

£19
*VAT=£22.33 - PRI 1242

SHEET FEEDERS

- PRA 1200 1200 £71.38
- PRA 1215 1240/224/Swift 9/24 £88.70
- PRA 1228 1240/224/Swift 9/24 £42.00

SERIAL INTERFACES

- PRA 1189 1200+ £56.45
- PRA 1209 Swift 9/9x/1240/224 £32.25
- PRA 1709 Swift 24/24x/24e £26.38

32K MEMORY EXPN

- PRA 1753 1240/224/Swift 24 £13.10

PRINTER STAND

- PRA 1242 1240/224/Swift 9/24 £22.33
- PRA 1274 Swift 9X/24x £30.66

ORIGINAL RIBBONS

- RIB 3520 1200/Swift 9 Black £2.91
- RIB 3949 Swift 9x Black £7.15
- RIB 3924 1240/Swift 24 Black £4.70
- RIB 3936 224/Swift 9/24 Colour £15.63
- RIB 3248 PN48 Single Strike £3.61
- RIB 3348 PN48 Multi Strike £3.61

COLOUR KITS

- PRA 1236 224/Swift 9/24e/200/240 £35.25
- PRA 1240 Swift 9x/24x £35.25

PN48 ACCESSORIES

- PRA 1148 PN48 Battery £46.70
- PRA 1155 PN48 Cable Extn £29.37
- PRA 1162 PN48 Car Adaptor £16.80

24 PIN 300 CPS 80 COLUMN



- Citizen Swift 240/240C - 24 pin - 80 col
- 300cps SD (15cps), 240 cps Draft, 90cps LQ
- 8K Printer Buffer - 40K maximum
- 9 LQ Fonts + 2 Scalable Fonts (8-40pts)
- Font Cartridge Slot - for plug in 'style' fonts
- Parallel Interface
- Graphics Resolution: 360 x 360dpi
- Epson, IBM, NEC P20 & CEL Emulations
- Quarter Printing Facility
- Auto Set Facility - Bi-directional I/F, Auto Emulation Detection
- Command View IV Front Control Panel
- Ultra Quiet Mode - 43dB(A)
- Colour Printing Standard - Swift 240C, Colour Printing Optional - Swift 240
- FREE Silica Printer Starter Kit

SWIFT 240 MONO
RRP STARTER KIT £249
TOTAL VALUE: £380
SAVING: £149
SILICA PRICE: £239

SWIFT 240C COLOUR
RRP STARTER KIT £449
TOTAL VALUE: £480
SAVING: £149
SILICA PRICE: £259

9 PIN 192 CPS 80 COLUMN



- Citizen Swift 9 - 9 pin - 80 col
- 192cps Draft, 48cps NLO
- 8K Printer Buffer
- 3 Fonts
- Parallel Interface
- Graphics Res: 240 x 240dpi
- Epson and IBM Emulation
- Proportional Spacing
- FREE Colour Kit
- FREE Silica Printer Starter Kit

SWIFT 9
RRP COLOUR KIT £199
SILICA STARTER KIT £48
TOTAL VALUE: £286
SAVING: £127
SILICA PRICE: £159

£159
*VAT=£186.83 - PRI 2209

192 CPS 136 COLUMN

2 YEAR WARRANTY

NEW LOW PRICE!

£299
*VAT=£359.33 - PRI 2574

FREE! STARTER KIT
WORTH £49.00 SEE ABOVE

64 CPS 80 COLUMN

2 YEAR WARRANTY

NEW LOW PRICE!

£199
*VAT=£223.83 - PRI 2100

360 CPS 80 COLUMN

2 YEAR WARRANTY

NEW LOW PRICE!

£345
*VAT=£425.36 - PRI 2200

SILICA SYSTEMS OFFER YOU

- FREE OVERNIGHT DELIVERY:** On all hardware orders shipped in the UK mainland.
- TECHNICAL SUPPORT HELPLINE:** Team of technical experts at your service.
- PRICE MATCH:** We normally match competitors on a "Same product - Same price" basis.
- ESTABLISHED 14 YEARS:** Proven track record in professional computer sales.
- £10 MILLION TURNOVER (with 60 staff):** Solid, reliable and profitable.
- BUSINESS - EDUCATION - GOVERNMENT:** Volume discounts available 081-308 0888.
- SHOWROOMS:** Demonstration and training facilities at our London & Sidcup branches.
- THE FULL STOCK RANGE:** All of your requirements from one supplier.
- FREE CATALOGUES:** Will be mailed to you with offers + software and peripheral details.
- PAYMENT:** Major credit cards, cash, cheque or monthly terms.

Before you decide when to buy your new printer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals and accessories, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for almost 14 years and, with our unrivalled experience and expertise, we can now claim to meet our customers' requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest FREE literature and begin to experience the "Silica Systems Service".

MAIL ORDER HOTLINE
081-309 1111

SILICA SYSTEMS

MAIL ORDER: Order Lines Open: Mon-Sat 9.00am-6.00pm No Late Night Opening	1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX	Tel: 081-309 1111 Fax No: 081-308 0808
LONDON SHOP: Opening Hours: Mon-Sat 9.30am-6.00pm No Late Night Opening	52 Tottenham Court Road, London, W1P 0BA	Tel: 071-580 4000 Fax No: 071-323 4737
LONDON SHOP: Opening Hours: Mon-Fri 9.30am-7.00pm (Sat close 6.30pm) Late Night Thursday - 8pm	Selfridges (1st Floor), Oxford Street, London, W1A 1AB	Tel: 071-629 1234 Extension: 3014
SIDCUP SHOP: Opening Hours: Mon-Sat 9.00am-5.30pm	1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX	Tel: 081-382 8811 Fax No: 081-309 0017
ESSEX SHOP: Opening Hours: Mon-Fri 9.30am-5.30pm (Sat 9.00am-5.00pm) No Late Night Opening	Keddies (2nd Floor) High Street, Southend-on-Sea, Essex, SS1 1LA	Tel: 0702 488039 Fax No: 0702 462363

To: Silica Systems, AMSHP-0393-55, 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX

PLEASE SEND A BROCHURE ON THE CITIZEN RANGE

Mr/Mrs/Miss/Ms: Initials: Surname:

Company Name (if applicable):

Address:

Postcode:

Tel (Home): Tel (Work):

Which computer(s), if any, do you own?..... 55N

Missing the complete set? – well get your back issues NOW while you can!

1 **SOLD OUT** 2 Buying a paint package plus reviews of Pagestream, Colourpic, Sequencer 1, KCS Powerboard, and Scala. 3 Accelerating the Amiga plus reviews of Bars & Pipes, Daatascan, ATOnce, DynaCADD and BASIC languages. 4 Buying a printer plus reviews of Pro-24, Real 3D, Wordworth, TEX, Imagine and Superbase 5 **SOLD OUT** 6 **SOLD OUT** 7 **SOLD OUT** 8 A hardware and add-on buyer's guide special, tons of tips for ProfessionalPage and the HAM-E colour system 9 The definitive guide to the A500 Plus, down-loading satellite images, choosing sequencing video and ProPage 2 10 Special graphics issue plus reviews of Audition 4, Sound Enhancer and Showmaker 11 Insight into CDTV, a complete guide to printer preferences, 24-bit graphics, Genesis, Turbo Print and Stereo Master 12 **SOLD OUT** 13 **FREE** Tracey plus special animation tutorial, Roc Tec's new hard disk, Amiga CD, Pixel 3D and Superbase 14 Round up of best hand scanners, 5-page special on RAM boards, Artificial Intelligence, 3D animation and preview of Easy AMOS 15 PD special – including PD postscripts plus reviews of ImageMaster, SaxonScript and SuperJam 16 200 Top Tips of essential Amiga advice, a guide to setting up your own bulletin board, programming a neural network plus reviews of Hotlinks, Hit Kit and Professional Calc 17 DTP Special – the best package, high-end DTP hardware and typography tutorial plus reviews of Visionary and Mini Office 18 Amiga Answers special – identify the source of any Amiga problem plus Imagemaster, MIDI coding and 3D graphics programming 19 **SOLD OUT** 20 Ray Tracing – step-by-step guide, a round-up of the best accelerators, plus reviews on Opalvision 24-bit board, Pro Draw 3, and Home Office 2 21 **FREE** Disk – 12 great utilities for the serious Amiga enthusiast plus inside, The Amiga Shopper Awards of 1992, plus reviews of Imagine 2, Wordworth 2 and the Vortex 486 PC emulator 22 Which Printer? – a round-up of the latest printers plus a beginners' guide to hassle-free computing and reviews of the Colourpic Plus, and Vidi-Amiga digitisers

..but better still, book up for the year ahead – and never miss out again



FREE BINDER

worth £4.95

IF YOU SUBSCRIBE NOW

You get all these benefits when you subscribe:

- You save time
- You save trouble
- You guarantee your copy
- You get it delivered

Subscribe now to ensure your copy each month. For just £17.95 you will get the next 12 issues delivered direct to your home.

SAVE!
on 2-year subscription

PLUS A FREE BINDER WITH EVERY SUBSCRIPTION

Keep your copies of *Amiga Shopper* safe and protected right from the very start!

only **£4.95**

or free with every subscription

FILL IN THE COUPONS BELOW OR CALL OUR CREDIT CARD HOTLINE ON 0458 74011

YES, YES, YES! I WISH TO SUBSCRIBE TO AMIGA SHOPPER

Please tick the subscription you require 12 issues

- ☐ UK £17.95 ☐ EUROPE £37.95 (Airmail)
☐ REST OF WORLD £60.95 (Airmail) ☐ WORLD £37.95 (Surface)

24 issues

- ☐ UK £33.95 ☐ EUROPE £69.95 (Airmail)
☐ REST OF WORLD £109.95 (Airmail) ☐ WORLD £69.95 (Surface)

Total amount payable £

NAME

TELEPHONE NO.

ADDRESS

POSTCODE

METHOD OF PAYMENT please tick

☐ VISA/ACCESS ☐ CHEQUE

CARD NO

EXPIRY DATE

AS/MAG/03

Please make cheques payable to FUTURE PUBLISHING LTD and send together with this form in an envelope to the following address:

AMIGA SHOPPER, FREEPOST, SOMERTON TA11 7BR

YES, YES, YES! I WISH TO PURCHASE THE FOLLOWING BACK ISSUES

OF AMIGA SHOPPER AND/OR BINDER Please tick the issues you require

- BACK ISSUES ☐ 2 ☐ 3 ☐ 4 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 13
☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 20
☐ 21 (£3.00 WITH DISK) ☐ 22

☐ BINDER £4.95

Total amount payable £

NAME

TELEPHONE NO.

ADDRESS

POST CODE

METHOD OF PAYMENT please tick

☐ VISA/ACCESS ☐ CHEQUE

CARD NO

EXPIRY DATE

Please make cheques payable to FUTURE PUBLISHING LTD and send together with this form in an envelope to the following address:

AMIGA SHOPPER, FREEPOST, SOMERTON TA11 7BR

**£1.00 PER
DISK FOR 15
OR
MORE DISKS!**

Software Expressions

**PUBLIC DOMAIN AND SHAREWARE
AT ITS VERY BEST**

**£1.00 PER
DISK FOR 15
OR
MORE DISKS!**

+ = Plus/A600 Compatible

UTILITIES

+U001 ...A-Genie (1 meg).....Trace your ancestors
+U006 ...Amigazer.....For those astrologists
+U015 ...Bank N.....Accounting Disk
+U016 ...Biorhythms (1 meg).....Chart your feelings
+U017 ...Business pack (3 disks).....D/base, s/sheet, w/p
+U033 ...Education 1.....Learn German
+U035 ...Education 3.....Weather
+U036 ...Education 4.....Evolution
+U040 ...Fonts (4 Disks).....Loads of fonts for D-Paint
+U052 ...Business Card Maker.....Simple, but useful
+U084 ...Wordwright.....For all you dizlecksicks!
+U089 ...Journal.....Very good account-handler
+U092 ...Cartoon Brushes.....Lots of famous characters
+U098 ...Database Master.....Comprehensive AMOS database
+U104 ...Golf Recorder (1 meg).....Excellent disk with pictures
+U117 ...NComm.....Easy-To-Use Modem Utility
+U118 ...Amiga Fox.....D.T.P. Package
+U123 ...IQ Tester.....How thick are you?
+U124 ...Chess Tutor.....The quest to become a Grand Master
+U128 ...Viz Clip Art.....Roger Morny in D Paint
+U130 ...Label designer.....Various label printers
+U134 ...Ami Cash.....Best accounts package around
+U137 ...600 Business letters.....Pre-written letters to print
+U140 ...Text Engine.....High quality word-processor
+U142 ...Super Fonts.....More fonts for printing
+U143 ...Scene Generator.....Graphics Enhancer
+U144 ...Sound Tracker Samples (4 disks).....Excellent sounds, particularly drumbeats
+U145 ...Landbuild 3.2.....Create more stunning pictures. Good
+U146 ...Edword.....Excellent text editor
+U147 ...Mobed II.....Moveable object editor
+U149 ...The Main Event.....File event editor
+U150 ...Languages.....Spanish, German, Italian + French dictionary
+U151 ...Imploder v4.0.....File compressor
+U152 ...PC Task.....Emulates IBM + PC programs
+U153 ...File-a-fax.....As it sounds
+U154 ...QED.....Beginners word processor
+U160 ...Deluxe Paint Tutor.....Highly recommended
+U161 ...Electronic Cad Circuit.....Electrocad Update. Good
+U162 ...Complete Bible (4 disks).....Bible on disk!
+U164 ...World Data Bank.....Plots world maps. Excellent!
+U165 ...A-Graph.....Graph-plotting disk
+U166 ...The Activator.....Banner, Alert and Graphic Hacks
+U170 ...BBase.....User-friendly database
+U171 ...Understanding Amos.....Tutorial of language
+U173 ...Pools Tools.....Aid and Abett Football coupons
+U175 ...Text Plus V4.0.....Best wordprocessor version yet!
+U176 ...Super Duper.....Very fast disk copier
+U178 ...2 disks) Analyticalc.....Best Spreadsheet available
+U179 ...Calorie Base.....Workout your daily calories intake
+U180 ...GCSE Maths.....Excellent Revision disk
+U182 ...Cursor V1.0.....Basic Compiler
+U183 ...Mega Colour.....Graphics Utils inc Slide Show Creator
+U184 ...Turbo Titrer.....Subtitles Video Animations
+U185 ...Astronomy.....Calculates positions of planets + zodiacs
+U189 ...Magnetic Pages.....Create your own disk magazine
+U192 ...JR Comm.....Excellent Modem package

DEMOS

+U195 ...Home Manager.....Address Book on disk
+U206 ...ABC Adventure Creator.....AMOS program
+D015 ...Agatran Star Wars (1 meg/2 disks).....Captivating graphics
+D020 ...Bowie Demo.....David Bowie of old
+D058 ...Enterprise Leaving Dock.....Famous animation
+D075 ...Girls of Sport.....Pretty shots of talented girls
+D114 ...Mike Tyson anim.....Well compiled
+D146 ...Red Sector megademo (2 disks).....RSI's classic
+D148 ...The Run (1 meg).....T. Richter's car-chase animation. Good
+D162 ...Stealthy Manoeuvres (1 meg).....Excellent demo
+D166 ...Star Trek Animations.....Anims. of USS Enterprise
+D177 ...Star Trek Animations.....Agatran no. 17. More like above. Good
+D225 ...Reincarnation of Sgt. Pepper (2 disks, 1 meg). Beatles classic
+D226 ...Virtual World.....Best demo of year?!
+D251 ...Debbie Harry (2 disks).....Sideshow Blondie
+D253 ...WWF Wrestlers.....Hogan & more
+D254 ...Ray of Hope.....Acidic Demo
+D260 ...Earth's Sorrows.....Good music and graphics
+D270 ...Shuttlecock Anim.....Amusing Schwartz animation
+D271 ...Odyssey (5 disks).....Absolutely brilliant space adventure. Best ever!!
+D272 ...ATF Agility.....Superb Schwartz animation

MUSIC

+M006 ...Batdance remix.....Really good disk. Catchy stuff
+M016 ...Depeche Mode.....8 tracks of reasonable quality
+M032 ...Godbrain loves the world.....Great acid-house musak
+M057 ...Powerpack 3 (1 meg).....Includes Vanilla Ice track
+M059 ...Powerpack 5 (1 meg).....4 classy house tracks
+M062 ...Random Access.....Art of Noise and more. Startling acid track
+M080 ...Pet Shop Boys.....Manic mix
+M081 ...Miami Vice.....Theme music remix
+M085 ...James Bond Remix.....Catchy Stuff
+M087 ...Iron Maiden.....The Ides of March
+M090 ...Led Zeppelin.....Stairway to Heaven etc.
+M092 ...Deadbeat Volume One.....Good original music
+M094 ...Guns 'N' Roses.....Quality Sample
+M096 ...Enigma (2 disks).....Long-running musical treat. Good

GAMES

+G005 ...All New Star Trek (2 disks).....USS Enterprise classic. Best one
+G011 ...Blizzard.....Horizontal shoot-'em up. High quality
+G014 ...Adventure Solutions (2 disks).....Loads of hints of commercial games. Good
+G019 ...Dungeon Delver (2 disks).....Difficult adventure quest
+G023 ...Electronic Train Set (1 meg).....Construct own train set
+G043 ...Learn and Play 1.....Good for the kids. Blackboard maths, etc.

+G044 ...Learn and Play 2.....More fun for the kids
+G049 ...Megabali (1 meg).....Excellent game. Improved version of Breakout
+G061 ...Pick up a puzzle (1 meg/2 disks).....Fit the pieces. Good for the kids
+G065 ...Pixie Kingdom (2 disks).....Tricky adventure game. Good
+G071 ...Return to Earth (1 meg).....Space adventure
+G072 ...Star Trek: Next generation.....Not as good as G005
+G081 ...Trek Trivia.....Test your Star Trek knowledge
+G086 ...Wraithed One.....Good general knowledge quiz
+G099 ...Cabaret Asteroids.....Best version yet. Recommended
+G102 ...Simulation1 (1 meg).....Recommended. 5 games including Metro
+G103 ...Mental Image One.....Gridrunner, Rebound, Rollerpede
+G108 ...Llamatron.....Geoff Minters shoot-'em-up
+G109 ...Wheel of Fortune.....TV Quiz, computerized
+G115 ...Survivor.....Role-play an alien! Excellent
+G117 ...Midnight Thief.....Addictive text adventure
+G124 ...Napoleonic Warfare.....High-quality simulation
+G143 ...Card Shop.....Well presented card games
+G149 ...Raphaels Revenge.....Difficult platform adventure
+G151 ...Hmmm That's not on the Syllabus.....AMOS adventure
+G153 ...Growth.....Destroy an expanding brain
+G155 ...Mission X.....Quality shoot-'em-up
+G157 ...Quadrix.....Excellent tile puzzle
+G165 ...Super Skoda Challenge.....Car racing game
+G170 ...Amos Cricket.....'Owzat
+G171 ...Top Secret.....Quality platform game
+G175 ...Whizz Wall.....NEW Wizard shooting game
+G176 ...White Knight.....NEW Excellent shoot-'em up game
+G180 ...Tank Attack.....New! WW2 based shoot-'em-up
+G181 ...Quick N Silva.....Platform game
+G196 ...Assassins 20.....Coin Drop, Microbes, Hollywood Trivia
+G197 ...All Rounder.....Simplistic Cricket Game
+G200 ...Assassins 21.....Zeus and Tetrix
+G201 ...Assassins 22.....Lemmingoids and duel
+G202 ...Assassins 23.....Quickmoney, BIP, Interferon
+G204 ...Super League Manager.....Good soccer management game
+G205 ...Games Bonanza.....22 games on one disk
+G209 ...Game Galore 10.....14 games on 1 disk
+G211 ...Croak.....Excellent Frogger clone
+G214 ...Parachute Joust.....Battle with parachute for Survival
+G215 ...Battlements.....Hunchback platform game
+G217 ...Act of War.....Excellent strategic game
+G222 ...2 disks) Neighbours Adventure.....Stop Paul Robinson!
+G224 ...Strategic Games.....3 Excellent games
+G225 ...Addams Family Quiz.....With Digitized graphics + sounds
+G227 ...Tetren.....1 or 2 player Tetris variant
+G226 ...Dual.....2 player game controlling armoured tanks.

Blank disks

10 for £4.99
or 52p each

POSTAGE

UK orders70p
Europe.....£1.25
World.....£2.50

PRICES

PD£1.25 per disk
or
£1.00 each for 15 or more

PACKS

CLIP-ART PACK
6 DISKS FOR ALL OCCASIONS
£5.99

SPORTS PACK
4 DISKS OF TENNIS, CRICKET,
SOCCER MANAGEMENT AND
BILLIARDS FOR ONLY £3.99

BUSINESS PACK
(6 DISKS)
+ COMPAT
£5.50

**CATALOGUE
DISK
75p each**

Send cheques or postal orders made payable to:

SOFTWARE EXPRESSIONS,

Unit 4, 44 Beaulay Road,
Southville, Bristol BS3 1PY
We accept all major credit cards.

Tel: (0272) 639593

9-5 Mon-Fri only



your own disks; and more. I'm certainly happy – I should now be able to get screen grabs from far more programs than before.

Program rating9/10

JCGRAPH DEMO

Fish disk 760

In *JcGraph*, Jean-Cristophe Clement has created an extremely powerful business graph creation package, which will save the images in a variety of formats – including EPS (Encapsulated PostScript), IFF, ILBM, *Geo 3D* and *AegisDraw 2000*. The program takes data from a plain ASCII text file and creates 2D and 3D graphs in formats such as pie charts, line, bar and stack charts and so on. The resulting graphs can be rotated about all three axes, and the perspective can be changed. It doesn't provide for titling, graduated backgrounds or that sort of thing – the thinking behind the product is that these can be added in other drawing packages after the hard work of actually creating the graph has been completed.

The package is shareware, and costs \$47 Canadian. The demo

version on Fish disk 760 is limited in that it limits data to 3 by 3 values, and will not save the graphs. Other than that, all the functions are implemented. It works on an interlaced, NTSC-sized screen, so you'll really need a monitor, rather than a TV, to use the program.


When you've loaded a graph type (loads are available) and some data, you will have three windows on-screen: a preview window, a line-image of the graph and a data entry window from which you can

select rotation and perspective parameters. This can be done either by typing in values, or by moving the slider gadgets – as you do this, the line drawing of the graph moves at the same time, so you can see exactly


what it will look like. When you think you're satisfied, hit the 'Render' button and the output window will contain a full-coloured version of the graph. If you find that this is too small, re-size the window and hit Render again to get a bigger version. The colours used can easily be changed, and it's no hassle to try out a different graph style.

The range of output options means that virtually every page layout and graphics program around

"an extremely powerful business graph creation package"



Fish disk 760 contains an impressive demonstration version of Jean-Cristophe Clement's *JcGraph* – a powerful shareware graphing package




The plot thickens: a sample 3-dimensional graph produced by *JcGraph*

should be able to import the image for final manipulation and printing.

This really is a powerful program. It's a shame that, according to Jean-Cristophe, not many people have registered and obtained the full working version. I'd have thought that, to anyone who needs to produce business graphics on their Amiga, \$47 would be a small price to pay – when you consider that a comparable commercial package (if there is one) would cost far more than that. Jean-Cristophe has taken what I think is a sensible route to distributing the program: it shows its flexibility, but is limited enough that you're likely to want the real thing.

Program rating9/10



S-Text is a stand-alone text viewer, but any advantages it may offer are outweighed by one major consideration: it's a dog to read text in!

S-TEXT

Fish disk 760

This is an admirable idea, which unfortunately loses rather a lot in the implementation. *S-Text* is a program for producing stand-alone text documents, which can be viewed directly from the CLI by typing their name, or from the Workbench by double-clicking – there's no need for a text viewer such as *More* or *MuchMore* to be present on the disk.

The idea is a good one – and the author, Chas Wyndham, has clearly thought hard about the requirements. *S-Text* produces files which are, in the worst case, only 1K larger than the original text

document. It uses text compression when that would reduce the file size, taking into account the size of the decompression code which has to be added to the executable file.

Unfortunately, though, any actual stand-alone document is so awkward and un-intuitive to use that I don't think anyone will be interested in using *S-Text*. For instance, every time the text is scrolled, even by one line, the whole screen redraws. And the keys used to scroll the text are ridiculous: 1 for page up, 2 for page down, 3 for line up, 4 for line down, 5 for top of document and 6 for end of document. Chas says in his documentation that he was going to use the relevant keys on the numeric keypad until the A600 came along.

But what's wrong with using the standard cursor keys?

The need for something like *S-Text* is certainly there – those who pack their disks to the limit with data would welcome a good implementation. Unfortunately, this isn't it.


Program rating4/10

STOCK CONTROL 1.0

Deja Vu disk L/111

This is a licenseware program (it costs £3.99 plus 50p postage & packing) written by MA Sewell using *CanDo*. It does exactly what the

continued on page 128



Stock control on your Amiga, with *Stock Control 1.0* from Deja Vu

INKJET REFILLS

For HP Deskjet, Canon, Star printers.
Refill your cartridges at less than half price.

From only £12.95 for 2 refills

Full colour printing kit £24.00

Over 24 exciting colours to choose from

Write or phone for free information pack to:

**PHOENIX
SERVICES**

104 Skipton Road, Ilkley, West Yorks LS29 9HE

TEL: (0943) 607256

All prices fully inclusive UK mainland



FREE PD SOFTWARE

Amiga - PC - All Commodore

Call (081) 346 0050

or

Write to P.O. Box 1309 London N3 2UT

Independent Commodore Products Users Group

Amiga-64-Link

● Links C64 peripherals to Amiga parallel port ● C64 Not required

Connects C64 printers to the Amiga

● Supports MPS, DPS, VIC, Star, Brother, Seikosha & Citizen printers

● Graphics output on dot-matrix printers ● Works with all software

Transfers C64 disk files to the Amiga

● File transfer programs ● Read/Write text, binary & program files

Standard "Ami-64-Link" £35.25 *Prices include VAT and delivery*

Budget "Ami-64-Link" £23.50 *Budget stops multi-tasking during printing*

York Electronic Research (0904) 610722
The Paddocks, Jockey Lane, Huntington, York YO3 9NE



Express Pd

EXPRESS P.D., 47 ABERDALE

ROAD, WEST KNIGHTON,

LEICESTER LE2 6GD.

Tel: (0533) 887061

All P.D. is 99p per disk.

Buy 10+ get 1 disk free

and receive free

Catalogue Disk (2).

includes 3 Games, 3 Virus

Killers, Charly Music Demo

and complete listing of

Graphics, Music, Demo

Business, Utilities, DIY, T-

Bag (1-63), Fred-Fish (1-

750), Amos, Amisus (1-22).

Please add 60p to order

from U.K., Europe £1.00,

rest of world £2.50 for P&P

All our disks:

✓ Guaranteed error free!

✓ Complete with own labels!

✓ Virus free!!

✓ 24 hours despatch!!

1. Protracker V2.3a (P) (New Update)
2. Hard Drive Utilities (2) (P)
3. Opticom V2.2 (NCom V2 etc) (P)
4. Sid V2 (P)
5. Messy V2 (P)
6. Cheat Library V1.2 (P)
7. Power Packer V3.1b (NP)
8. Astronomy Pack 1 (4) (P)
9. Term V2.4 (2) (WB2+)
10. Amateur Radio 1-25 (25) (P)
11. C Manuals V3 (12) (P)
12. North C V1.3 (2) (P)
13. Perm Check plus (P)
14. Free Copy V1.8 (P)
15. D Copy V3 (NP)
16. Rattle Copy V5 Pro (P)
17. Pacman Copier (P)
18. Virus Checker V6.20 (P)
19. Sysinfo V3.71 (P) (Latest!)
20. Bootx V5.22 (WB2+)
21. Spectrum Emulator/12 Games (P)
22. A64 Emulator V2 (2) (P)
23. A64 Game disk 1
24. Super Kickstart. A3000 only!
25. Kick 1.3 Emulator (WB2+)
26. Action Replay V1.5 (P)
27. Rippers Disk (P)
28. Education Pack 1 (5) (P)
29. Dirwork V1.62 (P)
30. Diskmaster V3.2 (NP)
31. IC-PLUG Printer Utilis (2) (P)
32. Print Master 2 (2) (P)
33. Adlibb V5 (New Update) (P)
34. Textplus V3 (P)
35. 800 Business Letters (P)
36. Diet Aid (P)
37. Learn & Play (2) (P)
38. Story Land 2 (P)
39. Med V3.20 (P)
40. Kids Education (3) (P)
41. Assassins Megaboot (P)
42. Assassins Multi Visions (P)
43. Assassins Handy Tools 3 (P)
44. Battle Cars 2 (P)
45. Super Pacman 92+ (P)
46. Deluxe Pacman V1.1a (P)
47. Galga 92+ (P)
48. Doody (P)
49. Card Games (2) (P)
50. Mental Images Games 2 (P)
51. A500+ 21 Games (P)
52. Assassins Games 1-35 (35) (P)
53. Game Galore 1-9 (9) (P)
54. Agator Program Disk 1 (P)
55. Super Skoda challenge (P)
56. Lada 2000 (NP)
57. Popeye LCD Games (P)
58. Defender (P)
59. Tennis Game 1 Meg (P)
60. E-type 2 (P)
61. Game Disk Alpha (P)
62. Pipeline 2 (P)
63. Grapevine Issue 13 (3) (P)
64. LSD Total Kaos (2) (P)
65. LSD Jesus on E (2) (20) (P)
66. Love & Anarchy (P)
67. Ram Jam Demo (2) (P)
68. E.S. Juggler 3 (2 Meg) (P)
69. Techno France 3 (NP)
70. Hardwired Demo (2) (P)
71. Chrome Demo 1 Meg (P)
72. Legend Dance Disk (P)
73. Mack Slideshow 1992 (P)
74. Kefrens Multimix 2 (P)
75. SCSI Tester V1.1b (P)
76. Mr Wonderful Art Disks (7) (P)
77. Last Will & Testament (P)
78. Exotic Ripper V1.99 (P)
79. Hackers & Hacking (P)
80. Express Catalogue Disk (2) (P)

**ALL DISKS NOW
ONLY
£1.05 EACH!**

**All disks work
with the A1200!**
unless stated

(%) = Magazine review score

**Anglia
PD**

**(I) = LASER PRINTED
INSTRUCTIONS
AVAILABLE!
JUST ADD 50p!**

**Catalogue Disk (P)
only 70p - Includes a
superb Scenery
Generator!**

(P) = Works on A500, A500 Plus and A600

HOME MANAGEMENT PACK 3 DISKS (P) £3.15

Calendar, Mortgage, Spreadsheet, Grammar, Mileage, World Time, Budget, Chequebook, Database, Typing Tutor, Typewriter, Grocery, List Maker, Home Banking.

CLIPART PACKS 1, 2 OR 3 EACH PACK = 5 DISKS £5.25
3 different packs of 5 disks, all full of the very best clipart for DPaint etc. (P)

FONT PACK 1 OR 2 EACH PACK = 5 DISKS £5.25
2 different packs of 5 disks, pack 1 contains: Publisher fonts, various fonts, fonts disk 2, Cosmopolitan fonts, large fonts (loads of great fonts for DPaint etc.) (P)

ANGLIA COLOUR FONTS PACK 1 OR 2 (P) 5 DISKS £5.25
5 disks full of original colour fonts produced here at Anglia. There are 16 colour fonts - not cut and paste! They are produced in the same way as the chisel font supplied with DPaint and the Kara range of commercial fonts! They are typed straight in and work with DPaint and TV Text.

EDUCATION PACK 1 (P) 5 DISKS £5.25
German, Globe, Geotime, Drawmap, Evolution, Clouds, Formula, Artful, Gravity Sim, Weather, Wave Maker and more! (This pack is one of our best sellers and is incredible value for money.)

ASTRONOMY PACK (P) 4 DISKS £4.20
This superb pack now includes: Star Chart, Amigazer, Total Concepts, Astronomy, Gravity Well, Grav Sim, Orbit, Planet and Fast Facts on the solar system.

PRINTER USER PACK 2 (P) (NEW) 4 DISKS £4.20
A completely new collection of programs to help you get the best out of your printer! Includes: Diskprint V3.51 (Disk labels), WCMaster (Cassette covers), Printfiles, JBSPool, Enviroprint (Envelopes), New Print (Margins - Headers Footers etc) and more.

SIMULATIONS PACK (P) 5 DISKS (Not A1200) £5.25

All the PD Simulations in one pack: Metro, King Oil, Nuke, Impenium, Sealance, Truckin, DC10, Conquest, Insiders Club, Air Warrior

DISK EXPERT PACK (P) 5 DISKS £5.25
If you want to learn more about your Amiga, get this pack! - You'll be a disk expert in no time! Includes Power Packer (Easy file compacter), Sid (Brilliant CLI Replacement Tool!), Iconmania (Change any icon in seconds), Fixdisk, Viruschecker V5.3, D-Copy (Copies, Repairs, Formats and more), CLI Tutorial (All you need to know) and 902 other utilities!!

"C" PROGRAMMERS PACK (P) 6 DISKS £6.30
A complete "C" language and superb instruction manual provide all you need to learn the "C" language, includes North C (2 disks) and the C Manual (4 disks)

MED V3.21 MUSIC PACK (P) 4 DISKS £4.20
MED is widely recognised as the best music package, PD or otherwise!! This pack contains V3.21, the latest version complete with loads of digital samples, a disk full of MED music scores and some great MED music to load and play! Listen to what you

machine is capable of!

500+ CLASSIC GAMES PACK (P) 5 DISKS £5.25
An incredible collection of superb commercial quality arcade games! Hours of fun for both kids and adults. Includes: Defender, Galaxians, Scramble, Missile Command, Pac-Man, Bi-Planes, Drift, Space Invaders, Asteroids, Breakout, Tetris + more!

CARD + BOARD GAMES 2 (P) 4 DISKS £4.20
Another outstanding collection! 38 very good "Thinking" Games! Chess V2, Backgammon, Blackbox, Towers, Pipe, Zerg, Maize, Connect4, Dominoes, Draughts, Othello, Go Moku, Dragon Tiles, Klondike, Canfield, Mastermind, Wordsearch, Hangman, Pontoon and many more.

PUZZLES PACK 3 (P) 3 DISKS £3.15
6 brand new graphical puzzle games, all brilliantly done, guaranteed to keep you playing! Ashido, Flag Catcher, Rothello, Quadrix, Paragon, Technoban.

HARD DISK PACK 2 (P) 3 DISKS £3.15
Great collection of the latest hard disk utilities includes HDlick (menu maker), Hlemdir (directory etc.), a backup (superb), superlock (password protect every drive, mouse and keyboard!), disk optimizer, copier, virus killer and more!

SHOOT 'EM UP PACK (P) 5 DISKS £5.25
The finest blasting games in PD! Includes: Galaga 92, Revenge, Intruder Alert, Blizzard, Tom Cat, Moonbase and Hellzone.

ANGLIA CLIPART PACK (P) (NEW) .. 5 DISKS £5.25
Brand new IFF clipart produced by Anglia! Loads of high quality anti-aliased IFF images including cats, dogs, birds, wild animals, people and characters. Use with DPaint or any program that accepts IFF graphics.

MATHS REFLEX PACK (P) (NEW) 2 DISKS £2.10
For ages 8 to adult - A superb way to improve basic maths. Includes addition, subtraction, multiplication, division, fractions and algebra. Also includes a fun memory game.

BEGINNERS BUSINESS PACK (P) 4 DISKS £4.20
Designed especially for newcomers to business software, this pack contains a database (Bbase), spreadsheet, accounts package and Wordprocessor (QED). Also included are a 12,500 word spelling checker and a word statistics program!

BEGINNERS BUSINESS MANUAL (P) £2.99
Approx 50 page professionally printed manual containing full instructions for the beginners business pack. Includes a specially written guided tour section that takes you through the major features of each program and ensures that you can use each program with confidence!

SINGLE DISKS AT ONLY £1.05!

BUSINESS

8381 (P) (85%) AmigaFax (English Desk Top Publishing)

8382 (P) (95%) 600 Business Letters (Superb! - Ready to use)

8330 (P) (80%) Amicash (Superb new bank account manager)

8332 (P) (90%) U-Edit V3.04 (Latest and greatest word proc)

8333 (P) (86%) Amibase Professional 2 (Now PD - Super database)

8335 (P) (92%) Forms unlimited (Design invoices etc, quickly)

8339 (P) (P) A-Graph (Produce Bar + Line Graphs easily)

8327 (P) (P) (86%) Text Engine V3.4 (great looking wordprocessor)

8342 (P) (New!) Wordpower (Great spell checker with crossword and anagram solving tool)

8344 (P) (NEW!) The Money Program (Very nice accounts package)

8346 (P) (I) Account Master V2 (Excellent home accounts with full printing)

UTILITIES

U416 (P) (70%) CLI Tutorial (Learn all about it)

U437 (P) (I) (95%) D-Copy V2 (Now an even better disk copier!)

U478 (P) Typing Tutor (New! Great features)

U495 (97%) Viruschecker V6.19 (P) (The latest - For the plus too!)

U496 (P) (95%) Messysid V2 (Reads and writes PC disks)

U497 (P) (95%) A500+ Utilities (For the A500+ only)

U4004 (P) (NEW) Pools Predictor (It's back! 1992 season)

U4009 (P) Amiga Tutorial (A beginners manual on disk, superb!)

U4022 (P) Opticomms 2 (Includes ncom V2)

U4025 (P) (94%) PC-to-Amiga (Transfer files and much more - superb)

U4026 (P) Superkillers 2 (All the best virus killers on one disk)

U4027 (P) (NEW) Inscript (The finest video titler yet seen - incredible features - very professional)

U4028 (P) Printer Drivers (Over 100 - Most Star + Citizen models including colour and HP500C)

U4029 (P) Degradar (Turn WB2 into WB1.3 - Lets you load those problem programs)

GAMES

G6019 (P) A500+ Games (21 Games for the Plus!)

G6027 (P) (I) (91%) Lothian. Superb ultimate type adventure - great graphics - hordes of monsters! (NEW)

G6035 (P) (NEW) Klakris (Superb "Columns" game!)

G6036 (P) (I) (NEW) (92%) Total War (Perfect version of The Risk board game)

G6042 (P) (NEW) Super Pacman 92 (Easily commercial standard!)

G6045 (P) (88%) Amos Cricket (The best PD cricket game)

G6046 (P) Amos fruit Machine II (More features than ever!)

G6047 (P) Dr Mario (The classic console game)

G6048 (P) Act of War (Substantial Arcade Adventure - Like Laser Squad!)

G6049 (P) Neighbours (2 disks (2.10). Have an adventure in Ramsey Street!)

CHILDRENS

C712 (P) Colour Pad (New colouring book for youngsters)

C714 (94%) Storyland II (Brilliant kids game)

C719 (P) (87%) Total Concepts (2 Disks) (Astronomy & Dinosaur Education Pack - Good!)

C720 (P) Colour the alphabet (Great education for early learners 4ys+)

C724 (P) (88%) Doody (Like Mario Bros and very good - NEW!)

C725 (P) (91%) Mr+ Mrs (Platform adventure for 7yrs+ - it's got everything!)

C726 (P) (83%) GCSE Maths (Great revision disk)

C727 (P) (100%) Top Secret (Reviewed as the best platform game ever!)

C729 (P) (NEW) Counting Fun (For age 4+, Excellent simple arithmetic practice)

C730 (P) Wizzys Quest (Wizard, Damsel + Monsters, great game!)

C731 (P) (NEW) Willy in the Castle (Professional platform game)

C732 (P) (NEW) Fractions (Excellent fractions tutor)



DESKTOP VIDEO PACK 2 (P) (100%) 4 DISKS £4.20

Probably our best pack yet! Provides everything to start you off in video. 5 Movie for smooth scrolling titles using any font of any size. Showbiz for slideshows with loads of wipes and fades. A-Graph for business videos: Shadow Maker to add shadows and smooth any font. Video Librarian: Video Tools: Video Tests: Loads of fonts and more!

DESKTOP VIDEO PACK 2 INSTRUCTION MANUAL!!! (P) £2.99

A 50 page instruction manual for DTV pack 2. Professionally printed, contains instructions for all the programs in the pack and a section on fonts and how to use them! Also includes a superb guided tutorial that takes you through the major programs step by step, letting you create your own titles as you go! Designed for beginners and experienced users, this manual will make desktop video easy!

**FISH DISKS IN STOCK
350-780
ONLY £1.05 EACH!**

**DEJA VU
"I-LATEST"
£3.99 EACH!**

HIGH QUALITY HARDWARE

8mm High Quality Mouse Pad £2.99

Amiga 500/500+ Dust Cover £3.99

Monitor/TV Dust Cover £4.99

3.5" Disk Drive Cleaning Kit £2.99

2 Piece Printer Stand (Paper under) £5.60

ANGLIA PUBLIC DOMAIN LIBRARY
(Dept ASL), 115 Ranelagh Road, Felixstowe, Suffolk, IP11 7HU

Access **VISA** **CREDIT CARD** **ORDERS**
International orders welcome but please add 30p per disk for post & packing.

**PHONE
0394
283
494**

Simply phone your order through or send a cheque/postal order. Please add 60p to cover post and packing.

continued from page 126

name implies: provides you with a stock control system. The author is very apologetic about using *CanDo* – in his documentation he keeps saying things like “Don’t laugh”, and “It’s fine for planks like me”. Well, actually it’s a very professional-looking system, so there’s really no need for him to be embarrassed!

Of course, for four quid you’re not going to get the most fully-featured package in the world, but on the other hand *Stock Control* seems to have just about everything that you’d need for a basic stock system. Adding a new stock line is easy – just hit the ‘Add’ button and type away. There are fields for the current and minimum stock levels, and two more fields for quantities bought and sold – enter a number in either of these and the current stock level changes automatically. There is space on the screen for details like manufacturer, model name/number and retail price, as well as for up to three suppliers, their trade price and any order reference. A scrolling window lists all the products, and if you have a lot you can search for text in any of the product, model, manufacturer and comments fields.

If your stock level drops below the minimum, a window appears simply saying ‘stock alert’ – sadly there’s no more information than that. However, if you hit the ‘Print Stock Alert List’ button, details of all understocked items will be sent to a


“Stock Control seems to have just about everything that you’d need”

kind of program – it saves the data at 10-minute intervals if the relevant button is ticked.

There are a couple of raw edges to the program, but the most serious one is that it’s far too easy to delete a stock line by mistake – and there’s no ‘Undo’ feature to get it back.

Hitting the Delete button removes whatever’s on the screen – with no confirmation requester to make sure that you know what you’re doing. If you do this by mistake, and if you haven’t made

changes to any other data, you can quit the program without saving changes and when you launch again the data will be back. But if you’ve entered other data, then not saving changes will lose this.



This is the menu screen for disk 2 of the *Assassin* utilities collection. Despite the title, there are no telescopic rifles, garottes or rare poisons to be seen!

printer. The documentation hints that it’s possible to list them on the screen too, but refers to an icon that just doesn’t exist!

The auto-save feature is a useful addition not often included in this

My only other worry is that I once seemed to make the program quit suddenly and without warning while I was using it. But since I couldn’t reproduce the problem, it’s possible that it was something stupid I did,

rather than a bug. Judicious and frequent saving of the data would mean that this isn’t too much of a problem anyway.

Apart from those two concerns, though – and I’m sure the Delete problem is a change which can easily be made – this is a very creditable first major programming effort. It shows that *CanDo* can be used to create professional-looking applications, and looks like it is actually a useful program.

Program rating7/10

ASSASSINS HANDY TOOLS

Aardvark PD disks
U/186, U/187,
U188

There are three disks in this collection of utilities, and each auto-boots to provide an attractive menu system. I’m not totally convinced, personally, that putting a menu on a disk of utilities is that useful – after all, that means that you’ve got to re-boot your Amiga to take full advantage of them (unless of course you use the *BootJob* program described earlier in this column). Especially since all the programs have been renamed by the compilers of the disks and given really useful names like ‘1’, ‘2’, ‘3’ and so on. Finding the program you want from the CLI or Workbench (which is even worse, since all the icons have been removed) is a real pain in the neck.

Still, if you can live with that annoyance, there certainly seems to be a reasonable range of utilities on these three disks – although not all the programs are the very latest versions available.

There’s not enough space here to list all the programs on each disk, but here’s a fairly representative sample of the selection:

Disk 1 (U/186)

- *Text Engine* – a text processor
- *Typist* – a touch typing tutorial/testing program
- *Loan Calculator* – guess!
- *Last Hope* – attempts to recover deleted files from Standard File System floppy disks, even when their headers have been wiped
- *Virus-Check* – checks for a range of Amiga viruses
- *Calendar Factory* – produces text-format calendars for use with programs such as DTP packages.

Disk 2 (U/187)

- *File-Master* – a file/disk organising utility (basically another permutation on the SID formula)
- *DiskOpti* – copies disks so that all files are stored contiguously, and are therefore

faster to read, because the disk drive’s heads don’t have to skate around the surface of the disk

- *DPSlide* – plays slide-shows output from *DPaint* and similar programs
- *PictSaver* – a screen-shot program, although not the latest version
- *IFF 2 PCX II* – a file conversion utility which turns IFF graphics files into the IBM PC-standard PCX format, so they can be read by virtually any PC graphics program
- *RescueSource* – attempts to retrieve source code created in any pure text editor from the Amiga’s memory if you haven’t saved it before a crash. It’s intended for use by programmers, but useful if you’re using a text editor which just produces ASCII.

Disk 3 (U/188)

- *SuperDuper* – a disk copier/formatter which should copy and verify a disk in a minute and a half
- *PicBase* – a cataloguing program which allows you to organise and



SuperDuper – a disk copying and formatting program, and just one of the many utilities on *Assassins Handy Tools 3*

“Finding the program you want... is a real pain in the neck”

manage any IFF images and brushes stored on your hard disk. It displays an 8- or 16-greyscale image of each file, with information such as the pathname, creation date, file size and so on

- **MegaMon 3.2** – a monitor program, whose documentation is all in German
- **MultiRipper** – a sound ripper program, for grabbing tunes from other peoples' programs

- **T3E** – turns a text file into an executable program, so that you don't need a text viewer such as *MuchMore*
- **SnoopDos** – prints details of all calls made by any program to load libraries, devices, fonts and specific files. This is great if you're not sure why a program isn't working, and is also available on

this month's *Amiga Shopper* cover disk – see page 22.

The user interface for these three disks isn't exactly what you'd call consistent – it's interesting to see how the menu evolves from disk one to disk three, so that by the time you reach the third one it's far easier to use. However, all in all, these three provide a collection of

utilities which, while not essential, are certainly useful enough to be worth considering. If you're already a power user, you've probably already got most of these programs – at least, the ones that you will find useful. If you're new to the Amiga, though, you could do worse than to get in an order for them.

Value for money.....7/10

"these three... are certainly useful enough to be worth considering"

WHERE TO GET IT

There are two main ways to get hold of Amiga PD and shareware: from a bulletin board or from a PD library.

The advantage of using a bulletin board is that often the latest software is uploaded as soon as it's available. On the down side, you need a modem to connect, and you'll have to pay phone charges (and sometimes a connection fee to the bulletin board as well).

There are a growing number of bulletin boards with a wide range of Amiga software available for download. Check out 01-for Amiga (071 377 1358) and the Cheam Amiga Bulletin Board (081 644 8714). Another good option is joining CIX (the Compulink Information eXchange), which not only has Amiga software but also contains conference and file areas on a wide range of subjects. Many of the *Amiga Shopper* writers have accounts on CIX, so you can get first-hand advice on your problems, too. For more details, call CIX on 081 390 8446 (voice) or 081 390 1255 (modem).

If you don't want to use a bulletin board, the other way to get PD software is from a PD house. Many advertise in *Amiga Shopper*, and you'll find a comprehensive list of names and addresses at the end of this article. Expect to pay between 99p and about £2.50 per disk – there's often a discount if you buy in bulk, too. As for the difference between the companies which charge 99p and those which charge £2.50 – well, try both types. There are brilliant, totally professional PD houses which charge less than a quid, and there are totally incompetent (dis)organisations which charge more than twice that.

UK PD HOUSES

Amiganuts United
169 Dale Valley Road
Hollybrook
Southampton

AMOS PD
1 Penrynnydd Road
Penlan
Swansea
SA5 7EH

Anglia PDL
115 Ranelagh
Felixstowe
Suffolk
IP11 7HU
☎ 0394 283494

Blitterchips
Cliffe House
Primrose Street
Keighley
BD21 4NN
☎ 0535 667469

Crazy Joe's
145 Effingham Street
Rotherham
South Yorks
S65 1BL
☎ 0709 829286

Deltrax PD
36 Bodelwyddan Ave
Old Colwyn

Clwyd LL29 9NP
☎ 0492 515981

Deja Vu
7 Hollinbrook
Beech Hill
Wigan WN6 7SG
☎ 0942 495261

Essex Computer Systems
118 Middle Crockerford
Basildon
Essex
SS16 4JA
☎ 0268 553963

George Thompson Services
Cucumber Hall Farm
Cucumber Lane
Essendon
Herts
AL9 6JB
☎ 0707 664 654

ICPUG
PO Box 1309
London
N3 2UT
☎ 081-346 0050

NBS
1 Chain Lane
Newport
Isle Of Wight PO30 5QA
☎ 0983 529594

PD Soft
1 Bryant Ave
Southend-on-Sea
Essex
SS1 2YD
☎ 0702 466933

Pentire PD
10a Hag Hill Lane
Taplow
Maidenhead
Berks SL6 0JH
☎ 0628 666641

Riverdene PDL
30a School Road
Tilehurst
Reading
Berkshire RG3 5AN
☎ 0734 452416

Telescan Computer Services
Handsworth Road
Blackpool FY5 1SB
☎ 0253 22296

Sector 16
160 Hollow Way
Cowley
Oxford
☎ 0865 774472

Seventeen Bit Software
PO Box 97
Wakefield

West Yorks
WF1 1XX
☎ 0924 366982

Software Expressions
Unit 4
44 Beaulley Road
Southville
Bristol BS3 1PY
☎ 0272 639593

Softville
Unit 5, Stratfield Park
Elettra Avenue
Waterlooville
Hants PO7 7XN
☎ 0705 266509

Startronics
4 Arnold Drive
Droylsden
Manchester M35 6RE
☎ 061 370 9115

Vally PD
PO Box 15
Peterlee
Co Durham SR8 1NZ
☎ 091-587 1195

Virus Free PD
31 Farringdon Road
Swindon
Wiltshire SN1 5AR
☎ 0793 512321

What do we mean, Amiga Format is going live? That the world's best-selling Amiga magazine is turning into some kind of Frankenstein's monster?

Well, no. What we mean is that we've arranged a very special event this Spring for all Amiga owners. It's going to be a computer show like no other, arranged exclusively for Amiga owners and inspired by the people who run Britain's favourite computer magazine.

What will be happening there? Well, first and foremost there will be stall after stall overflowing with great Amiga bargains - games, hardware, serious software, the lot. Just like in Amiga Format.

Naturally, because it's a live event that also means you can get advice and see products demonstrated by the people who make and sell them. Which makes life an awful lot easier.

And that's as well as taking advantage of some very special prices.

So it's a great place to go shopping, but there's a lot more besides.

Commodore, the makers of the Amiga, are giving their full backing to the event and will be there in style - they may also announce the Amiga of the future, the most exciting development since the A1200. If you're lucky.

The Amiga Format team will be there along with a host of other Amiga

What happens v top Amiga mag

experts, to have a chat, answer your questions and help you out with any specific Amiga problems.

A special Sound and Vision area will concentrate on Amiga graphics and music, and how they can be used in making your own videos.

For gamesplayers, there's the Amiga Power arcade where you can see - as well as play - all the latest top game releases. And you can experience virtual reality for yourself, too.

The venue has yet to be confirmed, though it's a prestige central London site, and much more has yet to be revealed about what new products will be launched at the show, and other special events, so keep an eye on the news pages of your favourite Amiga magazine.

But what's certain is that it's going to be quite an event. If you've got an Amiga, you really ought to be there. So make sure to get it arranged right now, and we'll see you there!

AMIGA FORMAT *Live '93*

**LONDON FRIDAY MAY 7TH
TO SUNDAY MAY 9TH 1993**

When the world's magazine goes live?

Tickets can be booked in advance with our credit-card hotline, 051-356 5085, which means you get in for a bargain £5.95 and you don't have to queue to get a ticket. Entrance on the day costs £7. Opening hours are Friday 7th May and Saturday 8th May 9.30am to 5pm, Sunday 9th May 9.30am to 4.30pm. See you there!

Booking form

Yes please! I'd like tickets!

Name _____

Address _____

Postcode _____

Number of tickets (at £5.95 each) _____

Total payment £ _____

Method of payment (please circle)

Access ☐

Visa ☐

Cheque PO ☐

Credit card number _____

Expiry date _____

Please make all cheques payable to Future Events

Send this coupon to Amiga Format Live '93, PO Box 2,

Ellesmere Port, South Wirral L65 3EA.

AS03

PRODUCT LOCATOR

SOFTWARE • SOFTWARE • SOFTWARE • SOFTWARE • SOFTWARE • SOFTWARE • SOFTWARE • SOFTWARE

Welcome to the *Amiga Shopper* Buyer's Guide, your regular guide to what's hot and what's not in the Amiga market place. It's designed as a simple-to-use yet comprehensive guide which will help you to make the right buying decisions. It may not include each and every product ever produced for the Amiga (that would take up virtually the whole of *Amiga Shopper*!), but rest

assured that all the major brands are here.

The Buyer's Guide will run each and every month and as new products are released and others discontinued, we'll be updating it accordingly. This month we bring you what is possibly the most comprehensive guide to software for the Amiga owner.

PAINT PROGRAMS

Product	Supplier	Price	Screen Modes	Max Colours	Overscan	Animation	Rating	Issue
MyPaint	HB Marketing	£20	L	12	No	No	***	2
The Graphics Studio	Accolade	£50	L/M	32	No	No	***	2
Deluxe Paint 3	Electronic Arts	£70	L/LI/M/H	64	Yes	Yes	*****	2
Deluxe Paint 4	Electronic Arts	£90	L/LI/M/H	4096	Yes	Yes	*****	10
Deluxe PhotoLab	Electronic Arts	£130	L/LI/M/H	4096	Yes	No	***	2
DigiPaint 3	Silica Systems	£80	L/LI	4096	Yes	No	*****	2
Photon Paint 2	MicroIllusions	£90	L/LI	4096	Yes	Yes	*****	2
SpectraColour	HB Marketing	£60	L/LI	4096	Yes	Yes	***	5

L-Low Res, LI-Low Res Interlaced, M-Medium, H-High Res

ANIMATION SOFTWARE

Product	Supplier	Price	ANIM Compat	Onion Skin	X-Sheet	Sound	Rating	Issue
Disney Animation Studio	Silica	£80	Yes	Yes	Yes	Yes	****	1
Fantavision	HB Marketing	£50	No	No	No	Yes	****	14
MovieSetter	Silica	£80	No	No	No	Yes	****	14
Take-2	Rombo	£95	No	No	Yes	Yes	****	14

SOLID MODELLING/RAY TRACING

Product	Supplier	Price	Ray Tracing	24-bit	Animation	Bump Maps	Textures	Rating	Issue
Expert 4D Junior	Genisoft	£39.95	Yes	No	No	No	Yes	****	21
Real 3D 1.4	Alternative Image	£120	Yes	Yes	Yes	Yes	Yes	*****	4,7,20
Imagine	Silica	£235	Yes	Yes	Yes	No	Yes	*****	4,7,20
3D professional	Marcam	£260	Yes	Yes	Yes	No	Yes	***	7
Draw 4D	Surface UK	£150	No	No	Yes	No	Yes	***	7
Sculpt 4D	Alternative Image	£400	Yes	Yes	Yes	No	Yes	*****	7
Imagine 2	Computech	£270	Yes	Yes	Yes	Yes	Yes	****	14
RayDance	Radiance	£100	Yes	Yes	No	Yes	Yes	***	14

MISC GRAPHICS

Product	Supplier	Price	Type	Rating	Issue
VistaPro	HB Marketing	£100	Fractal Landscapes	*****	7
Genesis	MicroIllusions	£50	Fractal Landscapes	****	11

IMAGE PROCESSORS

Product	Supplier	Price	24-bit	Max Colours	File Formats	Composition	Colour Control	Rating	Issue
ImageMaster	Amiga Ctr Scot.	£175	Yes	16.7m	IFF	Yes	Yes	*****	18
Art Department	Silica	£100	Yes	16.7 m	Many	No	Yes	****	-
Art Department Pro	Silica	£200	Yes	16.7 m	Many	Yes	Yes	*****	10
Butcher 2	HB Marketing	£50	No	4096	IFF	No	Yes	***	-

PAGE LAYOUT SYSTEMS

Product	Supplier	Price	Outline Fonts	Pantone	Postscript	24-bit Col	Colour Sep	Rating	Issue
PageStream 2.2	Silica	£200	Yes	No	Yes	Yes	Yes	***	2,3
ProPage 2.1	Silica	£250	Yes	Yes	Yes	Yes	Yes	*****	1,17
Saxon Publisher	Surface UK	£250	Yes	No	Yes	Yes	Yes	***	17
PageSetter 2	Silica	£100	Yes	No	No	No	No	***	-
Shakespeare	Cloudhall	£100	No	No	Yes	No	Yes	***	-
CityDesk	Precision	£130	No	No	Yes	No	No	**	-
ProPage 3.0	Silica	£250	Yes	Yes	Yes	Yes	Yes	*****	17

STRUCTURED DRAWING PROGRAMS

Product	Supplier	Price	Bezier Curves	Postscript	Outline Fonts	EPS compat	Rating	Issue
ProDraw 2.1	Silica	£132	Yes	Yes	Yes	Yes	*****	-
DesignWorks	Silica	£100	Yes	Yes	Yes	No	**	-
ProDraw 3.0	Silica	£132	Yes	Yes	Yes	Yes	****	20
Expert Draw	HB Marketing	£70	Yes	Yes	Yes	Yes	***	14

CAD PACKAGES

Product	Supplier	Price	DXF Compat	No. Of layers	Vector Fonts	PostScript	Rating	Issue
DynaCADD	ExpressWorks	£650	Yes	256	Yes	Yes	****	3

PRODUCT LOCATOR

PRODUCTS

X-CAD 2000	Digital Multimedia	£129	Yes	255	Yes	With util included	****	-
X-CAD 3000	Digital MultiMedia	£300	Yes	255	Yes	With util included	****	-
UltraDesign	Marcam	£200	Yes	128	Yes	Yes	***	-

WORD PROCESSORS

Product	Supplier	Price	Spell Checker	Thesaurus	Picture Import	Rating	Issue
Wordworth 2	Digit	£129.95	Yes	Yes	Yes	****	21
Mini Office 2	Europress	£69	Yes	NO	NO	****	17
Scribble!	HB Marketing	£30	Yes	No	No	***	6,9
Transwrite	HB Marketing	£40	Yes	No	No	***	6,9
Pen Pal	Harwoods	£80	Yes	No	Yes	****	6,9
Kind Words 2	HB Marketing	£50	Yes	No	Yes	**	6,9
Protext 5.5	Amor	£150	Yes	Yes	No	*****	6,9
Wordworth	Digit	£130	Yes	Yes	Yes	****	4,6,9
Excellence 3	HB Marketing	£79.95	Yes	Yes	Yes	****	-
ProWrite 3.2	Silica	£143	Yes	Yes	Yes	***	12
Word Perfect	Sentinel	£230	Yes	Yes	No	**	-
Final Copy	Gordon Harwood	£TBA	Yes	Yes	Yes	****	15

DATABASES

Product	Supplier	Price	Type	Programmable	dBASE Compatible?	Rating	Issue
Mini Office 2	Europress	£69	Card Index	No	NO	***	17
Infofile	HB Marketing	£50	Card Index	No	No	***	9
ProData 1.2	Amor	£100	Card Index	No	Yes	****	9
SuperBase	Precision	£30	Relational	No	Yes	****	9
SuperBase 2	Precision	£100	Relational	No	Yes	****	9,12
SuperBase Pro 4	Precision	£400	Relational	Yes	Yes	*****	4,9
Organize 2	HB Marketing	£62	Relational	No	Yes	***	-

SPREADSHEETS

Product	Supplier	Price	Lotus Compatibility	Graphs	Rating	Issue
Mini Office 2	Europress	£69	No	Yes	***	17
MaxiPlan 4	HB Marketing	£130	Yes	Yes	***	18
LP Calc	HB Marketing	£50	No	NO	*	19
Analyze!	Precision	£50	Yes	Yes	***	9
Maxiplan 500	HB Marketing	£80	Yes	Yes	***	9
ProCalc	Silica	£150	Yes	Yes	*****	-
Advantage	Silica	£100	Yes	Yes	****	1,9
K-Spread 3	Kuma	£70	Yes	Yes	***	9
K-Spread 4	Kuma	£100	Yes	Yes	****	9
DGCalc	Digit	£40	No	No	**	-
Analyze 2	HB Marketing	£50	Yes	Yes	***	-

MULTIMEDIA

Product	Supplier	Price	Interactive	External Drivers	ARexx	Rating	Issue
Presentation Master	HB Marketing	£350	Yes	No	No	****	9
HyperBook	Silica	£100	Yes	No	Yes	****	6
AmigaVision	Commodore	£80	Yes	Yes	Yes	****	-
CanDo 1.5	Checkmate Digital	£130	Yes	No	Yes	*****	-
Viva!	MicroDeal	£200	Yes	Yes	No	**	-

VIDEO TITLERS

Product	Supplier	Price	Overscan	Transitions	Amiga Fonts	Horiz Crawl	Rating	Issue
Scala MM200	Scala UK	£395	Yes	Yes	Yes	Yes	*****	21
Broadcast Titler 2	HB Marketing	£234	Yes	Yes	No	Yes	****	2
Scala 1.1	Silica	£250	Yes	Yes	Yes	No	*****	2
Scala 500	Silica	£100	Yes	Yes	Yes	No	****	-
Alternative Scroller	Alternative Image	£50	Yes	No	No	Yes	***	-
Home Titler	HB Marketing	£40	Yes	No	No	Yes	***	9
ProTitler	HB Marketing	£100	Yes	Yes	Yes	Yes	***	9
Video Caption Designer	Maze	£200	Yes	No	Yes	Yes	***	3
Video Ease	Interactive Tchnlgy	£40	Yes	Yes	Yes	Yes	**	11

DTV UTILITIES

Product	Supplier	Price	Type	Rating	Issue
AntiA	Zen	£40	Font Enhancer	****	8
BT2 Font Enhancer	HB Marketing	£130	Font Enhancer	***	8
ShowMaker	Silica	£250	Presentation System	***	10
Elan Performer 2	Silica	£180	Presentation System	****	11
Deluxe Video 3	Electronic Arts	£100	Presentation System	****	-

PRODUCT LOCATOR

MIDI SEQUENCERS

Product	Supplier	Price	No. of Tracks	Amiga Smpls	Song Arrange	Rating	Issue
Sequencer One	Gajits	£90	20	Yes	Yes	****	2
Bars&Pipes Pro	Zone	£200	Unlimited	Yes	Yes	*****	3
Pro-24	Evenlode	£300	24	No	Yes	***	4
Harmoni	HB Marketing	£50	24	Yes	No	****	7
KCS 3.5	Zone	£280	48	Yes	Yes	*****	8
Tiger Cub	Zone	£100	12	Yes	Yes	****	-
Music-X	MicroIllusions	£150	256	Yes	No	****	-
Music-X Junior	MicroIllusions	£50	256	Yes	No	****	-
Master Tracks	MCM	£200	64	No	Yes	***	-
Trax	MCM	£70	64 /	No	Yes	*****	-
Sequencer One Plus	Gajits	£50	32	Yes	Yes	****	16

MISC MIDI SOFTWARE

Product	Supplier	Price	Type	Rating	Issue
Dr T Boom Box	Zone	£45	Music for morons	***	21
X-Or	Zone	£220	Librarian	****	6
CMPanion	Gajits	£100	Patch Editor	****	6
Caged Artist	Zone	£100	Patch Editor	***	6
Copyist Apprentice	Zone	£100	Score Notation	****	-
Copyist DTP	Zone	£230	Pro Score Notation	****	-
Audition 4	HB Marketing	£50	Sample Editor	*****	10
AudioMaster 4	HB Marketing	£80	Sample Editor	*****	-
Audio Sculpture	SMG	£50	Sample Sequencer	**	12
Quartet	MicroDeal	£50	Sample Sequencer	***	-
Mugician	Thalamus	£30	Sample Sequencer	***	-
Music Studio	HB Marketing	£25	Sample Sequencer	**	-
TFMX	HB Marketing	£45	Sample Sequencer	***	-
OctaMED 2	AmigaNuts	£20	Sample Sequencer	*****	-
SuperJAM!	Blue Ribbon Sound.	£100	Algorithmic Composition	****	15

EDUCATIONAL SOFTWARE

Product	Supplier	Price	Type	Rating	Issue
MicroFrench	LCL	£24	Language Tutor	****	17
Learn to Read With Prof	Prisma	£25	Reading	***	2
The Three Bears	School Software	£23	Reading	***	2
Donald's Alphabet Case	Entertainments Int.	£25	Reading	***	2
Let's Spell	Softstuff	£20	Writing	****	2
Things To Do With Words	Softstuff	£20	Writing	***	2
Kids Type	GeniSoft	£25	Writing	****	2
Mickey's Zoo	Entertainments Int.	£25	Maths	***	2
Game, Set & Match	GeniSoft	£21	Maths	**	2
Magic Maths	School Software	£23	Maths	***	2
Fun School 3	Europress	£25	3 'R's	*****	2
Fun School 4	Europress	£25	3 'R's	*****	9
Puzzle Book 1	Softstuff	£20	3 'R's	****	2
Sesame Street	Merit Software	£16	Painting	***	2
Play It Safe	Deja Vu	£3.50	General	****	2
Pick A Puzzle	Deja Vu	£2.50	Jigsaw	***	2
Hooray For Henrietta	Sketlander	£25	Maths	***	2
Back To Basics	HB Marketing	£40	Maths	***	9
Maths Adventure	HB Marketing	£26	Maths	****	9
Spell!	Europress	£9	Writing	***	3
Maths Blaster Plus	Ablac Computec	£40	Maths	***	3
Maths Mania	School Software	£23	Maths	****	3
Better Spelling	School Software	£23	Writing	****	3
Answer Back Quiz	Kosmos	£20	3 'R's	****	3
Weather Watcher	GeniSoft	£25	Weather	***	4
What Is It?	GeniSoft	£20	Geography	****	4
Better Maths	School Software	£23	Maths	***	4
French Mistress	Kosmos	£20	French	****	4
Mr Robot's	HB Marketing	£25	Writing	***	6
Speak&Spell					
Early Learning Maths	ESP Software	£20	Maths	***	6
SpelliCopter	ESP Software	£20	Writing	****	6
Spell Book	SoftStuff	£8	Writing	****	6
Cave Maze	Coombe Valley	£12	Quiz	***	7
Maths Dragons	Coombe Valley	£12	Maths	***	7
Shapes & Colours	Rainbow	£8	Basic	****	7

PRODUCT LOCATOR

First Letters	Rainbow	£8	Reading	***	7
Reasoning With Trolls	Coombe Valley	£15	Quiz	****	8
Spellbound	Lander Software	£26	Writing	****	10
Count & Add	Lander Software	£26	Maths	****	10
Pepe's Garden	Prisma	£26	3 'R's	****	10
Picture Book	Triple 'R' Education	£20	3 'R's	*****	10
Money Matters	Triple 'R' Educational	£20	Money	*****	-
Maths Adventure	Kosmos	£26	Maths	***	12
Compendium Six	HB Marketing	£35	Six educational programs	*****	14

PROGRAMMING LANGUAGES

Product	Supplier	Price	Language	Compiler	Rating	Issue
AMOS Professional	Europress	£69.95	BASIC	Separate	*****	20
Aegis Visionary	Precision	£59	Adventure	Yes	***	17
HiSpeed Pascal	HiSoft	£100	Pascal	Yes	****	19
GFA BASIC 3.5	GFA Data Media	£50	BASIC	Separate	****	3,9
GFA Compiler	GFA Data Media	£30	Compiler	-	****	3,9
Blitz	Siren Software	£70	BASIC	Yes	***	3,9
AMOS	Europress	£50	BASIC	Separate	*****	3,9
AMOS Compiler	Europress	£30	Compiler	Yes	****	5,9
AMOS 3D	Europress	£30	BASIC Extension	-	*****	5,7
AMOS Tome	Deja Vu	£30	BASIC Extension	-	****	11
Easy AMOS	Europress	£35	BASIC	No	*****	12
HiSoft BASIC	HiSoft	£50	BASIC	Yes	****	9
RQ Forth	HB Marketing	£80	Forth	Yes	****	9
Lattice C 5	HiSoft	£230	C	Yes	*****	3,9
Aztec C	Precision	£130	C	Yes	****	9
M2 Amiga	Real Time	£125	Modula-2	Yes	****	7,9
ArgAsm	HB Marketing	£60	Assembly	-	***	9
Devpac 3	HiSoft	£70	Assembly	-	*****	10,12

UTILITIES

Product	Supplier	Price	Type	Rating	Issue
Essence	Apex Software	£80	Algorithmic textures for Imagine 2	****	20
Home Office 2	Gold Disk	£99	Integrated applications software	*****	20
Real Things	Living Data	£29.95	Animated animal brushes for DPaint	****	20
PowerWaves 3.1	Database	£17.95	Create wave-based 3D objects	****	21
Reverser	Alternative Image	£10	Animation Utility	****	17
Director 2	Alternative Image	£100	Video Presentation scripting language	***	19
Ami-Back 1.4	Omega Projects	£50	Hard Disk Backup	*****	9
QuarterBack	HB Marketing	£50	Hard Disk Backup	****	5
Personal Fonts Maker	HB Marketing	£70	Bitmap Font Editor	***	7
GB Route Plus	Complex Computers	£80	Journey Planner	*****	10
GB Route Plus Edit	Complex Computers	£30	Editor For GBRoute	****	10
Flow 3.0	Silica	£80	Ideas Processor	***	10
Turbo Print Pro	HB Marketing	£50	Enhanced Printing	****	11,12
Directory Opus	Checkmate Digital	£40	Directory Utility	*****	-
MapMaster	Alternative Image	£54	Image Mapping package	****	14
SurfaceMaster	Alternative Image	£28	Add on for Imagine	****	14
Touch Typist	Sector Software	£14	Teach yourself touch typing	****	15
SaxonScript	Surface UK	£100	Postscript interpreter	***	15
Smooth Talker	Zen Computers	£140	Video Prompting package	****	16
HotLinks	Silica	£70	Add on for PageStream 2.2	**	16
Shades	Meridian Software	£60	Gradient fills for PageStream	**	16
Hit Kit!	Gajits	£25	Sequences for Sequencer One	***	16

SUPPLIER LIST • SUPPLIER LIST • SUPPLIER LIST • SUPPLIER LIST • SUPPLIER

Ablac Computec	0626 331464	Deja Vu	0942 495261	GeniSoft	0753 686000	Meridian	0533 896743	School	010 353 61 45399
Accolade	071 738 1391	Digita	0395 270273	GFA Data Media	0734 794941	Merit	0101 214 385 2353	Software	
Alternative Image	0533 440041	Digital Multimedia	0702 206165	Harwoods	0773 836781	Software		Sentinel	0932 231164
Amiga Centre	031 557 4242	Electronic Arts	0753 549442	HB Marketing	0753 686000	MicroIllusions	0480 496497	Silica	081 309 1111
Scotland		Entertainments Int	0268 541212	HiSoft	0525 718181	Omega Projects	0925 763946	Siren Software	061 724 7572
Arnor	0733 68909	ESP Software	0702 600557	Interactive	0423 501321	Prisma Software	0244 326244	Sketlander	041 357 1659
Checkmate Digital	0707 664684	Europress	051 357 1275	Technology		Radiance	0101 408 270 7420	SMG	0274 562999
Cloudhall	0604 231211	EvenLode	0993 898484	Kosmos	0525 53942	Rainbow	0392 77369	Softstuff	0732 351234
Commodore	0628 770088	SoundWorks		Kuma	0734 844335	Real Time	081 656 7333	Surface UK	081 566 6677
Complex Computers	0706 224531	ExpressWorks	0252 726255	Lander Software	041 357 1659	Associates		Triple 'R'	0742 780370
Computech	0702 206165	Gajits Music	061 236 2515	Marcam Ltd	071 258 3454	Rombo		Software	
Coombe Valley	0626 779695	Software		MCM	081 963 0663	Productions	0506 466601	Zone	081 7666564

BUYING ADVICE FOR SHOPPERS

Whether buying over the phone or at a local store, here's our advice on how to get what you want

BUYING IN PERSON

- Where possible, always test any software and hardware in the shop before taking it home, to make sure that it works properly.
- Make sure you have all the necessary leads, manuals or other accessories you need.
- Don't forget to keep your receipt.

BUYING BY PHONE

- Be as clear as possible when stating what you want to buy. Make sure you confirm all the technical details of what you are buying. Some things to bear in mind are version numbers, memory requirements, other required hardware or software and compatibility with your particular model of Amiga (that is, make sure you know which version of Kickstart you have).
- Check the price you are asked to pay, and make sure that it's the same as the price advertised.

- Check that what you are ordering is actually in stock.
- Check when and how the article will be delivered, and that any extra charges are as stated on the advert.
- Make a note of the date and time when you order the product.

BUYING BY POST

As with buying by phone, you should clearly state exactly what it is you are buying, at what price (refer to the magazine, page and issue number where it's advertised) and give any relevant information about your system set-up where necessary. You should also make sure you keep copies of all correspondence both to and from the company concerned.

MAKING RETURNS

Whichever method you buy by, you are entitled to return a product if it fails to meet any one of the following three criteria:

- The goods must be of 'merchantable quality'.
 - The goods must be 'as described'.
 - The goods must be fit for the purpose for which they were sold. If they fail to satisfy any or all of the criteria, then you are then entitled to:
 - Return them for a refund.
 - Receive compensation for part of the value.
 - Get a replacement or free repair.
- When returning anything, ensure that you have proof of purchase and that you return the item as soon as possible after receiving it. For this reason it is important that you check the hardware or software as soon as it is delivered to make sure everything you ordered is there and works as it is supposed to.

HOW TO PAY

Paying by credit card is the most sensible way, whether buying in person, by post or on the phone, because you may be able to claim the money from the credit card company even if the firm you ordered from has gone bust or refuses to help sort out your problem.

Otherwise, you should pay by crossed cheque or postal order – never send coins or notes through the mail.

GETTING REPAIRS

Always check the conditions of the guarantee, and servicing and replacement policy, so that you know what level of support to expect. Always fill in and return warranty cards as soon as possible, and make sure that you are aware of all the conditions contained in the guarantee.

BUYING PD

Even though PD software is relatively inexpensive, you should still apply the guidelines set out above, making sure that you confirm all orders as clearly as possible.

Shopping around is still important when buying PD because different houses charge different prices for the same disks. There is no set pricing structure for disks, but bear in mind that PD houses are, in theory, supposed to be non-profit making operations. **AS**

ADVERTISERS INDEX

1st Computer Centre (Leeds).....	54,55
16 Bit Centre	28
Anglia PD	127
Arnor.....	76
Artworks	85
BCS.....	68,69
CC Enterprises	85
Commonside Hardware Services	116
Delta Pi	32
Digit a International.....	9
Digital Creations.....	140
Direct Computer Supplies	87
Evesham Micros	100,101
Express PD	127
Grapevine Group	32
Graphic Assembly	85
Harwoods	94-97, 139
HB Marketing	51
Hobbyte	62,63
ICPUG	127
Indi	42-45
Kosmos Software.....	32
LCL	51
Mailbyte	51
Micro Pace (UK).....	27
Millenium Micros	116
MJC Supplies	36
New Horizon Computers	17
Omega Projects.....	20
PD Soft	109
Phoenix.....	38,39
Phoenix Services.....	127
Power Computing	2,48,49
Selectafont	85
Silica Systems.....	107,121,137
Snap Computer Supplies	116
Softstore	85
Software Demons	4
Software Expressions	124
Trilogic	58,59
Weserve	6
WTS Electronics.....	87,90,91
York Electronics	127

A CHECK LIST FOR MAIL ORDER BUYING

- 1 Make sure you know exactly what you want. Draw up a checklist of the specifications you are looking for and what you want it to be able to do. Check with the suppliers that their product matches your list.
- 2 Will the product you have in mind work with your existing set-up, and anything else you are planning to buy?
- 3 Can you see a demonstration? Many products are on display at computer shows around the country.
- 4 Are there any hidden extras? Does it need 1Mb to run, or a hard disk?
- 5 What technical support is provided by the supplier? Does the manufacturer offer after-sales advice? Check before you buy.
- 6 Check the guarantee terms. How long is the free warranty? What does it offer?
- 7 Draw up a list of these details and make them a condition of your order.
- 8 Check the price and delivery details when you order, and make a note of them.
- 9 Note down when you placed the order and who you spoke to.
- 10 When it arrives, check everything carefully. If anything is missing, don't use the product at all – contact the supplier. If it doesn't work, make the obvious checks such as the fuse. If it still doesn't work don't try to fix it – contact the supplier.

THE WORLD'S N°1


GVP

GREAT VALLEY PRODUCTS

AMIGA PERIPHERALS

ACCELERATORS

FOR THE AMIGA 1500/2000/4000
All GVP G-Force accelerators can be turned into a hard card by adding a Mount Kit (GVA 4251 - £34.95). Any 1" SCSI drive can then be mounted on to the accelerator.



	030 25MHz	030 40MHz	030 50MHz	040 33MHz
Processor	68030EC	68030EC	68030	68040
Speed MIPS	7.48	12.1	15	30
Speed MHz	25	40	50	33
Math co-processor	68882	68882	68882	Built-in
Standard 32-bit RAM	1Mb	4Mb	4Mb	4Mb
Maximum 32-bit RAM	13Mb	16Mb	16Mb	16Mb
Extras	SCSI	SCSI	SCSI	SCSI Ser/Par
Code	UPG 0110	UPG 0430	UPG 0533	UPG 0740
PRICE	£499	£799	£1099	£1499

HARD CARDS

FOR THE AMIGA 1500 & 2000
• Factory installed Hard Drives
• 0, 80, 120, 213, & 420Mb options
• On-board 8Mb memory sockets
• Add up to 6 SCSI devices

0Mb	HAR 1300	£129
40Mb	HAR 1340	£299
80Mb	HAR 1388	£349
120Mb	HAR 1422	£429
213Mb	HAR 1533	£579

The Impact II HC8 hard cards are the equivalent of the HD8+ hard drive, but for the 1500 and 2000 models. They are some of the fastest hard drives available, and incorporate an unpopulated 8Mb RAM expansion.

Return the coupon now for your **FREE** copy of Silica Systems **NEW GVP CATALOGUE**

SOUND SAMPLER



FOR ALL AMIGAS
• 8-bit stereo sampler
• Plugs into parallel port
• MIDI support for song input
• Extensive editing features

For the semi-professional and audio hobbyist a high quality 8-bit stereo sound sampler that connects into the parallel port on any Amiga 500, 600, 1500, 2000 or 3000 computer. Combined with one of the fastest, most powerful and easy-to-use sound and music editing programs available. Includes 4-track soundtracker file compatible sequencer.

~~£49.95~~ **£39.95**
Ref: MUS 2500

VIDEO GENLOCK



FOR ALL AMIGAS
• 2x Composite Video, 1x S-VHS inputs
• RGB Composite video & S-VHS outputs available simultaneously
• Sound mixer, 2 mono inputs and 1 output
• Full software control via control panel, hotkeys and/or AReXX

GVP's G-lock genlock is a true price/performance breakthrough. The G-lock genlock works with all Amiga computers and even supports the new Chroma Key modes of the ECS/AA chip set. It is the only choice for the mid-range Amiga video enthusiast.

Ref: VID 2500 **£349**

PLUG-IN HARD DRIVES FROM ONLY

PLUG-IN HARD DRIVE AMIGA 500/500 PLUS

The A500-HD8+ provides the ultimate in hard disk performance, memory expansion and future expandability for the Amiga 500. It incorporates the same VLSI custom chip and FAAAST ROM SCSI driver which are used in GVP's Series II SCSI/RAM controllers for the A1500/2000. As a result the A500-HD8+ offers unbeatable hard disk performance. The easy-access Autoboot/Game Switch allows the hard disk to be disabled, ensuring compatibility with the few games that will not work with a hard disk.

Every A500-HD8+ incorporates the latest in hard disk technology with a factory installed and formatted 1" high, low power, 3 1/2" SCSI hard disk, offering storage capacities up to 213Mb.

The A500-HD8+ also offers the ultimate in expandability. Additional SCSI peripherals can be attached to the external SCSI port. Up to 8Mb of internal Fast RAM expansion can be installed using state-of-the-art SIMM memory modules. The unique internal Mini-Slot allows for future expansion. Every A500-HD8+ has its own dedicated power supply, ensuring that the Amiga 500 power supply will not be overloaded and an internal fan to prevent the unit from overheating.

WHAT THE PRESS SAY...
"Superb build, excellent aesthetics and blinding speed make this the best A500 hard drive" - AMIGA SHOPPER

"GVP claims this is the fastest hard drive in the world and none of our tests could prove that wrong... Untouchable. THE choice" - AMIGA SHOPPER



PLUG-IN HARD DRIVE OPTIONS

MODEL	42Mb	80Mb	120Mb	213Mb
HD8+ HARD DRIVE	£299 INC VAT Ref: HAR 0640	£399 INC VAT Ref: HAR 0688	£499 INC VAT Ref: HAR 0922	£599 INC VAT Ref: HAR 0933


HD8+ HARD DRIVE A530 HD & ACCELERATOR

HARD DRIVE	HD8+	A530
SCSI HARD DRIVE	•	•
40, 80, 120 & 213MB VERSIONS	•	•
ULTRA FAST ACCESS	•	•
TRANSFER RATE UP TO 2.1MB/sec*	•	•
(*THE RATE OF THE 213MB HD)	•	•
ACCELERATOR	•	•
40MHz 68030EC CPU	•	•
OPTIONAL 68882 MATHS CO-PROCESSOR	•	•
RUNS AT 12.1 MIPS (FASTER THAN AN A3000)	•	•
HARDWARE SUPPORT TO MAP BOOTSTRAP INTO 32-BIT WIDE FAST RAM FOR FASTER OPERATION	•	•
RAM BOARD	•	•
UP TO 8MB OF 8 OR 9-NS FAST RAM (8 OR 9-NS SIMMS - 120ns OR QUICKER)	•	•
UP TO 8MB OF 32-NS WIDE FAST RAM (32-NS WIDE SIMMS - 60ns)	•	•
TMB POPULATED	•	•
OTHER FEATURES	•	•
"CUT-OFF" FOR 100% GAME COMPATIBILITY	•	•
SCSI CONTROLLER FOR UP TO 7 DEVICES	•	•
VLSI CUSTOM CHIP	•	•
FAAFAST ROM SCSI DRIVER	•	•
IDENTICAL COLOUR & STYLING TO THE A500	•	•
BUILT-IN FAN TO PREVENT OVERHEATING	•	•
DEDICATED POWER SUPPLY	•	•
"MINI-SLOT" FOR FUTURE EXPANSIONS (E.G. PC EMULATOR)	•	•
REMOVABLE MEDIA SUPPORT	•	•
DIRECT MEMORY ACCESS (DMA) STYLE FOR ULTIMATE PERFORMANCE	•	•
EASY-TO-USE SOFTWARE	•	•
2 YEAR WARRANTY	•	•

PLUG-IN HARD DRIVE + ACCELERATOR AMIGA 500/500 PLUS

The GVP A530 incorporates the same 68030EC processor found in most of the new GVP G-Force accelerator range, as well as using the same VLSI custom chip and FAAFAST ROM SCSI driver that is used in GVP's Series II SCSI/RAM controllers for the A1500/2000.

It also incorporates the Motorola 68882EC processor running at a blistering 40MHz and the latest in hard disk technology with a factory installed and formatted 1" high, low power, 3 1/2" SCSI hard disk offering storage capacities up to 213Mb. Additional SCSI peripherals can be attached to the external SCSI port. Up to 8Mb of 32-bit wide Fast RAM expansion can be installed, using state-of-the-art SIMM memory modules (1Mb supplied as standard). A 68882 maths co-processor can also be added to the unit to boost the machine's math calculations. Every GVP A530 has its own dedicated power supply.




*... the build quality is excellent... in terms of performance, their gear is the best... their equipment is worth every penny! 94% AMIGA FORMAT 992

PLUG-IN HARD DRIVE & ACCELERATOR OPTIONS

MODEL	42Mb	80Mb	120Mb	213Mb
A530 COMBO HARD DRIVE & ACCELERATOR	£699 INC VAT Ref: HAR 0962	£799 INC VAT Ref: HAR 0968	£899 INC VAT Ref: HAR 0974	£999 INC VAT Ref: HAR 0983

PC EMULATOR

PLUG-IN OPTION FOR HD8+ & A530
• 16MHz 80286 processor
• 287 Maths Co-Processor socket
• 512K of PC RAM plus the use of Amiga RAM
• Supports Hercules, CGA, EGA/VGA (mono-chrome) and T3100 video modes
• Runs MS-DOS (3.2 and upwards) plus thousands of other PC programs



The powerful 286 emulator module simply plugs into the "mini-slot" of the GVP HD8+ or A530 (without invalidating the warranty). It has full access to the Amiga's resources and allows you to run PC and Amiga programs at the same time, giving you two computers in one.

£149
Ref: EMU 0500

ALL PRICES INCLUDE VAT - DELIVERY IS FREE OF CHARGE IN THE UK MAINLAND

149193-1430

SILICA SYSTEMS OFFER YOU

- FREE OVERNIGHT DELIVERY:** On all hardware orders shipped in the UK mainland.
- TECHNICAL SUPPORT HELPLINE:** Team of technical experts at your service.
- PRICE MATCH:** We normally match competitors on a "Same product - Same price" basis.
- ESTABLISHED 14 YEARS:** Proven track record in professional computer sales.
- £12 MILLION TURNOVER (with 60 staff):** Solid, reliable and profitable.
- BUSINESS + EDUCATION + GOVERNMENT:** Volume discounts available 081-308 0888.
- SHOWROOMS:** Demonstration and training facilities at our London & Sidcup branches.
- THE FULL STOCK RANGE:** All of your requirements from one supplier.
- FREE CATALOGUES:** Will be mailed to you with offers + software and peripheral details.
- PAYMENT:** Major credit cards, cash, cheque or monthly terms.

Before you decide when to buy your new Amiga products, we suggest you think very carefully about WHERE you buy them. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals and software, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for almost 14 years and, with our unrivalled experience and expertise, we can now claim to meet our customers' requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest FREE literature and begin to experience the "Silica Systems Service".

MAIL ORDER HOTLINE **081-309 1111**

SILICA SYSTEMS

MAIL ORDER: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Order Lines Open: Mon-Sat 9.00am-6.00pm No Late Night Opening
Tel: 081-309 1111 Fax: No: 081-308 0508

LONDON SHOP: 52 Tottenham Court Road, London, W1P 0BA
Opening Hours: Mon-Sat 9.30am-6.00pm No Late Night Opening
Tel: 071-580 4000 Fax: No: 071-323 4737

LONDON SHOP: Selfridges (1st Floor), Oxford Street, London, W1A 1AB
Opening Hours: Mon-Fri 9.30am-7.00pm (Sat close 6.30pm) Late Night: Thursday - 8pm
Tel: 071-629 1234 Extension: 3914

SIDCUP SHOP: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Opening Hours: Mon-Sat 9.00am-5.30pm Late Night: Friday - 7pm
Tel: 081-302 8811 Fax: No: 081-309 0017

ESSEX SHOP: Keddies (2nd Floor), High Street, Southend-on-Sea, Essex, SS1 1LA
Opening Hours: Mon-Fri 9.30am-5.30pm (Sat 9.00am-6.00pm) No Late Night Opening
Tel: 0702 468039 Fax: No: 0702 462363

To: Silica Systems, AMSHP-0393-68, 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX

PLEASE SEND A BROCHURE ON THE GVP RANGE

Mr/Mrs/Miss/Ms: Initials: Surname:

Company Name (if applicable):

Address:


Postcode:

Tel (Home): Tel (Work):

Which computer(s), if any, do you own? 68J

WIN • WIN • WIN • WIN • WIN • WIN • WIN • WIN

Win four copies of Morph Plus



Get into the ever-changing world of morphing and produce animation effects you wouldn't have believed possible - with ASDG's superbly flexible Morph Plus

There can be few computer applications in recent times that have captivated the public imagination in the way that morphing has.

A morphing package enables you to stretch, warp and twist images in startling ways, as well as to create smooth transitions between two completely different images. These effects have received quite an airing in films such as *Terminator 2*. And you'd be amazed at how quick and easy it is to produce similar effects with an Amiga, when you're using a package such as States-based company ASDG's *Morph Plus*.

ASDG has very kindly donated four copies of *Morph Plus*, each

worth £179.99, to give away to you, our lucky readers.

If you need convincing as to just how good this product is, then turn to page 70 and have a read of Gary Whiteley's definitive review.

Entering couldn't be easier. Choose your answers to the three remarkably easy questions in the panel on the right, jot them down on a postcard or the back of a sealed envelope, and send it off to:

Morph Fun For Me
Amiga Shopper
29 Monmouth Street
Bath BA1 2DL

Oh, and don't forget to include your name and address. The closing date for entries is March 8. Bear in mind that only one entry per household will be accepted. **AS**

THE CHALLENGE • THE CHALLENGE

- | | |
|---|---|
| 1. What was the name of the BBC TV programme that featured a character with the unlikely name of 'Morph'? | a) The Nine O'Clock News
b) Blue Peter
c) Take Hart |
| 2. If you were lucky enough to own a pair of 'plus fours', what would you do with them? | a) Wear them
b) Plug them into your thru-port
c) Eat them |
| 3. From which ancient language is the word 'morph' derived? | a) Latin
b) Greek
c) Hebrew |

THE CHAMPION!

And the lucky winner of the January issue's *1200th Day Of Christmas* compo is (cue drum roll)... Mrs P Tuckerman of Leicester. Congratulations Mrs Tuckerman - a shiny new A1200 will be winging its way towards you real soon now.

MAG*SAVE

AMIGA SHOPPER SELLS
LIKE THERE'S NO
TOMORROW - DON'T

MISS OUT: RESERVE IT AT YOUR LOCAL NEWSAGENT NOW!

Please reserve/deliver me a copy of *Amiga Shopper* every month beginning with the April issue which goes on sale on Tuesday, March 2

Name _____
Address _____
Phone _____

• NOTE TO NEWSAGENT: *Amiga Shopper* is published by Future Publishing (0225 442244) and is available from your local wholesaler.

• PS Oh, yes and if you do have any problems getting hold of your favourite Amiga mag, call Kate Elston on 0225 442244 and she'll help you out.

IN NEXT MONTH'S FACT-PACKED ISSUE

- Memory - we tell you everything you need to know about Random Access Memory: whether or not you need more, what to look for when buying, and what the differences are between the various types. Naturally we have a huge review round-up of all the memory expansions you can buy.
 - Professional programmer Toby Simpson solves all your programming worries in his *Code Clinic*.
 - Our series on DIY repairs continues, showing you how to save money and fix those common Amiga faults yourself.
- Plus:** regular columns on Amiga Answers, public domain, video, AmigaDOS, desktop publishing, programming, education, music, chaos, comms and much more

>>>> On sale Tuesday, March 2 >>>>




THE FINAL WORD

...in Word Processing with Perfect Printing

From the makers of Pen Pal comes a brand new, unique WYSIWYG Word Processing package, that's simply the only choice for those who demand the most from their Amiga.

Final Copy II is not only the Amiga's most powerful Word Processor with every feature you'd expect - plus many more found normally in DTP packages - but also the only Word Processor that gives superb scaleable outline fonts from any Amiga - even 1.3's. Imagine outputting to your printers highest resolution, with almost Postscript™ laser perfection - no matter which printer you may have. Even with a simple nine pin dot matrix you'll get perfect printing* from Final Copy's 20 smooth outline typefaces that are included!




Simulated copy from a dot matrix printer with normal Word Processor




With its powerful new features, there's no better Word Processor/Publisher for your Amiga. You'll quickly realise the benefits which were once the exclusive preserve of the Macintosh™ and other high end publishing systems.

Final Copy II

Word Processor for the Amiga®



from SoftWood, Inc.
the makers of
Pen Pal



With multiple newspaper style columns and integrated drawing tools - for boxes, borders, squares, lines at any angle, ovals, circles, arrows etc., plus colour text, along with many other formatting tools - your documents will look and read just as you want them to.

Final Copy II includes a 110,000 word British-English Collins Proximity Spelling Detector & Corrector, to help typing errors become a thing of the past, along with an 826,000 synonym Thesaurus, for that extra inspiration.

Final Copy II is so easy to learn and use, that you'll become an accomplished author in no time at all - but if you need extra help you're not on your own as our support hotline is there for all UK version users. Look out for the UK logo on the box!

...Final Copy II

Only £99.95

FROM ALL GOOD SOFTWARE DEALERS

Compatible with...

Amiga-A 500/600/600HD/1500/2000/3000. System requirements... min. of 1Mb. RAM and two Floppies or a Hard Disk Drive [A600HD requires at least 1.5Mb].

*Any Workbench supported graphic printer, colour or mono, including... Citizen 120D, 124D, 224, Swift 9/24, 200/240; Star LC10, 20, 200, 24-200, and XB Series; Canon BJ10ex; HP Ink/Paintjet; Postscript™ devices and many more.

Trade Distribution by...

Centresoft/IBD ♦ HB Marketing ♦ Leisuresoft ♦ Meridian Distribution ♦ SDL/Prodis ♦

Dealers... Please call Harwoods for your supply of leaflets and inclusion in the list of stockists we provide to customers.

United Kingdom version imported & supported by...

GORDON HARWOOD
Computers

Gordon Harwood Computers • New Street • Alfreton
Derbyshire • DE55 7BP • Telephone: 0773 836781



Final Copy II encompasses a whole range of other advanced features, here's just a selection:

- ◆ Uses the latest Workbench 2 Style interface on all Amigas
- ◆ On screen command ribbon controls (format your document with the simple touch of a button)
- ◆ 25% to 400% editable page reduction and magnification command
- ◆ Title page, master pages & style sheets
- ◆ Right/left pages with binding offset
- ◆ Open multiple documents
- ◆ Fast mouse document panning and zoom/un-zoom
- ◆ External and internal mail merging
- ◆ Cut, copy and paste
- ◆ Search and replace
- ◆ On screen maths
- ◆ Auto-hyphenation
- ◆ Import, resize and crop IFF, HAM and 24Bit ILBM graphics and auto-flow text around them
- ◆ Text over graphics
- ◆ Outline fonts on all Amiga screens, and any non-Postscript™ or Postscript™ compatible printer
- ◆ 4 point up to 300 point [over 4" high] smooth text printing
- ◆ Text leading and spacing controls
- ◆ Condensed and expanded characters
- ◆ Positive and negative obliquing
- ◆ Background printing, allowing simultaneous editing & printing of two or more documents
- ◆ Fast proof printing facility
- ◆ Comprehensive range of additional attractive font volumes available.



Please rush my personal copy of the new Final Copy II information pack, including samples from popular printers, and a list of stockists to... [clip the coupon or call 0773 836781 now!]

Name & Address:

Please include your postcode
AMS

All photographs are of actual DCTV screens.





Now
Available
in PAL

The Future Is Here!

- ▲ Paint, digitize and display beautiful full color composite video images on any Amiga.[®]
- ▲ Capture an image in 10 seconds from any color video camera. (Also works with still video cameras, video disk and still frame capable VCR's.)
- ▲ Convert DCTV™ images to or from any IFF display format (including HAM and 24 bit).
- ▲ Full-featured paint, digitize and conversion software are included. DCTV™ is a complete system, right out of the box!
- ▲ Create spectacular 3D images and animations. Compatible with all popular 3D programs.

£ 499

*Min. 1 Meg. required
3-5 Meg. recommended



Digitize and process full color composite video images in millions of colors.



Sophisticated true color video point, digitizing and image processing software are all combined into one easy to use package.



Create beautiful full color video images with all popular Amiga 3D programs.



Animate video quality DCTV images in real time using popular Amiga animation creation tools.

DCTV (Digital Composite Television) is a revolutionary new compressed video display and digitizing system for the Amiga. Using the Amiga as a compressed video buffer, DCTV creates a full color composite video display with all the color and resolution of television.

DIGITAL

CREATIONS

Telephone 916/344-4825 FAX 916/635-0475

© 1992 Digital Creations. Amiga is a registered trademark of Commodore Business Machines. Patents applied for.

Dealer enquiries
welcome